FORMULAS IN GEARING

TJ 184 .S93 1907

BROWN & SHARPE MFG. Co.

PROVIDENCE, R. I., U. S. A.



Class TJ 184

Book S 93
1907
Copyright No.

COPYRIGHT DEPOSIT.









BROWN & SHARPE MFG. CO., PROVIDENCE, R. I., U. S. A.

FORMULAS

IN

GEARING.

FIFTH EDITION.

Charles E. Stutz

WITH PRACTICAL SUGGESTIONS.

; ; ; ; ; ; ; ; ;

BROWN & SHARPE MANUFACTURING COMPANY,
PROVIDENCE, R. I., U. S. A.
1907

5000



Copyright

1900, 1905, 1907

By Brown & Sharpe Mfg. Co.

Preface.

This book deals with the subject of Gearing essentially from the draughtsman's standpoint.

Its aim is to condense as much as possible the solution of all problems in gearing which in the ordinary practice may be met with, to the exclusion of problems dealing with transmission of power and strength of gearing.

The simplest and briefest being the symbolical expression, it has, whenever available, been resorted to. The mathematics employed are of a simple kind, and will present no difficulty to any one familiar with ordinary Algebra and the elements of Trigonometry.



Contents.

FORMULAS IN GEARING.

CHAPTER 1.	
	PAGE
Systems of Gearing	9
CHAPTER II.	
Spur Gearing—Formulas	12
CHAPTER III.	
Bevel Gears, Axes at Right Angles—Formulas—Bevel Gears, Axes at any Angle—Formulas—Undercut in Bevel Gears	14
CHAPTER IV.	
Worm and Worm Wheel—Formulas—Undercut in Worm Wheels	21
CHAPTER V.	
Spiral or Screw Gearing—Axes Parallel—Axes at Right Angles—Axes at any Angle—General Formulas	25
CHAPTER VI.	
Internal Gearing—Internal Spur Gearing—Internal Bevel Gears	34
CHAPTER VII.	
Dimensions and Form for Bevel Gear Cutters	40
CHAPTER VIII.	
The Indexing of any Whole or Fractional Number—Differential Indexing	43
CHAPTER IX.	
The Gearing of Lathes for Screw Cutting—Simple Gearing—Compound Gearing—Cutting a Multiple Screw	50

TABLES.

FAGE
Comparative Sizes of Gear Teeth
Tooth Parts—Circular Pitch—Diametral Pitch 60-63
Chordal Thickness of Gear Teeth and Distance from Chord to
Top of Tooth
Diameter Increments
Angles of Edge and Angles of Face
Cutters for Use in Cutting Bevel Gears
Solution of Right Angled Triangles
Natural Sines and Cosines—Natural Tangents and Cotangents 92 109
Angles for Gashing Worm Wheels
Prime Numbers and Factors
Table of Leads
Index Table
Decimal Equivalents of Parts of an Inch






FORMULAS IN GEARING.

CHAPTER I.

SYSTEMS OF GEARING.

There are in common use two systems of gearing, viz.: the involute and the epicycloidal.

In the involute system the outlines of the working parts of a tooth are single curves, which may be traced by a point in a flexible, inextensible cord being unwound from a circular disk the circumference of which is called the *base circle*, the disk being concentric with the pitch circle of the gear.




In Fig. 1 the two base circles are represented as tangent to the line PP. This line (PP) is variously called "the line of pressure," "the line of contact," or "the line of action."

In our practice this is drawn so as to make with a normal to the centre line (O O') $14\frac{1}{2}^{\circ}$, or with the centre line $75\frac{1}{2}^{\circ}$.

The rack of this system has teeth with straight sides, the two sides of a tooth making, together, an angle of 29° (twice $14\frac{1}{2}^{\circ}$).

This applies to gears having 30 teeth or more. For gears having less than 30 teeth special rules are followed, which are explained in our "Practical Treatise on Gearing."



In epicycloidal, or double-curve teeth, the formation of the curve changes at the pitch circle. The outline of the faces of epicycloidal teeth may be traced by a point in a circle rolling on the outside of pitch circle of a gear, and the flanks by a point in a circle rolling on the inside of the pitch circle. The faces of one gear must be traced by the same circle that traces the flanks of the engaging gear.

In our practice the diameter of the rolling or describing circle is equal to the radius of a 15-tooth gear of the pitch required; this is the base of the system. The same describing circle being used for all gears of the same pitch.

The teeth of the rack of this system have double curves, which may be traced by the base circle rolling alternately on each side of the pitch line.

An advantage of the involute over the epicycloidal tooth is, that in action gears having involute teeth may be separated a little from their normal positions without interfering with the angular velocity, which is not possible in any other kind of tooth.

The obliquity of action is sometimes urged as an objection to involute teeth, but a full consideration of the subject will show that the importance of this has been greatly over-estimated.

The tooth dimensions for both the involute and epicycloidal gears may be calculated from the formulas in Chapter II.

CHAPTER II.

SPUR GEARING.

Two spur gears in action are comparable to two corresponding plain rollers whose surfaces are in contact, these surfaces representing the pitch circles of the gears.


PITCH OF GEARS.

For convenience of expression the pitch of gears may be stated as follows:

Circular pitch is the distance from the centre of one tooth to the centre of the next tooth, measured on the pitch line.

Diametral pitch is the number of teeth in a gear per inch of pitch diameter. That is, a gear that has, say, six teeth for each inch in pitch diameter is six diametral pitch, or, as the expression is universally abbreviated, it is "six pitch." This is by far the most convenient way of expressing the relation of diameter to number of teeth.

Module is the pitch diameter of a gear divided by the number of teeth.



FORMULAS.

N = number of teeth.

s = addendum and module.

t = thickness of tooth on pitch line.

t'' = chordal thickness of tooth.

f = clearance at bottom of tooth.

D'' = working depth of tooth.

D'' + f = whole depth of tooth.

D'= pitch diameter.

D = outside diameter.

P' = circular pitch.

P = diametral pitch.

H = height of arc.

s'' = distance from chord to top of tooth.

c = centre distance.

 $\theta = \frac{1}{4}$ the angle subtended by circular pitch.

$$P = \frac{N+2}{D} = \frac{\pi}{P'}$$

$$P' = \frac{\pi}{P} = d \pi \frac{\theta}{90^{\circ}} = \frac{D' \pi}{N}$$

$$s = \frac{I}{P} = \frac{P'}{\pi} = .3183 P' = \frac{D'}{N} = \frac{D}{N+2}$$

$$t = \frac{P'}{2} = \frac{\pi}{2P}$$

$$f = \frac{t}{10}$$

$$s + f = \frac{1}{P} \left(1 + \frac{\pi}{20} \right) = .3683 \text{ P}'$$

$$D'' = 2 s = \frac{2}{P}$$

$$D'' + f = \frac{2.157}{P} = .6866 P'$$

$$D' = \frac{N}{P} = \frac{N P'}{\pi}$$

$$D = D' + 2 s = \frac{N+2}{P}$$

$$\theta = \frac{90^{\circ}}{N}$$


$$t'' = D' \sin \theta$$

$$H = \frac{D'(1 - \cos \theta)}{2}$$

$$s'' = s + H$$

CHAPTER III.

BEVEL GEARS—AXES AT RIGHT ANGLES.



FORMULAS.

 $\begin{bmatrix}
N_a = \\
N_b =
\end{bmatrix}$ Number of teeth $\begin{cases}
\text{gear.} \\
\text{pinion.}
\end{cases}$

P = diametral pitch. P' = circular pitch.

 $\alpha_a = 1$ centre angle = angle of edge (gear. $\alpha_b = \int$ or pitch angle. pinion.

 β = angle of top. $\beta' =$ angle of bottom.

 $g_a = \begin{cases} g_a = \\ g_b = \end{cases}$ angle of face $\begin{cases} \text{gear.} \\ \text{pinion.} \end{cases}$

 $h_a = h_b =$ cutting angle { gear. pinion.

A = apex distance from pitch circle.

A' = apex distance from large bottom of tooth.

D' = pitch diameter.D = outside diameter.

s = addendum and module.

t = thickness of tooth at pitch line.

f = clearance at bottom of tooth.

D'' = working depth of tooth.

D'' + f = whole depth of tooth. 2 a = diameter increment.

b = distance from top of tooth to plane of pitch circle.

F = width of face.

$$\tan \alpha_{a} = \frac{N_{a}}{N_{b}}; \quad \tan \alpha_{b} = \frac{N_{b}}{N_{a}};$$

$$\tan \beta = \frac{2 \sin \alpha}{N}; \text{ or } \quad \tan \beta = \frac{s}{A};$$

$$\tan \beta' = \frac{\sin \alpha \left(2 + \frac{\pi}{10}\right)}{N} = \frac{2.314 \sin \alpha}{N}; \quad \tan \beta' = \frac{s + f}{A};$$

$$g_{a} = 90^{\circ} - (\alpha_{a} + \beta); g_{b} = 90^{\circ} - (\alpha_{b} + \beta)$$

$$h = \alpha - \beta' \qquad (See \ page \ 4I.)$$

$$A = \sqrt{\frac{N_{a}}{2P}^{2} + \frac{N_{b}}{2P}^{2}}$$

$$A = \frac{N}{2 P \sin \alpha}$$

$$A' = \frac{A}{\cos \beta'} \qquad A' = \frac{N}{2 P \sin \alpha \cos \beta'}$$

$$A = \frac{\frac{1}{2}D}{\sin (\alpha + \beta)} \cos \beta$$

$$P = \frac{N}{2 A \sin \alpha}$$

$$D' = \frac{N}{P} \text{ or } = \frac{N P'}{\pi} \qquad D = D' + 2 \alpha$$

$$2 \alpha = 2 s \cos \alpha \qquad (For \ tables \ see \ pages \ 70 \ to \ 73.)$$

$$b = a \tan \alpha \begin{cases} a \text{ for gear} = b \text{ for pinion} \\ a \text{ for pinion} = b \text{ for gear} \end{cases}$$

$$P = \frac{\pi}{P'} \qquad P' = \frac{\pi}{P}$$

$$s = \frac{1}{P} = \frac{P'}{\pi} = .3183 \ P' = A \tan \beta$$

$$s + f = .3685 \ P' = A \tan \beta' = \frac{1}{P} \left(1 + \frac{\pi}{20}\right)$$

$$D'' = 2 s$$


$$t = \frac{P'}{2} = \frac{\pi}{2P} \qquad f = \frac{t}{10}$$

$$*F = \frac{A}{2} \text{ or } *F = \frac{5 P'}{2}$$

Note.—Formulas containing notations without the designating letters a and b apply equally to either gear or pinion. If wanted for one or the other, the respective letters are simply attached.

^{*}The formula giving the lesser value of F should always be used.

BEVEL GEARS WITH AXES AT ANY ANGLE.



FORMULAS.

C = angle formed by axes of gears.

 $N_a = N_b = number of teeth gear.$

P = diametral pitch. P' = circular pitch.

 $\alpha_a = \begin{cases}
\alpha_b = \end{cases}$ angle of edge = pitch angle $\begin{cases}
\text{gear.} \\
\text{pinion.}
\end{cases}$

 β' = angle of bottom. β = angle of top.

A = apex distance from pitch circle.

A' = apex distance from large bottom of tooth.

D' = pitch diameter. D = outside diameter.

a = diameter increment.

b = distance from top of tooth to plane of pitch circle.

Note.—The formulas for tooth parts as given on page 13 apply equally to these cases.

$$\tan \alpha_a = \frac{\sin C}{\frac{N_b}{N_a} + \cos C}; \text{ or } \cot \alpha_a = \frac{N_b}{N_a \sin C} + \cot C$$

$$\tan \alpha_b = \frac{\sin C}{\frac{N_a}{N_b} + \cos C}; \text{ or } \cot \alpha_b = \frac{N_a}{N_b \sin C} + \cot C$$

Note.—The above formulas are correct only for values of C less than 90°. If C is greater than 90°, consult page 19.

$$\tan \beta = \frac{2 \sin \alpha}{N}; \text{ or } \tan \beta = \frac{s}{A};$$

$$\tan \beta' = \frac{\sin \alpha \left(2 + \frac{\pi}{10}\right)}{N} = \frac{2.314 \sin \alpha}{N}; \tan \beta' = \frac{s + f}{A};$$

$$g_a = 90^\circ - (\alpha_a + \beta) \text{ for Case I II.}$$

$$g_a = \beta, \text{ for Case III.}$$

$$g_a = 90^\circ - (\alpha_a - \beta) \text{ for Case IV.}$$

$$g_b = 90^\circ - (\alpha_b + \beta)$$

$$h = \alpha - \beta' \qquad (Sce page 41.)$$

$$A = \frac{N}{2 \text{ P sin } \alpha}$$

$$A' = \frac{A}{\cos \beta'}$$

$$D' = \frac{N}{P} \text{ or } = \frac{N \text{ P'}}{\pi}$$

$$D = D' + 2 \text{ a } \left\{ \text{ for Cases I and II, and IV.} \right.$$


$$D = D', \text{ for gear in Case III.}$$

$$D = D' - 2 \text{ a, for gear in Case IV.}$$

$$2 \text{ a} = 2 \text{ s cos } \alpha$$

$$b = s \sin \alpha$$

Note.—Formulas containing notations without the designating letters a and b apply equally to either gear or pinion. If wanted for one or the other, the respective letters are simply attached.



The formulas given for α_a and α_b (when C, N_a and N_b are known) undergo some modifications for values of C greater than 90°.

For bevel gears at any angle but 90° we may distinguish four cases; C, N_a , N_b being given.

I. Case. See pages 16 and 17.

II. Case. C is greater than 90°.

$$\tan \alpha_a = \frac{\sin (180 - C)}{\frac{N_b}{N_a} - \cos (180 - C)}; \quad \tan \alpha_b = \frac{\sin (180 - C)}{\frac{N_a}{N_b} - \cos (180 - C)}$$

III. Case.
$$\alpha_a = 90^\circ$$
; $\alpha_b = C - 90^\circ$

IV. Case.

$$\tan \alpha_a = \frac{\sin E}{\cos E - \frac{N_b}{N_a}}; \quad \tan \alpha_b = \frac{\sin E}{\frac{N_a}{N_b} - \cos E}$$

For an example to apply to Case III., the following condition must be fulfilled:

$$N_a \sin (C - 90^\circ) = N_b$$

To distinguish whether a given example belongs to Case II. or Case IV., we are guided by the following condition:

Is:
$$N_a \sin (C - 90^\circ) \begin{cases} smaller \text{ than } N_b, \text{ we have Case II.} \\ larger \text{ than } N_b, \text{ we have Case IV.} \end{cases}$$

UNDERCUT IN BEVEL GEARS.

By undercut in gears is understood a special formation of the tooth, which may be explained by saying that the elements of the tooth below the pitch line are nearer the centre line of the tooth than those on the pitch line. Such a tooth outline is to be found only in gears with few teeth. In a pair of bevel gears where the pinion is low-numbered and the ratio high, we are apt to have undercut. For a pair of running gears this condition presents no objection. Should, however, these gears be intended as patterns to cast from, they would be found useless, from the fact that they would not draw out of the sand. We have stated on page 10 (see Fig. 1) that the base of our involute system is the 14½° pressure angle.

If a pair of bevel gears with teeth constructed on this basis have undercut, we can nearly eliminate the undercut—and for the practical working this is quite sufficient—by taking as a basis for the construction of the tooth outline a pressure angle of 20°.

The question now is: When do we and when do we not have undercut? Let there be:

N = number of teeth in gear. n = number of teeth in pinion.


$$\frac{n\sqrt{N^2+n^2}}{N} = p$$

where we have undercut for p less than 30.

This formula is strictly correct for epicycloidal gears only. It is, however, used as a safe and efficient approximation for the involute system.

CHAPTER IV.

WORM AND WORM WHEEL.



FORMULAS.

L = lead of worm.

N = number of teeth in gear.

m = turns per inch of worm.

d = diameter of worm.

d' = pitch diameter of worm.

d'' = diameter of hob.

D = throat diameter.

D' = pitch diameter of worm wheel.

B = blank diameter (to sharp corners).

C = distance between centres.

P = diametral pitch.

P' = circular pitch for worm wheels or axial pitch for worms.

 $\binom{r'}{r''}$ See figure 7.

s = 'addendum and module.

t = thickness of tooth at pitch line.

 $t^n =$ normal thickness of tooth.

f = clearance at bottom of tooth.

D'' =working depth of tooth.

D'' + f = whole depth of tooth.

b = pitch circumference of worm.

v = width of worm thread tool at end.

w = width of worm thread at top and width of hob tool at end.

 δ = angle of tooth of worm wheel with its axis, or the angle of thread of worm with a line at right angles to its axis.

If the lead is for single, double, triple, etc., thread, then

$$L = P'$$
, 2 P', 3 P', etc.

In multiple threaded worms and their mating wheels, if the angle δ is more than 15° the tooth parts should be figured on the normal as for spiral gears. In using the formulas for spiral gears, it should be borne in mind that while P' is the axial pitch for worms it is the circular pitch for spiral gears.

$$\alpha = 60^{\circ} \text{ to } 90^{\circ}$$

$$L = \frac{1}{m}$$

$$P' = \frac{\pi T}{N+2}$$

$$D' = \frac{N}{\pi} = \frac{N}{P}$$

$$D = \frac{N}{P} + 2 s$$

$$b = \pi (d - 2s) = \pi d'$$

$$\tan \delta = \frac{L}{b} \begin{cases} \text{Practical only when width of wheel on wheel pitch circle is not more than } \frac{2}{3} \text{ pitch diameter of worm.} \end{cases}$$

$$t^{n} = t \cos \delta$$

$$t' = \frac{d}{2} - 2 s$$

$$t'' = r' + D'' + f$$

$$C = \frac{D' + d}{2} - s = \frac{D' + d'}{2}$$

$$D = D + 2 \left(r' - r' \cos \frac{\alpha}{2}\right) \xrightarrow{\text{A measurement of sketch is generally sufficient.}}$$

$$t'' = d + 2 f$$

NOTE.—The notations and formulas referring to tooth parts, given on page 13, for spur gears, apply to worm wheels and are here used.

Note.—Hob and worm should be marked, as per example:

4 turns per 1" single .25 P'; .25 L.

2 turns per 1" double .25 P'; .50 L.

UNDERCUT IN WORM WHEELS.

In worm wheels of less than 30 teeth the thread of the worm (when 29°) interferes with the flank of the gear tooth. Such a wheel finished with a hob will have its teeth undercut. To avoid this interference two methods may be employed.

First Method.—Make throat diameter of wheel

$$D = \cos^2 14\frac{1}{2}^\circ \frac{N}{P} + 4s = \frac{.937 \text{ N}}{P} + 4s$$

This formula increases the throat diameter, and consequently the centre distance. The amount of the increase can be found by comparing this value of D with the one as obtained by formula on page 23. To keep the original centre distance, the outside diameter of the worm must be reduced by the same amount the throat diameter is increased.

Second Method.—Without changing any of the dimensions we found by the formulas given on page 23, we can avoid the interference to be found in worm wheels of less than 30 teeth by simply increasing the angle of worm thread. We find the value of this angle by the following formula:

Let there be

2 γ = angle of worm thread. N = number of teeth in worm wheel. $\cos \gamma = \sqrt{1 - \frac{2}{N}}$

As this latter formula involves the making of new hobs in many cases, on account of change of angle, we prefer to reduce the diameter of worm as indicated by first method, if the distance of centres must be absolute.

CHAPTER V.

SPIRAL OR SCREW GEARING.




Fig. 8.

RIGHT HAND SPIRAL GEARS.


In spiral gearing the wheels have cylindrical pitch surfaces, but the teeth are not parallel to the axis. The line in which the pitch surface intersects the face of a tooth is part of a screw line, or helix, drawn at the pitch surface. A screw wheel may have one or any number of teeth. A one-toothed wheel corresponds to a one-threaded screw, a many-toothed wheel to a many-threaded screw. The axes may be placed at any angle.

Consider spiral gears with:

I. Axes parallel.

II. Axes at right angles.

III. Axes any angle.



LEFT HAND SPIRAL GEAR.

Let there be:

$$\begin{bmatrix}
N_a = \\
N_b =
\end{bmatrix}$$
 number of teeth in gears $\begin{cases}
a \\
b
\end{cases}$

C = centre distance.

P' = circular pitch (circumferential not axial).

 $P^n =$ normal diametral pitch.

 $P'^n =$ normal circular pitch.

 γ = angle of axes.

 $L_1 =$ exact lead of spiral on pitch surface.

 L_2 = approximate lead of spiral on pitch surface.

T = number of teeth marked on cutter to be used when teeth are to be cut on milling machine.

D' = pitch diameter.

D = outside diameter.

 $\frac{\alpha_a}{\alpha_b} = \begin{cases} \text{angle of teeth with axis} \end{cases}$

t = thickness of tooth.

s = addendum and module.

D'' + f = whole depth of tooth.

Note.—Letters a and b occurring at bottom of notations refer to gears a and b.

I.—AXES PARALLEL.

Gears of this class are called twisted gears. The angle of teeth with axes in both gears must be equal and the spirals run in opposite directions. The angles are generally chosen small (seldom over 20°) to avoid excessive end thrust. End thrust may, however, be entirely avoided by combining two pairs of wheels with right and left-hand obliquity. Gears of this class are known as Herringbone gears. They are comparatively noiseless running at high speed.

II.—AXES AT RIGHT ANGLES.

Here we must always have:

1. The teeth of same hand spiral;

- 2. The normal pitches equal in both gears; and
- 3. The sum of the angles of teeth with axes = 90° .

CHOOSING ANGLE OF TEETH WITH AXES.

- 1. If in a pair of gears the ratio of the number of teeth is equal to the direct ratio of the diameters, *i. e.*, if the number of teeth in the two gears are to each other as their pitch diameters, then the angles of the spirals will be 45° and 45° ; for, this condition being fulfilled, the circular pitches of the two gears must be alike, which is only possible with angles of 45° . In such a combination either gear may be the driver.
- 2. If the ratio of the diameters determined upon is larger or smaller than the ratio of the number of teeth, then the angles are:

$$\tan \alpha_a = \frac{\mathrm{D'}_a \; \mathrm{N}_b}{\mathrm{D'}_b \; \mathrm{N}_a} \qquad \tan \alpha_b = \frac{\mathrm{D'}_b \; \mathrm{N}_a}{\mathrm{D'}_a \; \mathrm{N}_b}$$

In such gears the velocity ratio is measured by the number of teeth, and not by the diameters.

3. Given N_a , N_b and C:

If P_{a}' is made = P_{b}' , then we have case "1" and

$$\mathrm{P'} = \frac{\pi \; \mathrm{C}}{\frac{\mathrm{I}}{2} \left(\mathrm{N}_a + \mathrm{N}_b \right)}$$

But if P_a' is assumed, then:

$$P_{b}' = \frac{C \pi - \frac{1}{2} N_{a} P_{a}'}{\frac{1}{2} N_{b}}$$

and

,
$$\tan \alpha_a = \frac{{\bf P}_a{}'}{{\bf P}_b{}'}$$
 $\tan \alpha_b = \frac{{\bf P}_b{}'}{{\bf P}_a{}'}$

The gear whose P' or α is larger will ordinarily be the driver, on account of the greater obliquity of the teeth.

4. Given N_a , N_b and C or D'.

See case "7" under III., considering $\gamma = 90^{\circ}$.


III.—Axis at any Angle
$$(\gamma)$$
.

- 5. Given case "1," under II., then angles of spirals = $\frac{1}{2}\gamma$, for the same reason.
- 6. Analogous cases to "2" and "3," under II., may be worked out, when angles of axes $= \gamma$, but they have been

omitted, partly because the formulas are too cumbersome, and partly because they are to some extent covered by cases "5"

and " 7."

7. Given N_a , N_b and C, or one of the pitch diameters. We find the angles by a graphic method, which for all practical purposes is accurate enough; ro and vo are the axes of gears forming angle γ (see diagram, Fig. 10.) On these axes we lay off lines or and ov representing the ratio of the number of teeth (velocity ratio), so that $N_a: N_b:: rs: sv$, and



construct parallelogram $o \ r \ s \ v$. Then, according to McCord,* the angles formed by the tangent $s \ o$ in the pitch contact o with the axes of the gears insures the least amount of sliding. In bisecting angle γ by tangent $u \ o$ and using angles produced in this manner we equally distribute the end thrust on both shafts. Both methods have their advantages; to profit by both we select angles α_a and α_b , produced by tangent $o \ x$, bisecting angle $u \ o \ s$.

Thus we have when angles are found and C given,

$$\mathbf{P}'^{n} = \frac{2 \ \mathbf{C} \ \pi \cos \alpha_{a} \cos \alpha_{b}}{\mathbf{N}_{a} \cos \alpha_{b} + \mathbf{N}_{b} \cos \alpha_{a}}$$

and when D'_{α} given

$$P'^{n} = \frac{D'_{a} \pi \cos \alpha_{a}}{\frac{N_{a}}{\pi \cos \alpha_{b}}} \quad \text{and} \quad D'_{b} = \frac{P'^{n} N_{b}}{\pi \cos \alpha_{b}}$$

^{*}McCord, Kinematics, page 278.

GENERAL FORMULAS.

$$\gamma = \alpha_a + \alpha_b$$

$$P_a'^n = P_b'^n$$

$$D' = \frac{P' N}{\pi} \text{ or } = \frac{P'^n N}{\pi \cos \alpha}$$

$$D = D' + 2 s \text{ or } = D' + \frac{2}{P^n}$$

$$P' = \frac{D' \pi}{N} \text{ or } = \frac{P'^n}{\cos \alpha}$$

$$P'^n = P' \cos \alpha$$

$$P^n = \frac{\pi}{P'^n} \text{ (Pitch of cutter.)}$$

$$s = \frac{P'^n}{\pi} \text{ or } = \frac{I}{P^n}$$

$$t = \frac{P'^n}{2}$$

$$D'' + f = 2 s + \frac{t}{10}$$

$$T = \frac{N}{\cos^3 \alpha} \text{ (See Note 1.)}$$

$$L_1 = \frac{N P'}{\tan \alpha} \text{ or } \frac{N \pi}{P \tan \alpha} \text{ or for cases where axes are at right angles } \left\{ \frac{L_{1a} = N_a P'_b}{L_{1b} = N_b P'_a} \right\}$$

$$L_2 = \frac{10 \text{ W G}_2}{\text{S G}_1} \text{ (See Note 2 and examples.)}$$

$$\begin{pmatrix} \cos 45^\circ = .70711 \\ \cos^3 45^\circ = .3535 \\ \tan 15^\circ = 1.000
\end{pmatrix}$$

Note 1.—Cutters of regular involute system.

Use N	o. 1	cutter	for	Т	from	135 up.	No.	5	cutter	for	\mathbf{T}	from	21 to 25
	2	44		66	4.4	55 to 134	6.6	6	6.6	6.6	66	6.6	17 to 20
4.4	3			"		35 to 54		7			44	44	14 to 16
	4		6.6	" "	4.6	26 to 34		8	4.4		"	"	12 to 13

NOTE 2.—Gears used on spiral head of milling machines made by Brown & Sharpe Mfg. Co.

Should a spiral head of different construction be used, the formula might not apply.

The following data are usually required in cutting spiral gears in a Universal Milling Machine, and it will be found convenient to arrange them in tabular form as follows:

	GEAR.	PINION.
No. of Teeth		
Pitch Diameter		
Outside Diameter		
Circular Pitch		′
Angle of Teeth with Axis		
Normal Circular Pitch		
Pitch of Cutter		
Addendum s		
Thickness of Tooth t		
Whole Depth D"+f		
No. of Cutter		
Exact Lead of Spiral		
Approximate Lead of Spiral		
Gears on Milling Machine to Cut Spiral		
Gear on Worm	,	
ıst Gear on Stud		
2nd Gear on Stud		
Gear on Screw		

If the exact lead L_1 can be obtained by the gears at hand, L_1 will equal L_2 and we shall have from the formula

$$L_2 = \frac{\text{10 W G}_2}{\text{S G}_1}$$

$$\frac{L_1}{\text{10}} = \frac{\text{W G}_2}{\text{S G}_1} \quad \text{(for B. \& S. Milling Machine.)}$$

Example I.

Required the gears for cutting a spiral of 2½" lead.

$$\frac{2\frac{1}{2}}{10} = \frac{I}{4} \text{ factoring, in the most simple way, we have}$$

$$\frac{I}{4} = \frac{I \times I}{2 \times 2} = \frac{I \times 28}{56 \times 22} = \frac{32 \times 28}{56 \times 64} = \frac{W G_2}{S G_1}$$

Thus the gearing will be 32 T. on worm, 64 T. 1st. on stud, 28 T. 2nd on stud, and 56 T. on screw.

Trying these gears on the Milling Machine we find that they cannot be used, and as we have no other regular gears in the ratio of 2 to 1 that can be used we must try, by factoring, to get such ratios for the two pairs of gears as to be able to use the gears at hand, bearing in mind that the combined ratio must be $\frac{1}{4}$.

$$\frac{1}{4} = \frac{18}{72} = \frac{3 \times 6}{9 \times 8} = \frac{24 \times 6}{9 \times 64} = \frac{24 \times 48}{72 \times 64}$$

These gears are at hand and the combination can be used on the machine, giving the exact lead of $2\frac{1}{2}$ ".

Example II.

Required the gears for cutting a spiral of 8.639" lead.

 $8.639 = 8_{1000}^{6.39}$; reducing, by continued fractions, to a smaller fraction of approximately the same value, as described on pages 50 and 51

Selecting $\frac{1.6}{2.5}$ as an approximation near enough for our purpose, and in fact as near as we are likely to find gears for, we have for our lead $8\frac{1.6}{2.5}$. Applying the formula as in Example I.

$$\frac{8\frac{16}{10}}{10} = \frac{W}{S} \frac{G_2}{G_1}$$

$$\frac{8\frac{16}{25}}{10} = \frac{216}{250} = \frac{108}{125} \text{ factoring we have}$$

$$\frac{9 \times 12}{25 \times 5} = \frac{9 \times 48}{100 \times 5} = \frac{72 \times 48}{100 \times 40} \text{ the gears required,}$$

these being regular gears furnished with the Milling Machine.

Proof:

$$\frac{72 \times 48 \times 10}{100 \times 40} = 8.640 = L_{2}$$

$$\frac{8.639}{.001''} = L_{1}$$

In shops where much work is done in milling spirals it is desirable to have a full set of gears for the milling machine, from the smallest to the largest numbers of teeth that can be used. This makes it possible, in most cases, to get closer approximations than could be otherwise obtained, and often saves a great deal of figuring.

When the use of continued fractions does not bring a close enough approximation, one method to secure a closer result is to add to or substract from the numerator and denominator of the fraction to be reduced, any numbers nearly in proportion to the given fraction, seeing that the numbers added or substracted are such as to make the fraction reducible to lower terms. By a little ingenuity and patience extremely close approximations can generally be reached in this way.

Take, as an illustration, the fraction in Example II.

$$\frac{8\frac{639}{1000}}{10} = \frac{8639}{10000}$$

Adding 9 to the numerator and 10 to the denominator, these

being in about the same ratio to each other as the numerator and denominator of the fraction, we have

$$\frac{8639 + 9 = 8648}{10000 + 10 = 10010} = \frac{4324}{5005} = \frac{47 \times 92}{55 \times 91}$$

All of the gears in this case are special.

Applying the same proof as in Example II. we find that this train of gears will give a lead of 8.6393+, making an error of .0003" in the lead.

No doubt a much closer approximation even than this could be obtained by further trial.

Another method is to multiply both terms of the fraction by some number which will make one term of the fraction easily reducible, and adding one to or subtracting it from the other term to make it possible to reduce that also.

There is an element of uncertainty in both these methods, as we never feel sure that we have obtained the best combination; practical work, however, rarely requires accuracy beyond a point that can readily be reached.

The tables of prime numbers and factors, pages 116 to 149, will be found convenient in reducing and factoring fractions. These tables are condensed as much as possible and give all numbers from 1 to 10,200.

The table of leads, pages 154 to 171, gives all leads obtainable with the regular gears furnished with the Universal Milling Machines made by Brown & Sharpe Mfg. Co.

CHAPTER VI.

INTERNAL GEARING.

PART A .- INTERNAL SPUR GEARING.

A little consideration will show that a tooth of an internal or annular gear is the same as the space of a spur—external gear.


The epicycloidal form of tooth is preferable for internal gears, as there is less difficulty in overcoming the interferences. The involute form of tooth can be used by changing the pressure angle beyond the limit of interference. Special constructions are required when the difference between the number of teeth in gear and pinion is small.

In using the system of epicycloidal form of tooth in which the gear of 15 teeth has radial flanks, this difference must be at least 15 teeth, if the teeth have both faces and flanks. Gears fulfilling this condition present no difficulties. Their pitch diameters are found as in regular spur gears, and the inside diameter is equal to the pitch diameter, less twice the addendum.

If, however, this difference is less than 15, say 6, or 2, or 1, then we may construct the tooth outline (based on the epicycloidal system) in two different ways.

First Method.—To explain this method better, let us suppose the case as in Fig. 11, in which the difference between gear and pinion is more than 15 teeth. Here the point o of the describing circle B (the diameter of which in the best practice of the present day is equal to the pitch radius of a 15 tooth gear, of the same pitch as the gears in question) generates the cycloid o, o¹, o², o³, etc., when rolling on pitch circle L L of gear, forming the face of tooth; and when rolling on the outside of L L the flank of the tooth. In like manner is the face and flank of the pinion tooth produced by B rolling outside and inside of E E (pitch circle of pinion). A little study

of Fig. 11 (in which the face and flank of a gear tooth are produced) will show the describing circle B divided into 12



equal parts and circles laid through these points (1, 2, 3, etc.), concentric with L L. We now lay off on L L the distances 0-1, 1-2, 2-3, etc., of the circumference of B, and obtain points


 1^1 , 2^1 , 3^1 , etc. [Ordinarily it is sufficient to use the chord.] It will now readily be seen that B in rolling on L L will successively come in contact with 1^1 , 2^1 , 3^1 , etc., c meanwhile moving to c^1 , c^2 , c^3 , etc. (points on radii through 1^1 , 2^1 , 3^1 , etc.), and the generating point o advancing to 0^1 , 0^2 , 0^3 , etc., being the intersections of B with c^1 , c^2 , c^3 , etc., as centres and the circles laid through 1, 2, 3, etc. Points 0, 0^1 , 0^2 , 0^3 , etc., connected with a curve give the face of the tooth; in like manner the flank is obtained.

In this manner the form of tooth is obtained, when the difference of teeth in gear and pinion is less than 15, with the exception that the diameter of describing circle B


$$= \frac{1}{2} \left(\frac{\text{Na} - \text{Nb}}{\text{P}} \right)$$

where P = diametral pitch, Na and Nb number of teeth in gears.

The distances of the tooth above and below the pitch line as well as the thickness t are determined as in regular spur gears by the pitch, except when the difference in gear and pinion is very small, where we obtain a short tooth, as in Figs. 12 and 13. In such a case the height of tooth is arbitrary and only conditioned by the curve. In internal gears it is best to allow more clearance at bottom of tooth than in ordinary spur gears.



In a construction of this kind it is suggested to draw the tooth outline many times full size and reduce by photography. An equally multiplied line A B will help in reducing.




Second Method.—The difference between gear and pinion being very small, it is sometimes desirable to obtain a smooth action by avoiding what is termed the "friction of approaching action."* This is done, the pinion driving, by giving gear only flanks, Fig. 14, and the gear driving, by giving gear only faces, Fig. 15. In both these cases we have but one describing circle, whose diameter is equal to the difference of the two pitch diameters. The construction of the curve is precisely the same as described under A. The describing circle has been divided into 24 parts simply for the sake of greater accuracy.

PART B.-INTERNAL BEVEL GEARS.

The pitch surfaces of bevel gears are cones whose apexes are at a common point, rolling upon each other. The tooth forms for any given pair of bevel gears are the same as for a pair of spur gears (of same pitch) whose pitch radii are equal to the respective apex distances of the normal cones (i. e., cones whose elements are perpendicular upon the elements of the bevel gear pitch cones). (Compare Fig. 17, page 40.)


The same is true of internal bevel gears, with the modification that here one of the pitch cones rolls inside of the other. The spur gears to whose tooth forms the forms of the bevel gear teeth correspond, resolve themselves into internal spur gears (Fig. 16). The problem is now to be solved as indicated in the first part of this chapter.

^{*} McCord, Kinematics, pages 107, 108.



CHAPTER VII.

DIMENSIONS AND FORM FOR BEVEL GEAR CUTTERS.



To determine the form and thickness of a bevel gear cutter, it is necessary to know the pitch, number of the teeth in gear and pinion, the angle of axes and the length of face of the tooth measured on the pitch line.

In the involute system of cutters (the only one used for bevel gears that are cut with rotary cutters), a set of eight different cutters is made for each pitch, numbered from 1 to 8 and cutting from a rack to 12 teeth.

In spur gearing each number represents the form of cutter suitable to cut the indicated number of teeth. Thus, the No. 6 cutter will cut 17 to 20 teeth.

In bevel gearing the curve is also dependent on the number of teeth in the mating gear; therefore gears with the same number of teeth cannot always be cut with the same number of cutter. Thus, a 19 tooth pinion would be cut with a No. 4 cutter if it were to run with a 20 tooth gear, and with a No. 6 cutter if it were to run with a 50 tooth gear.

In order to find the curve to be used for gear and pinion, find the back cone radius, a b, for the gear and b c for the pinion, and multiplying each by twice the diametral pitch, we obtain a number equivalent to the number of teeth for which cutters of proper curves may be selected.

For table, see Note 1, page 29.

The number of teeth for which the cutter should be selected can also be found by the following formulas:

 $N_a =$ number of teeth in gear.

 $N_b =$ number of teeth in pinion.

 $T_a =$ number of teeth to select cutter for gear.

 $T_b =$ number of teeth to select cutter for pinion.

 α = centre angle of gear.

$$\begin{aligned} \mathbf{T}_a &= \frac{\mathbf{N}_a}{\mathbf{N}_b} \sqrt{\mathbf{N}_a^2 - \mathbf{N}_b^2} \\ \mathbf{T}_b &= \frac{\mathbf{N}_b}{\mathbf{N}_a} \sqrt{\mathbf{N}_a^2 - \mathbf{N}_b^2} \end{aligned}$$

The above formulas apply only when axes of gears are at right angles. For axes at any angle the following formula can be used:

$$T = \frac{N}{\cos \alpha}$$

The tables, pages 86 and 87, are convenient for selecting cutters for bevel gears. They apply only when the axes are at right angles.

It is the practice to make bevel gear cutters .005" thinner than the space at the small end of the tooth. Theoretically the cutting angle (h) is equal to the pitch angle less the angle of bottom (or h = a - B'). Practically, however, better results are obtained by making h = a - B (substituting angle of top for angle of bottom), and in calculating the depth at small end, to add the full clearance (f) to the obtained working depth, giving an equal amount of clearance at the large and small ends. This is done to obtain a tooth thinner at the top and more

curved. As the small end of the tooth determines the thickness of cutter, we shall have to find the tooth part values at the small end. These are obtained by multiplying the tooth part values at the large end by the constant,

$$I = \frac{2 PF \sin \alpha}{N}$$
 where

P = diametral pitch.

F = length of face of tooth measured on pitch line.

N = number of teeth in gear.

 α = angle of edge or centre angle of gear.


Example. Given gears 17 and 27 teeth, 12 pitch, 3/8" face. Required tooth parts at small end of tooth.

$$\alpha = 32^{\circ} \ 12'$$
 (obtained from table, page 78).
 $\sin 32^{\circ} \ 12' = .53288$.
 $1 - \frac{24 \times .375 \times .53288}{17} = .718$ constant.
 $t = .1309$ $t' = .1309 \times .718 = .0940$
 $s = .0833$ $s' = .0833 \times .718 = .0598$
 $f = .0131$ $f = .0131$
 $s + f = .0964$ $s' + f = .0598 + .0131 = .0729$
 $D'' + f = .1798$ $D''' + f = .0729 + .0598 = .1327$

If in gears of more than 30 teeth the faces are proportionately long, we select a cutter whose curve corresponds to the midway section of the tooth. The curve of the cutter is found by the method explained in the first part of this chapter.

CHAPTER VIII.

THE INDEXING OF ANY WHOLE OR FRACTIONAL NUMBER—DIFFERENTIAL INDEXING.



In indexing on a machine the question simply is: How many divisions of the machine index have to be advanced to advance a unit division of the number required. To which is the

$$answer = \frac{divisions of machine index}{number to be indexed}$$

Suppose the number of divisions in index wheel of machine to be 216.

Example I.—Index 72.

Answer: $\frac{216}{7^2} = 3$ (3 turns of worm).

EXAMPLE II.—Index 123.

$$\frac{216}{123} = 1 + \frac{93}{123}$$

If now we should put on worm shaft a change gear having 123 teeth, give the worm shaft, Fig. 18, one turn, and in addition thereto advance 93 teeth of the change gear (to give the fractional turn), we would have indexed correctly one unit of the given number, and so solved the problem. Should we not have change gear 123 we may try those on hand. The question then is: How many teeth (χ) of the gear on hand (for instance 82) must we advance to obtain a result equal to the one when advancing 93 teeth of the 123 tooth gear? We have:

$$\frac{93}{123} = \frac{\chi}{82}$$
 where $\chi = 62$

Example III.—Index 365, change gear 147.

$$\frac{216}{365} = \frac{\chi}{147}$$
 where $\chi = 87 - \frac{3}{365}$

Here 147 is the change gear on hand. In indexing for a unit of 365 we advance 87 teeth of our 147 tooth gear. It is evident that in so doing we advance too fast and will have indexed three teeth of our change gear too many when the circle is completed. To avoid having this error show in its total amount between the last and the first division, we can distribute the error by dropping one tooth at a time at three even intervals.

EXAMPLE IV.—Index 190.

$$\frac{216}{190} = 1 + \frac{26}{190}$$
 Change gear on hand 88 T $\frac{26}{190} = \frac{\chi}{88}$ where $\chi = 12 + \frac{8}{190}$

To distribute the error in this case we advance one additional tooth ot a time of the change gear at eight even intervals.

Example V.—Index 117.3913.

$$\frac{216}{117.3913} = 1 + \frac{986087}{1173913}$$

This example is in nowise different from the preceding ones, except that the fraction is expressed in large numbers. This fraction we can reduce to lower approximate values, which for practical purposes are accurate enough. This is done by the method of continued fractions. [For an explana-

tion of this method we refer to our "Practical Treatise on Gearing."]

$$\frac{986087}{1173913}$$

$$986087) 1173913 (1)$$

$$\frac{986087}{187826}) 986087 (5)$$

$$\frac{939130}{46957)} 187826 (3)$$

$$\frac{140871}{46955}$$

$$\frac{46955}{2}) 46957 (1)$$

$$\frac{46955}{2}) 46955 (23477)$$

$$\frac{2}{a}$$

$$\frac{2}{a}$$

$$\frac{1}{a}$$

Note.—Find the first two fractions by reduction $\frac{1}{1} = \frac{1}{1}$ and $\frac{1}{1+\frac{1}{5}} = \frac{5}{6}$; the

others are then found by the rule $\begin{cases} b c + a = d \\ b^{1} c + a^{1} = d^{1} \end{cases}$

The fraction $\frac{21}{25}$ is a good approximation; putting therefore a change gear of 25 teeth on worm shaft, we advance (beside the one full turn) 21 teeth to index our unit.

Of course, in using any but the correct fraction we have an error every time we index a division; so that when indexed around the whole circle, we have multiplied this error by the number of divisions.

In the present example this error is evidently equal to the difference between the correct and the approximate fraction used. Reducing both common fractions to decimal fractions we have:

$$\frac{986087}{1173913} = .84000006$$

$$\frac{21}{25} = \frac{.84000000}{.00000006} = \text{error in each division.}$$

.00000006 X 117.3913 = .00000704348 total error in complete circle. This error is expressed in parts of a unit division. (To find this error expressed in inches, multiply it by the distance between two divisions, measured on the circle.) In this case the approximate fraction being smaller than the correct one, in indexing the whole circle we fall short .00000704348 of a division.

$$\frac{216}{15.708} = 13 + \frac{11796}{15708}$$

$$\frac{11796}{15708} = \frac{983}{1309}$$

$$983) \frac{1309}{326} = \frac{983}{326} \frac{983}{326} \frac{983}{326} \frac{983}{5} \frac{326}{326} \frac{983}{26}$$

$$\frac{25}{10.5} \frac{5}{5} \frac{5}{5}$$

$$\frac{983}{1309} = \frac{1}{1+\frac{1}{3+\frac{1}{5}}}$$

$$\frac{1}{65+\frac{1}{5}}$$

$$\frac{1}{1} \frac{3}{4} \frac{196}{261} \frac{983}{1309}$$

In using the approximation $\frac{196}{261}$ the error for each division (found as above) will be .000002927, for the whole circle .0000460. In this case, the approximation being larger than the correct fraction, we overreach the circle by the error.

DIFFERENTIAL INDEXING.

In differential indexing the spindle or driven shaft and the index plate are connected by a train of gearing which causes the plate to turn either in the same or opposite direction to that in which the crank is turned. The total movement of the crank at every indexing is, therefore, equal to its movement relative to the plate, plus the movement of the plate, when the plate revolves in the same direction as the crank, or minus the movement of the plate, when the plate revolves in the opposite direction to the crank.

N = number of divisions required.

H = number of holes in index plate.

n = number of holes taken at each indexing.

V = ratio of gearing between index crank and spindle.

x = ratio of the train of gearing between the spindle and the index plate.

S = gear on spindle. $G_1 = 1st \text{ gear on stud.}$ Drivers.

 $G_2 = 2d$ gear on stud. W = gear on worm. Driven.

 $x = \frac{HV - Nn}{H}$ if HV is greater than Nn.

 $x = \frac{Nn - HV}{H}$ if HV is less than Nn.

 $x = \frac{S}{W}$ (For simple gearing).

 $x = \frac{S G_1}{G_2W}$ (For compound gearing).

As applied to the spiral head of a Milling Machine made by Brown & Sharpe Mfg. Co., V is equal to 40 and the index plates furnished have the following numbers of holes: - 15, 16, 17, 18, 19, 20, 21, 23, 27, 29, 31, 33, 37, 39, 41, 43, 47, 49.

The gears furnished have the following numbers of teeth:— 24 (2), 28, 32, 40, 44, 48, 56, 64, 72, 86, 100. These index plates and gears provide for the indexing of all divisions up to 382.

In selecting the index circle to be used, it is best to select one with a number having factors that are contained in the change gears on hand, for if H contains a factor not found in the gears, x cannot usually be obtained, unless the factor is cancelled by the difference between HV and Nn, or unless N contains the factor.

Multiplying the numbers of holes in the plates by 40 gives all the values of HV that can be obtained with the regular index plates. Following is a table of these products, which will be found convenient to use, especially when many combinations are to be obtained.

When HV is greater than Nn and gearing is simple, use I idler.

When HV is greater than Nn and gearing is compound, use no idlers.

When HV is less than Nn and gearing is simple, use 2 idlers.

. When HV is less than Nn and gearing is compound, use 1 idler.

Select "n" so that the ratio of gearing will not exceed 6: I on account of the excessive stress upon the gears.

EXAMPLE 1.

N = 59. Required H, n and x.
Assume H = 33
$$n = 22$$

Then $x = \frac{(33 \times 40) - (59 \times 22)}{33} = \frac{22}{33} = \frac{2}{3}$

We now select gears giving this ratio, as 32 and 48, the 32 being the gear on spindle and the 48 the gear on worm. HV is greater than Nn and the gearing is simple, requiring one idler.

EXAMPLE 2.

$$N = 319$$
. Required H, n and x.

Assume H = 29 n = 4

Then
$$x = \frac{(319 \times 4) - (29 \times 40)}{29} = \frac{116}{29} = \frac{4}{1}$$

When the ratio is not obtainable with simple gearing, try compound gearing. $\frac{4}{1}$ can be expressed as follows: $\frac{3 \times 4}{1 \times 3}$ or $\frac{7^2 \times 6_4}{^24 \times 4^8}$, for which there are available gears.

HV is less than Nn and the gearing is compound, requiring one idler.

SPACING FOR QUARTER DEGREES.

EXAMPLE 3.

Required H, n and x for spacing $\frac{1}{4}$ degree or 1440 divisions.

Assume H = 33 n = 1

Then
$$\frac{(1+40 \times 1) - (33 \times 40)}{33} = \frac{120}{33}$$
 or $\frac{64 \times 100}{40 \times 44}$

One idler is required.

ALIQUANT OR FRACTIONAL SPACING.

EXAMPLE 4.

Required: A Vernier to read to $\frac{1}{12}$ degree or 5 minutes, the scale being divided to degrees.

Each Vernier space can equal 11/12 degree.

$$\frac{11}{12} \times \frac{1}{360} = \frac{11}{4320}$$
 or $\frac{4320}{11}$ spaces in whole circle = 392 $\%$ 11

spaces. Assume H = 18 n = 2.


Then
$$\frac{(392 \%11 \times 2) - (18 \times 40)}{18} = \frac{72\%11}{18} = \frac{720}{18} \times \frac{1}{18} = \frac{40}{11} = \frac{64 \times 100}{40 \times 41}$$

One idler is required.

CHAPTER IX.


THE GEARING OF LATHES FOR SCREW CUTTING.

The problem of cutting a screw on a lathe resolves itself into connecting the lathe spindle with the lead screw by a train of gears in such a manner that the carriage (which is actuated by



the lead screw) advances just one inch, or some definite distance, while the lathe spindle makes a number of revolutions equal to the number of turns per inch or the definite distance to be cut.

The lead screw has, with the exception of a very few cases, always a single thread, and to advance the carriage one inch it therefore makes a number of revolutions equal to its number



of threads per inch. Should the lead screw have double thread, it will, to accomplish the same result, make a number of revolutions equal to half its number of threads per inch. It follows that we must know in the first place the number of turns per inch of lead screw.

It ought to be clearly understood that one or more intermediate gears, which simply transmit the motion received from one gear to another, in no wise alter the ultimate ratio of a train of gearing. An even number of intermediate gears simply change the direction of rotation, an odd number do not alter it.

The gearing of a lathe to solve a problem in screw cutting can be accomplished by

- A. Simple gearing.
- B. Compound gearing.

Referring to the diagrams, Figs. 19 and 20, we have in Fig. 19 a case of simple, and in Fig. 20 a case of compound gearing.

In simple gearing the motion from gear E is transmitted either directly to gear R on lead screw or through the intermediate F. In compound gearing the motion of E is transmitted through two gears (G and H) keyed together, revolving on the same stud n, by which we can change the velocity ratio of the motion while transmitting it from E to R. With these four variables E, G, H, R, we are enabled to have a wider range of changes than in simple gearing.

B and C, being intermediate gears, are not to be considered. If, as is generally the case, gear A equals gear D, we disregard them both, simply remembering that gear E (being fast on same shaft with D) makes as many revolutions as the spindle. Sometimes gear D is twice as large as gear A, then, still considering gear E as making as many revolutions as the spindle, we deal with the lead screw as having twice as many turns per inch as it measures.

SIMPLE GEARING.

Let there be: the number of teeth in the different gears expressed by their respective letters, as per Fig. 19, and

s = turns per inch to be cut, L = turns per inch of lead screw; then

$$\frac{s}{L} = \frac{R}{E}$$

If now one of the two gears E and R is selected, the other will be:

$$R = \frac{s E}{L}$$
; $E = \frac{L R}{s}$

2. The two gears may be found by making

$$R = p s$$

 $E = p L$ where p may be any number.

3. The above holds good when a fractional thread is to be cut, but if the fraction is expressed in large numbers, as, for instance, $s = 2.833 \ (2\frac{833}{1000})$, we first reduce this fraction $(\frac{833}{1000})$ to lower approximate values by the process of continued fraction (see pages 43 and 44).

If in this case L = 4, and we select E = 48, then, since

$$R = \frac{s E}{L}$$
 $R = 34$

COMPOUND GEARING.

4. In a lathe geared compound for cutting a screw the product of the drivers (E and H, Fig. 20) multiplied by the number of turns per inch to be cut must equal the product of the driven (G and R) multiplied by the number of turns per inch of lead screw. This is expressed by

E H
$$s = G$$
 R L or $\frac{E H s}{G R L} = I$

If three of the gears E, H, G, R have been selected, the fourth one would be either

$$E = \frac{G R L}{H s} \quad \text{or}$$

$$H = \frac{G R L}{E s} \quad \text{or}$$

$$G = \frac{E H s}{R L} \quad \text{or}$$

$$R = \frac{E H s}{G L}$$

$$s = \frac{R G L}{E H} = L \left(\frac{R G}{L E H}\right)$$

If a fractional thread is to be cut, as under "3," we reduce the fraction to lower approximate values.

EXAMPLE.—Gear for 5.2327 turns per inch, lead screw is 6 turns per inch.

$$.2327 = \frac{2327}{10000}$$

$$.2327 = \frac{502}{100}$$

$$.2327 = \frac{502}{100}$$

$$.2327 = \frac{10}{100}$$

$$.2327 = \frac{10}{100}$$

$$.2327 = \frac{10}{10000}$$

$$.2327 =$$

5. The examples so far given all deal with single thread. The pitch of a screw is the distance from centre of one thread to the centre of the next. The lead of a screw is the advance for each complete revolution. In a single thread screw the pitch is equal to the lead, while in a double thread screw the pitch is equal to one-half the lead; in a triple thread screw equal to one-third the lead, etc.

If we have to gear a lathe for a many-threaded screw (double, triple, quadruple, etc.), we simply ascertain the lead, and deal with the lead as we would with the pitch in a single thread screw, *i. e.*, we divide one inch by it, to obtain the number of threads for which we have to gear our lathe.

Example.—Gear for double thread screw, lead = .4654. Number of turns per inch to be geared for is:

$$\frac{1}{\text{Lead}} = \frac{1}{.4654} = 2.1487$$

Lead screw is four turns per inch.

As in previous examples, we reduce the fraction .1487 = $\frac{1487}{10000}$ to lower approximate values by the process of continued fraction.

From the different values received in the usual way we select:

$$\frac{11}{74}$$
 = .1487 (nearly) and 2.1487 = $2\frac{11}{74}$

We have therefore:

$$s = 2\frac{11}{74}$$

$$L = 4$$

$$Selecting \begin{cases} E = 74 \\ G = 30 \\ H = 40 \end{cases}$$

$$R = \frac{E + s}{G + L} = \frac{74 \times 40 \times 2^{11}/74}{30 \times 4} = 53$$

Note.—In using any but the original fraction we commit an error. This error can be found by reducing the approximate fraction used to a decimal fraction, and comparing it with the original fraction. In the above example the original fraction is

In cutting a multiple screw, after having cut one thread, the question arises how to move the thread tool the correct amount for cutting the next thread.

In cutting double, triple, etc., threads, if in simple or compound gearing the number of teeth in gear E is divisible by 2, 3, etc., we so divide the teeth; then leaving the carriage at rest we bring gear E out of mesh and move it forward one division, whereby the spindle will assume the correct position.

When E is not divisible we find how many turns (V) of gear R are made to each full turn of the spindle. Dividing this number by 2 for double, by 3 for triple thread, etc., we advance R so many turns and fractions of a turn, being careful to leave the spindle at rest.

For compound gearing:

$$V = \frac{E H}{G R}$$

When the gear D is twice as large as the gear A (as explained in fifth paragraph, page 52), the formula would be

$$V = \frac{E H}{2 G R}$$

If in simple gearing both E and R are not divisible, one remedy would be to gear the lathe compound; or the face-plate may be accurately divided in two, three or more slots, and all that is then necessary is to move the dog from one slot to another, the carriage remaining stationary.

COMPARATIVE SIZES OF GEAR TEETH. INVOLUTE.




Fig. 21.




Table of Tooth Parts.

TABLE OF TOOTH PARTS.

CIRCULAR PITCH IN FIRST COLUMN.

Circular Pitch.	Threads or Teeth per inch Linear.	Diametral Pitch.	Thickness of Tooth on Pitch Line.	Addendum and Module.	Working Depth of Tooth.	Depth of Space below Pitch Line.	Whole Depth of Tooth.	Width of Thread-Tool at End.	Width of Thread at Top.
P'	1" P'	P	t	s	D"	s+f	D''+f	PX.31	$P' \times .335$
2	1 2	1.5708	1.0000	.6366	1.2732	.7366	1.3732	.6200	.6700
$1\frac{7}{8}$	8 15	1.6755	.9375	.5968	1.1937	.6906	1.2874	.5813	.6281
$1\frac{3}{4}$	4 7	1.7952	.8750	.5570	1.1141	.6445	1.2016	. 5425	.5863
$1\frac{5}{8}$	8 13.	1.9333	.8125	.5173	1.0345	.5985	1.1158	.5038	.5444
$1\frac{1}{2}$	2 3	2.0944	.7500	.4775	.9549	. 5525	1.0299	.4650	.5025
$1\frac{7}{16}$	16 23	2.1855	.7187	.4576	.9151	.5294	.9870	.4456	.4816
$1\frac{3}{8}$	<u>8</u> 11	2.2848	.6875	.4377	.8754	.5064	.9441	.4262	.4606
$1\frac{1}{3}$	$\frac{3}{4}$	2.3562	.6666	.4244	.8488	.4910	.9154	.4133	.4466
$1\frac{5}{16}$	16 21	2.3936	.6562	.4178	.8356	.4834	.9012	.4069	.4397
$1\frac{1}{4}$	5	2.5133	.6250	.3979	.7958	.4604	.8583	.3875	.4188
$1\frac{3}{16}$	16 19	2.6456	.5937	.3780	.7560	.4374	.8156	.3681	.3978
1 1/8	9	2.7925	.5625	.3581	.7162	.4143	.7724	.3488	.3769
$1\frac{1}{16}$	16 17	2.9568	.5312	.3382	.6764	.3913	.7295	.3294	.3559
1	1	3.1416	.5000	.3183	.6366	.3683	.6866	.3100	.3350
$\frac{15}{16}$	$1\frac{1}{15}$	3.3510	.4687	.2984	.5968	.3453	.6437	.2906	.3141
7 8	$1\frac{1}{7}$	3.5904	.4375	.2785	.5570	.3223	.6007	.2713	.2931
13	$1\frac{3}{13}$	3.8666	.4062	.2586	.5173	.2993	.5579	.2519	.2722
<u>.4</u> 5	$1\frac{1}{4}$	3.9270	.4000	.2546	.5092	.2946	.5492	.2480	.2680
3 4	$1\frac{1}{3}$	4.1888	.3750	.2387	.4775	.2762	.5150	.2325	.2513
11/16	$1\frac{5}{11}$	4.5696	.3437	.2189	.4377	.2532	.4720	.2131	.2303
3	$1^{\frac{1}{2}}$	4.7124	.3333	.2122	.4244	.2455	.4577	.2066	.2233
5 8	$1\frac{3}{5}$	5.0265	.3125	.1989	.3979	.2301	.4291	.1938	.2094
3 5	$1^{\frac{2}{3}}$	5.2360	.3000	.1910	.3 820	.2210	.4120	.1860	.2010
<u>4</u> .	$1\frac{3}{4}$	5.4978	.2857	.1819	.3638	.2105	.3923	.1771	.1914
9 16	$1^{\frac{7}{9}}$	5.5851	.2812	.1790	.3581	.2071	.3862	.1744	.1884

TABLE OF TOOTH PARTS.—Continued.

CIRCULAR PITCH IN FIRST COLUMN.

Circular Pitch.	Threads or Teeth per inch Linear.	Diametral Pitch.	Thickness of Tooth on Pitch Line.	Addendum and Module.	Working Depth of Tooth.	Depth of Space below Pitch Line.	Whole Depth of Tooth.	Width of Thread-Tool at End.	Width of Thread at Top.
P'	1" P'	P	t	8 3	D"	s+f	D''+f.	P×.31	P×.335
1 2	2	6.2832	.2500	.1592	.3183	.1842	.3433	.1550	.1675
4 0	$2\frac{1}{4}$	7.0685	.2222	.1415	.2830	.1637	.3052	.1378	.1489
7 16	$2\frac{2}{7}$	7.1808	.2187	.1393	.2785	.1611	.3003	.1356	.1466
3 7	$2\frac{1}{3}$	7.3304	.2143	.1364	.2728	.1578	.2942	.1328	.1436
2 5	$2\frac{1}{2}$	7.8540	.2000	.1273	.2546	.1473	.2746	.1240	.1340
3 8	$2\frac{2}{3}$	8.3776	.1875	.1194	.2387	.1381	.2575	.1163	.1256
4 11	$2\frac{3}{4}$	8.6394	.1818	.1158	.2316	.1340	.2498	.1127	.1218
1 3	3	9.4248	.1666	.1061	.2122	.1228	.2289	.1033	.1117
5 16	$3\frac{1}{5}$	10.0531	.1562	.0995	.1989	.1151	.2146	.0969	.1047
3 10	$3\frac{1}{3}$	10.4719	.1500	.0955	.1910	.1105	.2060	.0930	.1005
2/7	$3\frac{1}{2}$	10.9956	.1429	.0909	.1819	.1052	.1962	.0886	.0957
1/4	4	12.5664	.1250	.0796	.1591	.0921	.1716	.0775	.0838
2/9	$4\frac{1}{2}$	14.1372	.1111	.0707	.1415	.0818	.1526	.0689	.0744
1 5	5	15.7080	.1000	.0637	.1273	.0737	.1373	.0620	.0670
3 16	$5\frac{1}{3}$	16.7552	.0937	.0597	.1194	.0690	.1287	.0581	.0628
2 11	$5\frac{1}{2}$	17.2788	.0909	.0579	.1158	.0670	.1249	.0564	.0609
1 6	6	18.8496	.0833	.0531	.1061	.0614	.1144	.0517	.0558
2 13	$6\frac{1}{2}$	20.4203	.0769	.0489	.0978	.0566	.1055	.0477	.0515
$\frac{1}{7}$	7	21.9911	.0714	.0455	.0910	.0526	.0981	.0443	.0479
2 15	$7\frac{1}{2}$	23.5619	.0666	.0425	.0850	.0492	.0917	.0414	.0446
1 8	8	25.1327	.0625	.0398	.0796	.0460	.0858	.0388	.0419
1 9	9	28.2743	.0555	.0354	.0707	.0409	.0763	.0344	.0372
10	10	31.4159	.0500	.0318	.0637	.0368	.0687	.0310	.0335
1 16	16	50.2655	.0312	.0199	.0398	.0230	.0429	.0194	.0209
1 20	20	62.8318	.0250	.0159	.0318	.0184	.0343	.0155	.0167

TABLE OF TOOTH PARTS.

DIAMETRAL PITCH IN FIRST COLUMN.

Diametral Pitch.	Circular Pitch.	Thickness of Tooth on Pitch Line.	Addendum and Module.	Working Depth of Tooth.	Depth of Space below Pitch Line.	Whole Depth of Tooth.
P	P'	t	8	D''	s+f.	D"+f.
$\frac{1}{2}$	6.2832	3.1416	2.0000	4.0000	2.3142	4.3142
3 4	4.1888	2.0944	1.3333	2.6666	1.5428	2.8761
1	3.1416	1.5708	1.0000	2.0000	1.1571	2.1571
11/4	2.5133	1.2566	.8000	1.6000	.9257	1.7257
$1\frac{1}{2}$	2.0944	1.0472	.6666	1.3333	.7714	1.4381
134	1.7952	.8976	.5714	1.1429	.6612	1.2326
2	1.5708	.7854	.5000	1.0000	.5785	1.0785
$2\frac{1}{4}$	1.3963	.6981	.4444	.8888	.5143	.9587
$2\frac{1}{2}$	1.2566	.6283	.4000	.8000	.4628	.8628
234	1.1424	.5712	. 3636	.7273	.4208	.7844
3	1.0472	.5236	.3333	.6666	.3857	.7190
$3\frac{1}{2}$.8976	.4488	.2857	.5714	.3306	.6163
4	.7854	.3927	.2500	.5000	.2893	. 5393
5	.6283	.3142	.2000	.4000	.2314	.4314
6	.5236	.2618	.1666	.3333	.1928	.3595
7	.4488	.2244	.1429	. 2857	.1653	.3081
8	.3927	.1963	.1250	.2500	.1446	.2696
9	.3491	.1745	.1111	.2222	.1286	.2397
10	.3142	.1571	.1000	. 2000	.1157	.2157
11	.2856	.1428	.0909	.1818	.1052	.1961
12	.2618	.1309	. 0833	.1666	.0964	.1798
13	.2417	.1208	.0769	.1538	.0890	.1659
14	. 2244	.1122	.0714	.1429	.0826	.1541

TABLE OF TOOTH PARTS—Continued.

DIAMETRAL PITCH IN FIRST COLUMN.

Diametral Pitch.	Circular Pitch.	Thickness of Tooth on Pitch Line.	Addendum and Module.	Working Depth of Tooth.	Depth of Space below Pitch Line.	Whole Depth of Tooth.
P.	P'.	t.	8.	D".	s+f.	D"+f.
15	.2094	.1047	.0666	.1333	.0771	.1438
16	.1963	.0982	.0625	.1250	.0723	.1348
17	.1848	.0924	.0588	.1176	.0681	.1269
18	.1745	.0873	.0555	.1111	.0643	.1198
19	.1653	.0827	.0526	.1053	.0609	.1135
20	.1571	.0785	.0500	.1000	.0579	.1079
22	.1428	.0714	.0455	.0909	.0526	.0980
24	.1309	.0654	.0417	.0833	.0482	.0898
26	.1208	.0604	.0385	.0769	. 0445	.0829
28	.1122	.0561	.0357	.0714	.0413	.0770
30	.1047	.0524	.0333	.0666	.0386	.0719
32	.0982	.0491	.0312	.0625	.0362	.0674
34	.0924	.0462	.0294	.0588	.0340	.0634
36	.0873	.0436	.0278	.0555	.0321	.0599
38	.0827	.0413	.0263	.0526	.0304	.0568
40	.0785	.0393	.0250	.0500	.0289	.0539
42	.0748	.0374	.0238	.0476	.0275	.0514
44	.0714	.0357	.0227	.0455	.0263	.0490
46	.0683	.0341	.0217	.0435	.0252	.0469
48	.0654	.0327	.0208	.0417	.0241	.0449
50	.0628	.0314	.0200	.0400	.0231	.0431
56	.0561	.0280	.0178	.0357	.0207	.0385
60	.0524	.0262	.0166	.0333	.0193	.0360



Tables Giving Chordal Thickness of
Gear Teeth and
Distance from Chord to Top of Tooth.

Tables Giving Chordal Thickness of Gear Teeth (t'') and Distance from Chord to Top of Tooth (s'').

The tables give the chordal thickness of teeth and the distance from the chord to the top of the tooth for gears of I diametral pitch and I" circular pitch respectively.

To obtain t'' and s'' for any diametral pitch, divide the figures given in the table for 1 diametral pitch by the required diametral pitch.

Example—Find t'' and s'' for a gear 5 diametral pitch, 23 teeth.

$$1.5696 \div 5 = .3139 = t''$$

 $1.0268 \div 5 = .2054 = s''$

1 DIAMETRAL PITCH							
No. of Teeth.	No. of Cutter.	t''	s''				
8		1.5607	1.0768				
9		1.5628	1.0684				
10		1.5643	1.0616				
ΙΙ		1.5654	1.0559				
I 2	8	1.5663	1.0514				
13	$7\frac{1}{2}$	1.5670	1.0474				
14	7	1.5675.	1.0440				
15	$6\frac{1}{2}$	1.5679	1.0411				
17	6	1.5686	1.0362				
19	$5^{\frac{1}{2}}$	1.5690	1.0324				
2 I	5	1.5694	1.0294				
23	$4\frac{1}{2}$	1.5696	1.0268				
26	4	1.5698	1.0237				
30	$3^{\frac{1}{2}}$	1.5701	1.0208				
35	3	1.5702	1.0176				
· 42	$2\frac{1}{2}$	1.5704	1.0147				
55	2	1.5706	1.0112				
80	$_{1rac{1}{2}}$	1.5707	1.0077				
135	I	1.5708	1.0046				

To obtain t'' and s'' for any circular pitch, multiply the figures given in the table for 1" circular pitch by the required circular pitch.

Example—Find t'' and s'' for a $\frac{3}{4}$ " circular pitch gear with 15 teeth.

$$.4991 \times \% = .3743 = t''$$

 $.3314 \times \% = .2486 = s''$

	ı CIR	CULAR PITO	CH
No of Teeth.	No. of Cutter,	t''	s''
8		.4968	.3428
9	ļ	.4975	.3401
10		.4979	.3379
1 I		.4983	.3361
12	8	.4986	.3347
13	$7\frac{1}{2}$.4988	.3334
14	7	.4990	.3323
15	$6\frac{1}{2}$.4991	.3314
17	6	.4993	.3298
19	$5\frac{1}{2}$	·4995	.3286
2 I	5	.4996	.3277
23	$4\frac{1}{2}$	-4997	.3268
26	4	-4997	.3258
30	$3\frac{1}{2}$.4998	.3249
35	3	.4998	.3239
42	$2\frac{1}{2}$	•4999	.3230
55	2	.5000	.3219
80	$-1\frac{1}{2}$.5000	.3208
135	I	.5000	.3198

These tables are intended to be used for spur gears only. They can, however, be used for bevel gears by selecting t'' according to the number of teeth in the bevel gear and selecting s'' according to the number of teeth in a spur gear having a radius corresponding to the back cone radius of the bevel gear.



Table Giving Diameter Increments.

To use the following table for finding the outside diameters of Bevel Gears with axes at right angles, divide the figures given opposite the required numbers of teeth by the diametral pitch (P) and add to the pitch diameter, using the upper figure in the space for the gear and the lower for the pinion.

EXAMPLE.—Required, the outside diameters of a pair of bevel gears, 10 P, 35 T into 23 T. Referring to the table, the diameter increments are found to be for the gear 1.10 and for the pinion 1.67.

 $1.10 \div 10 = .110$; 3.5 pitch diameter + .110 = 3.610 outside diameter of gear.

 $1.67 \div 10 = .167 \div 2.3$ pitch diameter + .167 = 2.467 outside diameter of pinion.

1.73

1.72 1.72 1.71 1.70

DIAMETER INCREMENT.

GEAR 59 58 70 69 68 67 66 65 63 62 61 60 57 72 71 64 .37 .39 .41 -33 .34 .34 -35 .36 .36 •37 .38 -39 12 1.97 1.97 1.97 1.97 1.97 1.97 1.96 1.96 1.96 1.97 1.97 1.97 1.96 1.96 1.96 1.96 .41 .42 -43 .36 -37 .37 .38 .38 •39 -39 .40 .40 .42 -44 -44 .36 13 1.97 1.97 1.97 1.97 1.96 1.96 1.96 1.96 1.96 1.96 1.96 1.96 1.95 1.95 1.95 1.95 .45 -39 -39 .40 .40 .42 .45 .46 .47 .48 .38 .41 .42 .43 .43 14 1.96 1.96 1.95 1.95 1.95 1.95 1.94 1.94 1.96 1.96 1.96 1.96 1.96 1.95 1.95 1.96 .41 .41 .42 .43 .44 -44 -45 .46 1.95 .46 -47 .48 .48 .49 .50 .51 15 1.94 1.94 1.95 1.95 1.94 1.94 1.94 1.96 1.96 1.96 1.95 1.95 1.95 1.95 1.94 .43 ·45 .48 -49 -50 .51 .52 .52 •53 •54 .46 .46 -47 .48 16 1.93 1.95 1.94 1.93 1.95 1.95 1.95 1.95 1.95 1.94 1.94 1.94 1.94 1.93 1.93 1.93 -49 -50 .51 .51 .52 •53 .54 -55 .55 -57 .47 .47 .48 .48 646 .56 17 1.94 1.94 1.92 1.95 1.95 1.94 1.94 1.94 1.93 1.93 1.93 1.93 1.93 1.92 1.92 1.92 •58 •49 .50 .51 .52 -53 •53 -54 •55 -59 .60 •50 •57 .57 .48 .56 1.92 18 1.91 1.94 1.94 1.94 1.94 1.93 1.93 1.93 1.93 1.93 1.92 1.92 1.92 1.91 1.91 .51 .52 .52 -53 •54 -55 -55 -57 .59 .60 .61 ,62 .63 .56 .58 •59 19 1.93 1.93 1.93 1.93 1.93 1.92 1.92 1.91 1.91 1.91 1.91 1.90 1.92 1.92 1.90 1.90 .61 .66 •54 -54 •55 .56 .56 -57 .58 •59 .60 .61 .62 .63 .64 .65 20 1.89 1.93 1.93 1.92 1.92 1.92 1.92 1.91 1.91 1.9Í 1.91 1.90 1.90 1.90 1.89 1.89 -57 •58 .61 .56 •57 -59 .60 .61 .62 .63 .64 .65 .66 ,67 .68 .70 21 1.89 1.89 1.88 1.91 1.91 1.89 1.92 1.92 1.92 1.91 1.91 1.90 1.90 1.90 1.88 1.87 .66 .68 .69 .58 -59 .60 .61 .62 .62 .63 .64 .65 .67 .71 .72 22 1.89 1.89 1.91 1.89 1.87 1.87 1.91 1.91 1.91 1.90 1.88 1.88 1.88 1.87 1.90 1.90 .64 .63 .66 .69 .73 .61 .62 .62 .65 .67 .68 .70 .71 .72 .74 .75 23 1.89 1.89 1.89 1.89 1.86 1.90 .65 1.87 1.85 1.91 1.90 .64 1.90 1.88 1.88 1.88 1.87 1.86 .63 .66 .67 .67 .68 .69 .70 .71 .72 •73 -74 .75 .76 .78 24 1.88 1.84 1.89 1.89 1.89 1.85 1.88 1.88 1.90 1.89 1.87 1.87 1.87 1.86 1.86 1.85 .67 .67 .68 .69 .71 .72 •73 •75 .77 .78 .80 .66 .70 .74 .76 •79 25 1.84 1.89 1.88 1.88 1.88 1.88 1.87 1.87 1.87 1.86 1.86 1.85 1.85 1.84 1.83 .68 .69 .70 .71 .71 .72 -74 •75 .80 .81 .82 .83 •73 .76 .77 .78 26 1.88 1.88 1.87 1.87 1.87 1.86 1.86 1.86 1.85 1.85 1.84 1.84 1.83 1.82 1.82 1.84 .82 .86 .80 .81 .70 .71 .72 •73 .74 .75 .76 .84 •77 .78 •79 .83 27 1.87 1.87 1.87 1.86 •75 1.86 1.86 1.85 1.85 1.84 1.84 1.83 1.83 1 82 1.82 1.81 1.81 •73 .74 .77 .80 .82 .88 .76 .81 .83 .85 .86 .72 .78 .79 .87 28 1.85 1.86 1,86 1.85 1.84 1.84 1.83 1.83 1.80 1.86 1.85 1.82 1.82 18.1 1.81 1.80 .84 .89 .91 .75 .76 •77 .78 .78 .79 .80 .82 .83 .85 .86 .87 .88 29 1.82 1.78 1.86 1.85 1.85 1.84 1.84 1.84 1.83 1.83 1.82 1.81 1.81 1.80 1.80 1.79 .82 .84 .87 .77 .78 1.84 .79 1.84 .80 .81 .83 .85 .86 .88 .89 .91 .92 .93 30 1.85 1.78 1.83 1.83 1.83 1.81 1.81 1.78 1.82 1.82 1.80 1.79 1.79 1.77 .82 .83 •79 .80 .84 .86 .87 .88 .89 .92 .94 .96 .91 -93 31 1.83 1.82 1.82 1.84 1.83 1.82 1.81 1.81 1.80 1.79 1.78 1.78 1.76 1.76 1.79 1.77 .85 .81 .82 .83 .84 .86 .87 .88 .92 •95 .89 .91 •93 .94 .98 .97 32 1.83 1.82 1.82 1.81 1.81 1.80 1.80 1.79 1.77 1.76 1.74 1.79 1.78 1.78 1.76 1.75 .83 .84 .85 .86 .87 .88 .89 .96 .98 •99 1.00 .92 •95 .91 .93 .94 33 1.82 18.1 1.81 1.80 1.80 1.79 1.79 1.78 •93 1.78 1.77 1.77 1.76 1.75 1.75 1.74 1.73 .85 .86 .87 .88 .89 .94 .96 1.00 1.01 1.02 .91 .92 -95 -97 •99 34 1.81 1.80 1.8o 1.79 1.79 1.78 1.78 1.77 1.77 1.76 1.73 1.73 1.72 1.75 1.75 1.74 .89 .87 ,88 .90 .92 .93 .94 -95 .96 .97 .98 1,00 I.OI 1,02 1.03 1.05 35 1.80 .91 1.78 1.78 1.77 1.75 1.75 1.73 1.73 1.79 1.77 1.76 1.74 1.71 1.70 .89 .93 1.02 1.03 1.04 .90 .94 .98 1.07 .95 .96 .97 .99 1.00 36 1.78 1.78 •93 1.74 1.73 1.72 1.71 1.71 1.70 1.79 1.77 1.77 1.76 1.76 1.75 1.74 1.69 .96 .98 1.03 1.04 1.06 1.08 1.09 .92 -95 1.00 I.OI .91 .97 .99 37 1.76 1.75 1.77 1.74 1.74 1.73 1.72 1.72 1.70 1.69 1.69 1.68 1.78 1.77 1.76 1.71 •94 •95 .97 .98 1.00 1.02 1.03 1.05 1.06 1.08 I.II .93 .99 1.01 38 1.77 1.76 1.76 1.75 1.74 1.73 1.73 1.71 1.70 1.69 1.68 1.67 1.66 1.75 1.72 1.71 -95 .96 -99 I.OI 1.02 1.03 1.04 1.05 1.06 1.08 1.09 I,IO 1,12 .97 .98 39 1.74 1.76 1.75 1.75 1.73 1.73 1.72 1.71 1.71 1.70 1.69 1.68 1.68 1.67 1.66 1.65 1.14 1.03 I.IO .97 •97 .99 1.00 I.OI 1.04 1.05 1.08 I.II 1.12 40 1.75 1.75 1.74 1.73 1.72 1.72 1.71 1.67 1.66 1.66 1.70 1.70 1.69 1.68 1.65 1.64 .99 1.00 I,OI 1,02 1.03 1.04 1,06 1.07 I.IO 1.12 1.13 1.14 1.08 1.09 1.17 41 1.65 1.63 1.69 1.62 1.74 1.73 1.73 1.72 1.71 1.71 1.70 1.68 1.68 1.67 1.66 1.64 1.01 1.04 1.16 1.03 1.05 1.06 1.07 1.19 1.02 1.09 I.IO I.II 1.12 1.13 1.15 1.17 42

1.68 For bevel gears with axes at right angles only.

1.67 1.66 1.66

1.69 1.60 т.65

1.64

1.62

1.61

1,63

DIAMETER INCREMENT .- (Continued.)

GEAR 56 55 54 53 52 51 50 49 47 46 44 43 48 45 42 .42 •43 •44 .50 .52 •43 .45 .46 -47 .48 -53 .48 .49 -54 •55 12 1.96 1.94 .52 1.95 1.95 1.95 1.95 1.95 1.94 1.94 1.94 1.94 1.93 1.93 1.93 1.92 .51 .45 1.95 .48 1.94 .50 .48 1.94 .49 -53 .54 -57 .58 .56 .59 13 1.95 1.94 1.94 1.94 1.93 1.93 1.93 1.92 1.92 1.92 1.91 1.91 .51 •53 .59 .48 •49 .50 -52 .54 -55 .56 .57 .58 .61 .62 .63 14 1.94 1.94 1.94 1.93 1.92 1.92 1.92 1.93 1.93 1.93 1.91 1.91 1.91 1.90 1 90 .52 -53 -55 •59 .60 .6L .62 .66 .67 .54 .56 -57 .63 .65 15 1.93 1.93 1.93 1.92 1.92 1.92 1.92 1.91 1.91 1.91 1.90 1.90 1.89 1.89 1,88 .64 .68 -55 .57 .58 .62 .66 .56 -59 .60 .61 .63 .67 .71 16 1.91 1.92 1.92 1,91 1.90 1.89 1.92 1.91 1.90 1.90 1.89 1.88 1.88 1.87 1.87 ,62 .64 .69 .71 .72 .58 •59 .60 .61 .66 .67 .68 .74 •75 .63 17 1.90 1.91 1.91 1.91 1.90 1.89 1.89 1.89 1.88 1.90 1.88 1.87 1.87 1.86 1.85 .61 .62 .63 .64 .65 .67 .68 .69 .70 .72 .73 .74 -79 .76 18 1 85 1.90 1.90 1.90 1.89 1.89 1.89 1.88 1.84 1.88 1.87 1.87 ₹.86 1.86 1.84 .64 .65 .66 .67 .69 .71 .78 .70 .72 .74 .75 .76 -79 .81 .82 19 1.86 1.89 1.89 1.89 1.88 1.88 1.87 1.87 1.85 1.84 1.84 1.83 1.86 1.85 1.82 .67 .72 .73 .80 .83 .68 .69 .71 .74 -77 .8t .76 .78 .84 .86 20 .70 1.87 •75 1.88 .72 1.87 1.S6 1.86 1.85 1.85 1.84 1.83 1.83 1.82 1.81 1.81 .76 .71 .74 -77 -79 .80 .52 .83 .85 .86 .88 .89 21 1.87 1.87 1.85 1.84 1.84 1.83 1.83 1.82 1.81 I.So 1.86 1.85 I.So 1.86 1.79 .79 .85 .73 .74 .75 .77 .78 1.84 .81 .82 .83 .86 ,88 .89 .91 .93 22 1.85 1.83 1.80 1.86 1.86 1.85 1.84 1.82 1.82 1.81 1.80 1.79 1.78 1.77 .76 -77 .78 1.84 .80 .81 .82 .84 .85 .86 .88 .89 .91 •93 -94 .96 1.75 23 1.85 1.85 1.83 1.83 1.82 1.82 1.81 1.80 1.80 1.79 1.78 1.77 1.76 .89 -79 .80 .81 .83 .84 .85 .87 .88 .91 .93 .96 .99 •94 .97 24 1.82 1.82 r.80 1.79 1.74 1.84 1.83 1.83 1.81 1.80 1.78 1.77 1.76 1.76 1.75 .87 .88 .83 .84 .85 1.81 .89 .91 .92 .94 -97 I.OI 1.02 -95 .99 25 1.83 1.82 1.80 1.80 1.81 1.77 1.77 1.74 1.72 1.79 1.78 1.76 1.75 1.73 .84 .87 .89 .85 .88 .91 .92 •94 -95 .97 .98 1.00 1.05 26 1.80 1.74 1.81 18.1 1.73 1.80 1.78 1.77 1.75 1.75 1.72 1.71 1.79 1.77 1.70 .87 .88 .89 .91 .98 1.74 1.00 1.01 1.03 1.05 1.06 1.08 .92 .94 •95 -97 27 1.80 1.78 ·93 1.73 1.72 1.71 1.79 1.78 •95 1.75 1.80 1.77 1.76 1.70 1.69 1.68 .89 .91 .92 1,01 1,02 1.04 1.06 1.09 11.1 1.07 .96 .98 -99 28 1.78 1.78 1.75 1.74 1.79 1.77 1.76 1.75 1.73 1.72 1.71 1.70 1.69 1.68 1.66 .92 1.03 •93 -95 .97 00.1 1.02 1.05 1.07 1.08 I.IO 1.12 1.14 .96 .99 29 1.78 1.77 1.76 1.75 1.75 1.74 1.73 1.72 1.71 1.70 1.69 1.68 1.67 1.66 1.65 1.03 1.06 .94 .98 -99 T 00 I.OI 1.04 1,08 1.09 1.13 I. I4 .96 1.16 30 1.65 1.74 1.74 1.71 1.71 1.70 1.69 1,66 1.76 1.76 1.73 1.72 1.68 1.64 1.63 1.04 .97 .98 1,00 1,01 1.05 1.07 1.09 1.10 1.12 1.13 1.15 1.17 1.19 31 1.67 1.75 1.74 1.73 1.73 1.72 1.71 1.70 1.69 1.68 1.66 1.65 1.63 1.62 1.61 1.03 1.09 1.13 I.04 1.08 1.16 1.18 1.19 I,OI 1.02 1.21 .99 32 1.65 1.69 1.68 1.64 1.62 1.73 1.72 1.71 1.67 1.66 1.63 1.60 1.59 1.71 1.03 I.IO 1.15 1.17 I.04 T.08 00.1 1.12 1.13 1.18 1.20 1.22 1.24 1.06 33 1.67 1.65 1.60 1.68 1.66 1.64 1.63 1.61 1.59 1.57 1.72 1.71 1.70 1.69 1.07 1.08 1.09 1.11 1.12 1.14 1.16 1.17 1.19 1.21 1.22 1.24 1.26 34 1.71 1.70 1.68 1.67 1.66 1.65 1.64 1.63 1.62 1.61 1.59 1.58 1.55 1.69 1.57 1.18 1.09 1.13 1.23 1.10 1.12 1.15 1.17 1.19 1.21 1.25 1.26 1.28 1.06 35 1.57 1.70 1.69 1.68 1.67 1.66 1.65 1.64 I 63 1.62 1.60 1.59 1.58 1.55 1.54 1.08 1.12 1.14 1.15 1.17 1.18 1.21 1.25 1.27 I.IO I.II 1.19 1.23 1.28 1.30 36 1.63 1.66 1.52 1.67 1.65 1.64 1.61 1.60 1.59 1.57 1.56 1.55 1.53 1.68 1.62 I.IO 1.13 1.14 1.17 1.21 [,22 1.24 1.25 1.27 1.29 1.30 1.32 1.16 1.19 37 1.65 1.66 1.64 1.60 1.58 1.57 1.56 1.55 1.53 1.52 1.67 1.63 1.62 1.61 1.50 1.12 1.29 1.16 1.18 1.20 1.23 1.14 I.2I I.24 1.26 1.27 1.31 1.32 1.34 38 1.65 1.64 1.63 1.61 1.60 1.59 1.58 1.57 1.54 1.66 1.56 1.53 1.51 1.50 1.48 1.17 1.19 1.25 1.31 1.14 1.16 I.20 1,21 1.23 I 28 1.29 ·I.26 1.33 1.34 1.36 39 1.64 1.63 1.62 1.61 1.60 I.59 I.23 1.58 1.54 1.51 1.50 1.56 1.55 1.53 1.48 1.47 1.28 1.35 1.16 1,20 I.22 1.25 1.26 1.30 1.31 1.33 1.38 1.36 40 1.63 1.62 1.61 1.60 1.59 1.57 1.56 1.55 1.54 1.52 1.51 1.49 1.48 1.46 1.45 1.28 1.31 1.13 I.20 I.22 1.24 1.30 1.33 1.35 1.36 1.38 1.40 1,21 1.25 1.27 41 1.61 1.58 1.46 1.45 1.43 1.60 1.59 1.57 1.56 1.55 1.53 1.52 1.51 1.49 1.48 I.2I 1.33 1,20 1.23 1.24 1.35 1.36 1.38 1.40 1,26 1.27 1.29 1.30 1.32 1.41 42 1.48 1.45 1.41 1.60 1.59 1.58 1.57 1.56 1.54 1.53 1.52 1.51 1.49 1.43

For bevel gears with axes at right angles only.

PINION

DIAMETER INCREMENT.—(Continued.)


GEAR

					-				EAR							
1		41	40	39	38	37	36	35	34	33	32	31	30	29	28	27
1	12	.56	.58	•59	.61	.63	.63	.65	.67	.68	•70	•72	-74	.76	•79	.81
1	12	1.92	1.92	1.91	1,91	1.90	1.90	1.89 .70	1.88	1.88	1.87	1.87	1.86	1.85	1.84	1.83
1	13	.60	.61	.63	.65	.66	.68		.71	.73	•75	•77	.30	.82	.84	.87
ŀ	_	1.91	1.90	1.90 .67	1.89	1.89	1.88 •72	1.87	1.87	1.86	1.85	1.84	1.83	1.82	.89	1.80
Н	14	.65 1.89	.66 1.89	1.88	.69 1.88	1.87	1.86	.74 1.86	.76 1.85	.78 1.84	.8o 1.83	.82 1.82	.85 1.81	.87 1.80	1.79	1.78
ŀ		.69	•70	.72	•74	•75	•77	.79	.81	.83	.85	.87	.89	.92	-94	•97
-1	15	1.88	1.87	1.87	1.86	1.85	1.85	1.84	1.83	1.82	1.81	1.80	1.79	1.78	1.76	1.75
Ī	16	-73	•74	.76	•77	•79	.81	.83	.85	.88	.89	.91	•94	•97	-99	1.02
ı	10	1.86	1.86	1.85	1.85	1.84	1.83	1.82	1.81	1.80	1.79	1.77	1.75	1.75	1.74	1.72
- 1	17	•77	.78	•79	.81	.83	.86	.88	.89	.91	•94	.96	•99	I.OI	1.04	1.07
ı	• •	1.85	1.84	1.83	1.83	1.82	1.81	1.80	1.79	1.77	1.76	1.75	1.74	1.73	1.71	1.69
- 1	18	.80	.82	.84	.86	.88	.89	.91	•93	•94	.98	1.01	1.03	1.06	1.08	1.11
ŀ		1.83	1.82	1.81	.89	1.8o	1.79 •93	1:78	•97	1.76 •99	I.74 I.02	1.73 1.04	I.72 I.07	1.70	1.68	1.66
- 1	19	.84	.86 1.81	.88 1.80	1.79		1.77	•95	1.75	1.73	1.72	1.70	1.69	1.67	1.66	1.64
ŀ	_	.88	.89	.91	•93	1.78 •95	•97	1.76 •99	1.01	1.04	1,06	1.08	1.11	1.14	1.16	1.19
- [20	1.80	1.79	1.78	1.77	1.76	1.75	1.74	1.72	1.71	1.70	1.68	1.66	1.64	1.63	1.61
ı	24	.91	•93	•94	-97	•99	1.01	1.03	1.05	1.07	1.10	1,12	1.14	1.17	1.20	1.23
-1	21	1.78	1.77	1.76	1.75	1.74	1.73	1.72	1.70	1.69	1.67	1.65	1.64	1,62	1.60	1.58
П	22	•95	.96	.98	1.00	1.02	1.04	1.06	1.09	1.11	1.13	1.16	1.18	1.21	1.24	1.26
- [~~	1.76	1.75	1.74	1.73	1.72	1.71	1.69	1.68	1.66	1.65	1.63	1.61	1.59	1.57	1.55
П	23	.98	1.00	1.01	1.04	1.06	1.08	1.10	1.12	1.14	1.17	1.19	1.21	1,24	1.27	1.30
F	-	1.74	1.73	1.72	I.71 I.07	1.70	1.68	1.67	1.66	1.64	1.62	1.61 1.23	1.59	I.57	1.55	I.52
- 1	24	1.72	1.71	1.70	1.69	1.08	1.66	1.65	1.63	1.62	1.60	1.58	1.56	1.54	1.52	1.49
H		1.04	1.06	1.08	1.10	1,12	1.14	1,16	1.18	I.20	1.23	1.26	1.28	1.31	1.33	1.36
Ζĺ	25	1.71	1.70	1.68	1.67	1.65	1.64	1.63	1.61	1.59	1.58	1.56	1.54	1 52	1.49	1.47
NON	26	1.07	1.09	I.II	1.13	1.15	1.17	1.19	I,2I	1,24	1.26	1.28	1.31	1.34	1.36	1.39
킴	26	1.69	1,68	1.66	1.65	1.64	1.62	1.61	1.59	1.57	1.55	1.53	1.51	1.49	1.47	1.44
۱-	27	1.10	1.12	1.14	1.15	1.18	1.20	I.22	1.24	1.27	1.29	1.31	1.34	1.36	1.39	1.41
-	۷,	1.67	1.66	1.64	1.63	1.62	1.60	1.58 1.25	1.57	1.54	1.53	1.51	1.49	1.46	1.44	1.41
- 1	28	1.13 1.65	1.14	1,16	1.19	I.2I I.59	1.23		1.27	1.29 1.53	I.32 I.5I	1.34	1,36 1,46	1.39	1.41	
ŀ		1.15	1.64	1.62 1.19	I.2I	I.23	1.58 1.26	1.56 1.28	I.54 I.30	1.32	1.34	1.48	1.39	I.44 I.41	1.41	
-1	29	1.63	1.62	1.60	1.59	1.57	1.56	1.54	1.52	1.50	1.48	1.46	1.44	1.41		
ŀ	20	1.18	1.20	1.22	1.24	1,26	1.28	1.30	1.32	1.35	1.37	1.39	1.41			
-1	30	1.61	1.60	1.59	1.57	1.55	1.54	1.52	1.50	1.48	1.46	1.44	1.41			
ı	31	I.2I	1.23	1.25	1.26	1.28	1.31	1.33	1.35	1.37	1.39	1.41				
ı	٥.	1.59	1.58	1.57	1.55	1.53	1,51	1.50	1.48	1.46	1.44	1.41				
-1	32	1.23	1.25	1,27	1.29	1.31	1.33	1.35	1.37	`1.39	1.41					
H	_	1.58 1.25	1.56	1.54	1.53 1.31	1.33	1.50 1.35	1.48	1.46	1.44	1.41					
-1	33	1.56	1.54	I.53	1.51	1.49	1.48	1.45	1.39 1.43	1.41 1.41						
ı		1.28	1.30	1.31	I.33	1.35	1.37	1.39	1.41		1					
-1	34	1.54	1.52	1.51	1.49	1.48	1.45	1.43	1.41							
- 1	35	1.30	1.32	1.34	1.35	1.38	1.39	1.41		•						
ı	33	1.52	1.50	1.49	1.48	1.45	1.43	1.41								
1	36	1.32	1.34	1.36	1.38	1.40	1.41									
ŀ		1.50	1.49	1.47	1.45	1.43	1.41									
	37	1.34 1.49	1.36	1.38	I.40	1.41										
1		1.36	1.47	I.45 I.40	I.43 I.41	1.41										
1	38	1.47	1.45	1.43	1.41											
ŀ		1.38	1.40	1.41												
	39	1.45	1.43	1.41												
1	40	1.40	1.41													
	-	1.43	1.41													
	41	1.41	т	Con L	evel	œe.	rc:	th a	V 00 0	ıt min	cht o	ngla	2 0 1	x 2		
L		1.41	F	OI D	evel	gea	is WI	til di	ACS a	it rig	ill a	ngre	5 OIII	у.		

DIAMETER INCREMENT.—(Continued.) GEAR

84 1.S2 .89 1.79 .95 1.76 1.co 1.73 1.u5 1.70 1.67 1.14	25 .87 1.80 .92 1.77 .98 1.75 1.03 1.71 1.08 1.68 1.12 1.65 1.17 1.62	24 .89 1.79 .95 1.76 1.01 1.73 1.06 1.70 1.11 1.66 1.16 1.63	.93 1.77 .98 1.74 1.04 1.71 1.09 1.68 1.14 1.64 1.19 1.61	.96 1.76 1.02 1.72 1.07 1.69 1.13 1.65 1.18 1.62 1.22	21 .99' 1.74 1.05 1.70 1.11 1.66 1.16 1.63 1.21 1.59	1.03 1.71 1.09 1.68 1.15 1.64 1.20 1.60 1.25 1.56	1.07 1.69 1.13 1.65 1.19 1.61 1.24 1.57 1.29 1.53	18 1.11 1.66 1.17 1.62 1.23 1.58 1.58 1.54 1.33 1.49 1.37	1.15 1.63 1.21 1.59 1.27 1.54 1.32 1.50 1.37 1.46	1.20 1.60 1.26 1.55 1.32 1.50 1.37 1.46 1.41	1.25 1.56 1.31 1.51 1.36 1.46 1.41 1.41	1.30 1.52 1.36 1.47 1.41 1.41	1.36 1.47 1.41 1.41	12 1.41 1.41
1.S2 .89 1.79 .95 1.76 1.c0 1.73 1.05 1.70 1.67 1.14	1.80 .92 1.77 .98 1.75 1.03 1.71 1.08 1.68 1.12 1.65	1.79 1.76 1.01 1.73 1.06 1.70 1.11 1.66 1.16 1.63 1.20	1.77 .98 1.74 1.04 1.71 1.09 1.68 1.14 1.64	1.76 1.02 1.72 1.07 1.69 1.13 1.65 1.18 1.62 1.22 1.58	1.74 1.05 1.70 1.11 1.66 1.16 1.63 1.21 1.59	1.71 1.09 1.68 1.15 1.64 1.20 1.60 1.25 1.56	1.69 1.13 1.65 1.19 1.61 1.24 1.57 1.29 1.53	1.66 1.17 1.62 1.23 1.58 1.28 1.54 1.33 1.49	1.63 1.21 1.59 1.27 1.54 1.32 1.50 1.37 1.46	1.60 1.26 1.55 1.32 1.50 1.37 1.46	1.56 1.31 1.51 1.36 1.46	1.52 1.36 1.47	1.47	
.89 1.79 .95 1.76 1.05 1.70 1.09 1.67 1.14	.92 1.77 .98 1.75 1.03 1.71 1.08 1.68 1.12 1.65	.95 1.76 1.01 1.73 1.06 1.70 1.11 1.66 1.16 1.63	.98 I.74 I.04 I.71 I.09 I.68 I.14 I.64 I.19	1.02 1.72 1.07 1.69 1.13 1.65 1.18 1.62 1.22 1.58	1.05 1.70 1.11 1.66 1.16 1.63 1.21 1.59	1.09 1.68 1.15 1.64 1.20 1.60 1.25 1.56	1.13 1.65 1.19 1.61 1.24 1.57 1.29 1.53	1.17 1.62 1.23 1.58 1.28 1.54 1.33 1.49	1.21 1.59 1.27 1.54 1.32 1.50 1.37 1.46	1.26 1.55 1.32 1.50 1.37 1.46	1.31 1.51 1.36 1.46	1.36 1.47 1.41	1.41	1.41
1.79 .95 1.76 1.co 1.73 1.05 1.70 1.09 1.67 1.14 1.64	1.77 .98 1.75 1.03 1.71 1.08 1.68 1.12 1.65	1.76 1.01 1.73 1.06 1.70 1.11 1.66 1.16 1.63	1.74 1.04 1.71 1.09 1.68 1.14 1.64 1.19	1.72 1.07 1.69 1.13 1.65 1.18 1.62 1.22 1.58	1.70 1.11 1.66 1.16 1.63 1.21 1.59	1.68 1.15 1.64 1.20 1.60 1.25 1.56	1.65 1.19 1.61 1.24 1.57 1.29 1.53	1.62 1.23 1.58 1.28 1.54 1.33 1.49	1.59 1.27 1.54 1.32 1.50 1.37 1.46	1.55 1.32 1.50 1.37 1.46	1.51 1.36 1.46	1.47		
.95 1.76 1.co 1.73 1.05 1.70 1.67 1.14 1.64	.98 1.75 1.03 1.71 1.08 1.68 1.12 1.65	1.01 1.73 1.06 1.70 1.11 1.66 1.16 1.63	1.04 1.71 1.09 1.68 1.14 1.64 1.19 1.61	1.07 1.69 1.13 1.65 1.18 1.62 1.22 1.58	1.11 1.66 1.16 1.63 1.21 1.59	1.15 1.64 1.20 1.60 1.25 1.56	1.19 1.61 1.24 1.57 1.29 1.53	1,23 1,58 1,28 1,54 1,33 1,49	1.27 1.54 1.32 1.50 1.37 1.46	1.32 1.50 1.37 1.46	1.36 1.46	1.41	1.41	
1.76 1.co 1.73 1.05 1.70 1.09 1.67 1.14	1.75 1.03 1.71 1.08 1.68 1.12 1.65	1.73 1.06 1.70 1.11 1.66 1.16 1.63	1.71 1.09 1.68 1.14 1.64 1.19 1.61	1.69 1.13 1.65 1.18 1.62 1.22 1.58	1.66 1.16 1.63 1.21 1.59	1.64 1.20 1.60 1.25 1.56	1.61 1.24 1.57 1.29 1.53	1.58 1.28 1.54 1.33 1.49	1.54 1.32 1.50 1.37 1.46	1.50 1.37 1.46	1.46			
1.co 1.73 1.05 1.70 1.09 1.67 1.14 1.64	1.03 1.71 1.08 1.68 1.12 1.65	1.06 1.70 1.11 1.66 1.16 1.63 1.20	1.09 1.68 1.14 1.64 1.19 1.61	1.13 1.65 1.18 1.62 1.22 1.58	1.16 1.63 1.21 1.59 1.26	1.20 1.60 1.25 1.56	I.24 I.57 I.29 I.53	1.28 1.54 1.33 1.49	1.32 1.50 1.37 1.46	1.37 1.46	1.41	1.41		
1.73 1.05 1.70 1.09 1.67 1.14 1.64	1.71 1.08 1.68 1.12 1.65	1.70 1.11 1.66 1.16 1.63	1.68 1.14 1.64 1.19 1.61	1.65 1.18 1.62 1.22 1.58	1.63 1.21 1.59 1.26	1.60 1.25 1.56	1.57 1.29 1.53	1.54 1.33 1.49	1.50 1.37 1.46	1.46				
1.05 1.70 1.09 1.67 1.14 1.64	1.08 1.68 1.12 1.65 1.17	1.11 1.66 1.16 1.63	1.14 1.64 1.19 1.61	1.18 1.62 1.22 1.58	1.21 1.59 1.26	1.25 1.56	1.29 1.53	1.33 1.49	1.37 1.46	1.41	1.41			
1.70 1.09 1.67 1.14 1.64	1.68 1.12 1.65 1.17	1.66 1.16 1.63	1.64 1.19 1.61	1.62 1.22 1.58	1.59	1.56	1.53	1.49	1.46					
1.09 1.67 1.14 1.64	1.12 1.65 1.17	1.16 1.63 1.20	1.19	1.22 1.58	1.26					1.41	1			
1.67 1.14 1.64	1.65	1.63 1.20	1.61	1.58		1.30	1.33	1.37						
1.14	1.17	I.20							1.41 1.41					
1.64			1.23		1.55	1.52	1.49	1.45	1.41					
	1.02			1.27	1.30	1.34	1.38	1.4I 1.4I						
	1.21	1.60	1.57	1.55	1.52	1.49	1.45	1.41						
1.18	1.59	1.24	1.54	1.51	1.48	1.38	1.41							
1,22	1.25	1.28	1.31	1.35	1.38	1.41	1141							
1.59	1.56	1.54	1.51	1.48	1.45	1.41								
1.26	1.29	1.32	1.35	1.38	1.41									
1.56	1.53	1.50	1.48	1.45	1.41									
				1.41		•								
-				1.41										
			1.41											
			1.41											
	1.39	1.41												
1.47	1.44	1.41		9										
1.39	1.41													
1.44	1.41													
1.41														
	1.39 1.44 1.41	1.53	1.53 1.50 1.47 1.33 1.35 1.38 1.50 1.47 1.44 1.36 1.39 1.41 1.47 1.44 1.41 1.39 1.41 1.44 1.41	1.53	1.53	1.53 1.50 1.47 1.45 1.41 1.33 1.35 1.38 1.41 1.50 1.47 1.41 1.41 1.36 1.39 1.41 1.47 1.44 1.41 1.39 1.41 1.49 1.41	1.53 1.50 1.47 1.45 1.41 1.33 1.35 1.38 1.41 1.50 1.47 1.44 1.41 1.36 1.39 1.41 1.47 1.44 1.41 1.39 1.41 1.49 1.41	1.53 1.50 1.47 1.45 1.41 1.33 1.35 1.38 1.41 1.50 1.47 1.44 1.41 1.36 1.39 1.41 1.47 1.44 1.41 1.39 1.41 1.41 1.41 1.42 1.41	1.53 1.50 1.47 1.45 1.41 1.33 1.35 1.38 1.41 1.50 1.47 1.44 1.41 1.36 1.39 1.41 1.47 1.44 1.41 1.39 1.41 1.41 1.41	1.53 1.50 1.47 1.45 1.41 1.33 1.35 1.38 1.41 1.50 1.47 1.44 1.41 1.36 1.39 1.41 1.41 1.47 1.44 1.41 , 1.39 1.41 1.41 , 1.44 1.41 , ,	1.53	1.53	1.53 1.50 1.47 1.41 1.33 1.35 1.38 1.41 1.50 1.47 1.44 1.41 1.36 1.39 1.41 1.41 1.47 1.44 1.41 1.49 1.41	1.53 1.50 1.47 1.41 1.33 1.35 1.38 1.41 1.50 1.47 1.44 1.41 1.36 1.39 1.41 1.41 1.47 1.44 1.41 1.39 1.41 1.41 1.41 1.41

For bevel gears with axes at right angles only.



TABLES FOR ANGLES OF EDGE AND ANGLES OF FACE.

The following tables have been computed for convenience in calculating data for bevel gears with axes at right angle. They do not hold good for bevel gears with axes at any other angle.

To use the tables the number of teeth in gear and pinion must be known.

Having located the number of teeth in the gear on the horizontal line of figures at the top of the table, and the number of teeth in the pinion on the vertical line of figures on the left-hand side, we follow the two columns to the square formed by their intersections.

The two angles found in the same square are the respective angles for gear and pinion. The tables are so arranged that the angle belonging to the gear is always placed above the angle for the pinion.

The cutting angle for a gear or pinion is equal to the angle of face of its mate as given in the following tables.

ANGLE OF EDGE.

GEAR

ſ		72	71	70	69	68	67	66	65	64	63	62	61	60	59	58	57
ŀ		80°33′		80°16′	80°8′	79°59′	79°51′	79°42′		79°23 1	79°13′	79°3′	78 52'	78°41′			
ı	12	9627	9 35'	9°44′	9°52′	10°1′	10,0,	10°18′			10°47′		11°8′		11°30′	110411	11°53′
ſ	13	79'46'	79°37′		79°20′	79 11'	79 1'	78°51′			78°20′		77°58′	77°46′			77°9′
ł	• •	79°0′	10°23′ 78°51′		10°40′ 78°32′	10°49′ 78°22′	10°59′ 78°11′	11°9′	77°51′	77°40′	77 28'	11°51′ 77°17′	12°2′ 77°5′	12°14′ 76°52′	12°26′ 76°39′	12°38′ 76°26′	76°12′
	14	11.0,	11091	11019	11°28′	11°38′	11"49"	11°59′	12°9′	I 2 20'	12°32′	12°43′	12055	13°8′	13°21′	13°34′	13°48′
1	15	78°14′ 11°46′	78°4′ 11°56′	77°54′	77°44′ 12°16′	77°34′ 12°26′	77°23′ 12°37′	77°12′ 12°48′	77°0′ 13°0′	76°48′ 13°12′	76°36′ 13°24′	76°24′ 13°36′	76°11′ 13°49′	75°58′	75°44′ 14°16′	75°30′ 14°30′	75°15′ 14°45′
t	16		77 18	77°7′	76°57′	76°45'	76°34′	76022	76°10'	75°58′	75°45′	75'32	75°18′	75°4′	74°49′	74°35′	74°19′
ŀ	16	12°32′	12 42'		13°3′		13°26′		13°50′	14°2′	14°15′	14°28′	14°42′		15°11′	15°25′ 73°40′	15°41'
1	17	76°43′ 13°17′	76°32′ 13°28′		13°50′	75°58′	75°45′ 14°14′	75°33′ 14°27′	75°21′ 14°39′		74 54' 15°6'	74°40′ 15°20′		74°11′ 15°49′		16°20′	73°24′ 16°36′
I	18	75°58′ 14°2′	75°46′	75 35'	75°23′	75°10′ 14°50′		74°45′	74°31′	74°17′	74°3′	73°49′	73°33′	73°18′	73°2′	72 45	72029
ŀ	_	75°13′	75°1′	74°49′		74°23′		73°56′	15°29′ 73°42′	73°28′	15°57′ 73°13′	16°11′ 72°58′		16°42′ 72°20′	16°58′ 72°9′	17°15' 71°52'	17°31′ 71°34′
1	19		14°59′	15 11'	15°24′	15°37′	15°50′	16 4'	16°18′	16°32′	16°47′	17°2′	17°18′	17°34′	17°51′	18,8,	18°26′
	20		74°16′ 15°44′	74°3′ 15°57′		73°37′ 16°23′	73°23′	73°9′ 16°51′	72°54′ 17°6′	72 [°] 39′ 17 [°] 21′	72°23′ 17°37′	72°7′ 17°53′	71°51′ 18°9′	71°34′ 18°26′	71°16′ 18°44′	70°59′	70°40′ 19°20′
Ì	21	73°45′	73°32′	73°18′	73°4′	72°50′	72 36	72°21′	72°6′	71°50′	71°34′	71°17′	7100	70°43′		70°6	69°46′
ŀ	21			16°42′ 72°33′		17°10′	71-49		17°54′ 71°18′	18 10' 71°2'	18°26′ 70°45′	18°43′ 70°28′	19°01 70°101	19°17′ 69°52′	19°36′ 69°33′	19°54′ 69°13′	20°14′ 68°54′
ı	22			17°27′		17°56′	18,11,		18°42'		19 15		19050	2008'	20°27′	20'47'	21°6′
	23	72°17′		71°49′ 18°11′		71°19′ 18°41′	71°3′		70°30′		69°57′	69°39′ 20°21′	69°20′	69°2′	68°42′	68°22′	68°2′ 21°58′
ŀ			71019	71.5		70°34′	18°57′	19°13′ 70°1′	19°30′ 69°44′	69°26′		68°50′	20°40′ 68°31′	20°58′ 68°12′	21°18′ 67°52′	21°38' 67°31'	67°10′
ļ	24		18°41′	18°55′		19°26′	19°43′	19 59	20°16′	25°34′	200511	21°10'		21°48′	22°8′	22°29′	22050
1	25	19°9′	70°36′ 19°24′	70°21′ 19°39′		69°49′	69°32′ 20°28′	69°15′ 20°45′	68°57′ 21°3′	68°40′ 21°20′	68°21′ 21°39′			67°23′ 22°37′	67°2′ 22°58′	66°41′ 23°19′	
ξĺ	26	70°9′	69°53′	69 37	69°21′	69°4′	68°48′	68°30′	68°12′	67 54	67°34′	67'15'	66°55′	66°34′	66°13′	65° 51 ′	65 [°] 29
읽	20	19°51′ 69°27′	20'7'	20`23' 68°54'		20`56' 68`20'	21°12′ 68°3′	21°30′ 67°45′	21°48′ 67°26′	22 6' 67 8'	22°26′ 66°48′		23°5′	23°26′ 65°46′	23°47′ 65°25′	24°9′ 65°2′	24°31 64°39'
1	27	20°33′	20 50	21.6'	2I°22′	21°40′	21°57′	22°15′	22°34′	22°52′	23°12′	23°32′	23°53′	24°14′	24°35′		25°21′
١	28	68°45′ 21°15′		68°12′ 21°48′	67°55′ 22°5′	67°37′. 22°23′	67°19′ 22°41′	67°1′ 22°59′	66°42′ 23°18′	66°22′ 23°38′	66°2′. 23°58′		65°21'		64°37′ 25°23′	64°14′ 25°46′	63°50′ 26°10′
ŀ	20		67°47'	67°30′	67°12′		66°36′	66°17′	65°57′	65 37	65°16′			64°12′	63°50′	63°26′	63°2′
ŀ	29	21°56′ 67°23′	22013	22°30′ 65°48′	22°48′	23°6′ 66°12′		23°43′ 65°33′	24°3′ 65°14′	24°23′ 64°53′	24°44′		25°26′		26°10′	26°34′	26°58′ 62°14′
1	30		22 54	23°12′	23°30′	23°48′	248'	24°27′	24°46′	25°7′	64°32′ 25°28′	25°50′	63°49′ 26°11′	26°34′	63°3′ 26°57′	62°39′ 27°21′	27°46
I	31	66'42'		66°6′		65 29		64°50′	64°30′	64°9′	63°48′			62°40′	62°18′		61°28′
ŀ		66°2′	23°35′ 65°44′	23°54′ 65°26′		24°31′ 64°48′	64°50′	64°8′	25°30′ 63°47′	25°51′ 63°26′	26°12′		26°57′ 62°19′	27°20′ 61°56′	27°42′ 61°32′	28°7′ 61°7′	28°32′ 60°41′
ı	32		24 16'	24 34'	24°53′	25°12′	25°32′	25° 52′	26 13'	26°34′	26°56′	27°18′	27°41′	28'4'	28°28′	28°53′	29"19"
1	33	65°23′ 24°37′		64°45′ 25°15′	64°26′ 25°34′		63°47′ 26°13′	63°26′ 26°34′		62°43′ 27°17′	62°21′ 27°39′		61°35′ 28°25′	61°11′ 28°49′	60°47′ 29°13′	60°21′ 29°39′	59°56′ 30°4′
İ	34	64°43′	64°25′	64°5′	63°46′	63°26′	63°5′	62°45′	62°23′	62°I′	61°38′	61°15′	60°52′	60 28'	60°3′	59°37′	59°11′
1		25°17′ 64°5′	25°35′ 63°45′	25°55′ 63°26′	26°14′ 63°6′	26°34′ 62°46′	26°55′ 62°25′	27°15′ 62°4′	27°37′ 61°42′	27°59′ 61°19′	28°22′ 60°57′	28°45′ 60°33′	29°8′	29°32′ 59°45′	29°57′ 59°19′	30°23′ 58°53′	30°49′ 58°27′
	35	25°55′	26°15′	26°34′	26°54′	27014	27°35′	27°56′	28°18′	28°41′	29°3′	29°27′	29°51′	30°15′	30°41′	31°7'	31°33′
1	36	63°26′ 26°34′	63°7′ 26°53′	62°47′ 27°13′		626' 27'54'	61°45′ 28°15′	61°23′ 28°37′	61°1′ 28°59′	60°38′	60°15′ 29°45′	59'51' 30°9'		59°2.′ 30°58′	58°37′ 31°23′	58°10′ 31°50′	57°43′ 32°17′
ı	37	62°48′	6228	62°8	61°48′	61°27′	61°5′	60°44′	60°21'	59 58'	59°35′	59°10′	58'346	58°20′	57°54′	57°28′	57°I′
ł		27°12′ 62°11′	27°32′ 61°51′	27°52′ 61°30′	61°9′	28°33′ 60°48′	28°55′ 60°26′	29°16′ 60°4′	29°39′ 59°41′	30°2′ 59°18′	30°25′ 58°54′	30°50′ 58′′30′		31°40′ 57°39′	32°6′ 57°13′	32°32′ 56°46′	32°59′ 56°19′
	38	27°49′	28°9′	28°30′	28°51′	29°I 2′	29°34′	29°56′	300191	30°42′	31°6′	31°30′	31°5 5 ′	32°21′	32°47′	33°14′	33°41′
	3 9	61°33′ 28°27′	61°13′	60°53′		60°10′ 29°50′	59°48′	59°25′ 30°35′	59°2′	58°39′ 31°21′	58°14′			56°58′	56°32′	56°6′	55°37′
1	40	60°57′	28°47′ 60°36′	60°15′	59°53′	59°32′	30°12′ 59°10′	58°47′	30 58′ 58°24′	5800	31°46′ 57°35′	32°10′ 57°10′	32°36' 56°44'	56°19′	33°28′ 55°52′	33°54′ 53°24′	34°23′ 54°57′
-	40	29°3′	29°24′	29°45′	30°7′	30°28′	30°50′	31°13′	31°36′	3200'	32°25′	32°50′	33°16′	33°41′	34°8′	34°35′	35°3′
1	41	60°20′ 29°40′	60°0′ 30°0′	59°39′ 30°21′	0	58°55′ 31°5′	58°32′ 31°28′	58°9′ 31°51′	57°45′ 32°15′	57°21′ 32°39′	56°57′ 33°3′	56°32′ 33°28′	56°6′ 33°54′		55°12′ 34°48′	54°44′ 35°16′	54°16′ 35°44′
1	42	59°45′	59°24′	59°3′	58°40′	58°18′	57°55′	57°32′	57°8′	56°43′	56°19′	55°53′	55°27′	55°0′	54°33′	54°5′	53°37′
L	+2	30''15'	30 36	30°57′	31°20′	31°42′	32°5′	32°28′	32°52′	33°17′	33°41′	34 7'	34 33′	35°0′	35°271	35'55'	36°23

For Bevel Gears with axes at right angles. Angle for gear above, for pinion below.

ANGLE OF EDGE.

GEAR

								EAR							
	56	55	54	53	52	51	50	49	48	47	46	45	44	43	42
12	77°54′	77°42′	77 25'	77 15'	77°0′	7646	75°30′	76 14	75°58′	75°41′	75°23′	75°4′	74°45′	74°25′	74°3′
12	12°6′ 76°56′	12°18′ 76°42′	12°32′ 76°28′	76°13′	13°0′ 75°58′	13°14′ 75°42′	13°30′ 75°26′	13°46′ 75°8′	14°2′ 74°51′	74°32′	14°37′ 74°13′	14°56′ 73°53′	15°15′ 73°32′	73°11′	15°57′ 72°48′
13	13°4′	13°18′	13032'	13°47	14°2′	14°18′	14°34′	14°52′	1509′	150281	15047'	16°7′	16°28′	16°49′	17°12′
14	75°58′	75°43′	75°28′	75°12′	74°56′	74°39′	74°21′	74°3′	73°44′	73°25′ 16°35′	73°4′	72°43′ 17°17′	72°21′ 17°39′	71°58′ 18°2′	71°34′ 18°26′
-	14°2′ 75°0′	14°17′ 74°44′	14°32′ 74°29′	74°48′	15°4′ 73°55′	15°21′ 73°37′	15°39′ 73°18′	15°57′ 72°59′	16°16′ 72°39′	72°18′	16°56′ 71°56′	71°34′	71°10′	70°46′	70°21'
15	15°0′	15°16′	15°31′	15°48′	16°5′	16°23′	16°42′	17°1′	17021'	17°42'	18°4′	18°26′	18°50′	19°14′	19°39′
16	74°3′	73°47′ 16°13′	73°30′ 16°30′	73°12′ 16°48′	72°54′ 17°6′	72°35′ 17°25′	72°15′ 17°45′	71°55′ 18°5′	71°34′ 18°26′	71°12′ 18°48′	70°49′	70°26′ 19°34′	70°1′ 19°59′	69°35′ 20°25′	69°9′ 20°51′
-	15°57′ 73°7′	72°49′	72°31′	72 13'	71°54′	71°34′	71013'	70°52′	700301	70°7′	69°43′	69°17′	68°52′	68°26′	67°58′
17	16°53′	17°11′	17°29′	17°47′	18°6′	18°26′	18°47′	19°8′	19°30′	19°53′	20°17′	20°43′	2108'	21°34′	2202'
18	72°11' 17°49'	71°53′ 18°7′	71°34′ 18°26′	71°15′ 18°45′	70°54′ 19°6′	70°33′ 19°27′	70°12′ 19°48′	69°50′ 20°10′	69°26′ 20°34′	69°3′ 20°57′	68°38′ 21°22′	68°12′ 21°48′	67°45′ 22°15′	67°17′ 22°43′	66°48′ 23°12′
10	71°15′	70057	70°37'	70017	69°56′	69°34′	69°12′	68°48′	68°25′	67°59′	67°34′	67°6′	66°38′	66°10′	65°39
19	18°45′	19°1′	19°23′	19°43′	20°4′	20°26′	20'48'	21°12′	21°35′	22°I'	22°26′	22°54′	23°22′	23°50′	24°21′
20	70°21′ 19°39′	70°1′ 19°59′	69°41′ 20°19′	69°19′ 20°41′	66°57′ 21°3′	68°35′ 21°25′	68°12′ 21°48′	67°48′ 22°12′	67°23′ 22°37′	66°57′ 23°3′	66°30′ 23°30′	66°2′ 23°58′	65°33′ 24°27′	65°3′ 24°57′	64°32′ 25°28′
-	69°26′	69°6′	68°45′	68°23′	68°5′	67°37′	67°13′	66°48′	66°22′		65°25′	64°59′	64°29′	63°58′	63°26′
21	20°34′	20°54′	21015'	21°37′	22°0′	22°23′	22°47′	23°12′	23°38′	65°55′ 24°5′	24°32′	25°1′	25°31′	26°2′	26"34"
22	68°33′ 21°27′	68°12′ 21°48′	67 50'	67°27′ 22°33′	67°4′ 22°56′	66°40′ 23°20′	66°15′ 23°45′	65°49′ 24°11′	65°23′ 24°37′	64°55′ 25°5′	64°26′ 25°34′	63°57′ 26°3′	63°26′ 26°34′	62°54′ 27°6′	62°21′ 27°39′
-	67°41	67°18′	66°55′	66°32′	66°8′	65°44′	65°18′	64°51′	640241	63°55′	63°26′	62°56′	62°24′	61°52′	61°18′
23	22019'	22042'	23°5′	23°28′	23°52′	24°16′	24°42′	25°9′	25°36′	26°5′	26°34′	2764'	27°36′	28°8′	28°42′ 60°15′
24		66°26′ 23°34′	66°2′ 23°58′	65°38′ 24°22′	65°14′ 24°46′	64°48′ 25°12′	64°22′ 25°38′	63°54′ 26°6′	63°26′ 26°34′	62°57′ 27°3′	62°27′ 27°33′	61°56′ 28°4′	61°23′ 28°37′	60°50′ 29°10′	29°45′
0.5	23°12′ 65′57′	65°33′	65'9'	64°45′	64°20′	63°53′	63°26′	62°58′	620291	610591	61°29′	60°57′	60°24′	59°50′	59014
25	24°3′	24°27′	24°51′	25°15′	25°40′	26°7′	26°34′	27°2′	27°31′	25°1′	25°31′	29°3′	29°36′ 59°25′	30°10′ 58°50′	30°46′ 58°14′
26	65°6′ 24° 5 4′	64°42′ 25°18′	64°18′ 25°42′	63°52′ 26°8′	63°26′ 26°34′	62°59′ 27°1′	62°31′ 27°29′	62°3′ 27°57′	61°33′ 28°27′	61°3′ 28°57′	60°31′ 29°29′	59°59′ 30°1′	30 35'	31°10′	31°46'
27	64°16′	63°51′	63°261	6301	62°34′	62°6′	61°38′	61°3′	60°38′	60°7′	59°35′	59°2′	58°28′	57°53′	57°16′ 32°44′
27	25'44'	26°9′	26°34′	270'	27°26′	27°54′ 61°14′	28°22′ 60°45′	28°52′ 60°15′	29°22′ 59°45′	29°53′ 59° I 3′	30°25′ 55°40′		31°32′ 57°32′	32°7′ 56°56′	56°19′
28	63°26′	63°1′ 26°59′	62°36′ 27°24′	27°51′	61°42′ 28°18′	25°46′	29°15′	29°45′	30°15′	30°47′	31°20′	31°53′	32°28′		33°41'
20	62"37"	62012'	61045	61°19′	60°51′	60°23′	59°53′	590231	58°52′	58"19"	57°46′	57012'	56°37′	5600	55°23′
29	27°23′	27°48′	28°15′	28°41′	26°9′ 60°1′	29°37′ 59°32′	30°7′ 59°2′	30° 37′ 58°32′	31°8′ 58°0′	31°41′ 57°27′	32°14′ 56°53′	32°48′ 56°19′	33°23′ 55°43′	34°0′ 55°5′	34°37′ 54°28′
30	61°49′ 28°11′	61°23′ 28°37′	60°57′	29°31′	29°59	30°28′	30°58′	31°28′	32°0′	32°33′	33°7′	33°41'	34°17′	34°55′	35°32′
31	61021	60°36′	606'	59°41′	59312'	5842	583121	57°41'	5708	56°36′	56°1′	55°26′	54°50′	540121	53°34′ 36°26′
31	28°58'	29°24′ 59°48′	29°54′ 59°21′	30°19′ 58°52′	30°48′ 58°34′	31°18′ 57° 5 4′	31°48′ 57°23′	32°19′ 56°52′	32°52′ 56°19′	33°24′ 55°45′	33°59′ 55°11′	34°34′ 54°35′	35°10′ 53°58′	35°48′ 53°21′	52°42′
32	60°15 29°45	30°12′	30'39'	31°8′	31°26′	3206'	32°37′	33°8′	33°41′	34°15′	340491	35°25′	36°2′	36°39′	37°18′
33	59°29′	59°2′	58"34"	58°5′	57°36′	57°6′ 32°54′	56°34′ 33°26′	56°2′ 33°58′	55°30′ 34°30′	54°56′ 35°4′	54°21′ 35°39′	53°45′ 36°15′	53°8′ 36°52′	52°29′ 37°31′	51°50′ 38°9′
-	30°31′ 55°44′	30°58′ 55°10′	31°26′ 57°48′	31°55′ 57°19′	32°24' 56°49'	56°19′	55°47′	55°15'	54°41′	54°7′	53°32′	52°52′	52°18′	51°40'	51°0′
34	31°16'	31°44′	32°12′	32 41'	33°11′	33°41′	34°13′	34 45	35°19′	35°53′	36°28′	378'	37°42′	38°20′	39°0′
35	58°0′ 32°0′	57°32′ 32°28′	57'3'	56°33′ 33°27′	56°3′ 33°57′	55°32′ 34°28′	55°0′ 35°0′	54°28′ 35°32′	53°54′ 36°6′	53°20′ 36°40′	52°44′ 37°16′	52°5′ 37°52′	51°30′ 38°30′	50°51′ 39°9′	50°12′ 39°48′
	57°16′	56°48′	32°57′ 56°19′	55°49′	550157	54°47′	54°15′	53°42′	53081	52"33"	51°57′	51°20'	50 43'	50341	490241
36	32 44'	33°12′	33°41′	34011	340421	35°13′	35°45′	36°18′	36°52′	37°27′	38°3′	35 40'	39°17′	39°56′ 49°17′	40°36′ 48°37′
37	56°32′ 33°28′	56°4′ 33°56	55°35′ 34°25′	55°5′ 34°55′	54°34′ 35°26′	54°2′ 35°58′	53°30′ 36°30′	52°56′ 37°4′	52°23' 37°37'	51°47′ 35°13′	51°12′ 38°48′	39°25′	49°56′ 40°4′	49°17'	41°23′
20	55°51′	55°21′	54 52'	54°23′	53°51′	530151	52°46′	520121	51°35'	5103'	50027	49°49'	49°11′	48°32'	47°52′
38	34°9′	34°39′	358'	35°37′	36°9′	36°42′	37°14′	37°48′	38°22′ 50°54′	35°57′	39°33′ 49°42′	40°11′ 49°5′	40°49′		42°8′ 47°7′
39	55°9′ 34°51′	54°39′ 35°21′	54°10′ 35°50′	53°39′ 36°21′	53°7′ 36°53′	52°36′ 37°24′	52·3′ 37°57′	51°29′ 38°31′	39°6′	50°19′ 39°41′	49°12'	49 5 40°55′	45 27 41°33'		42°53′
40	54°28′	53°58′	53°28′	52°58′	520261	51°54′	51°20′	50°46′	50°12'	49°36′	48°59′	45°22'	47°44′	47°5′	46 24'
40	35°32′	36°2′	36°32′	3702	37 34	38%'	35°40'	39014	39°48′	40°24′ 45°54′	41°1′ 48°17′	41°38′	42°16′	42°55′ 46°22′	43°36′ 45°41′
41	36°12′	36°43′	52°48′ 37°12′	27011/	51°45′ 38°15′	51°12′ 35°45′	50°39′ 39°21′	50°5′ 39°55′	49°30′ 40°30′	45°54′	45 17' 41°43'		42°59′	43 38'	44 19
142	53°S'	5238	523'	51°36′	51°4′	50032	49°55'	49°24'	48°49'	45°13'	47°36′	46 59	46°20′	45'40'	45°
42	36°52′	37°22′	37°52′	38°24′	35°56′	39°28'	40°2′	40°36′	41011	41°47′	42°24′	43°1′	43°40′	44 20	

For Bevel Gears with axes at right angles. Angle for gear above, for pinion below.

ANGLE OF EDGE. GEAR

		41	40	39	38	37	36	35	34	33	32	31	30	29	28	27
	12	73°41′ 16°19′	73°18′ 16°42′	72°54′ 17°6′	72°28′ 17°32′	72°2′ 17°58′	71°34′ 18°26′	71°5′ 18°55′	70°34′ 19°26′	70°1 ′ 19°59′	69°26′ 20°34′	68°50′ 21°10′	68°12′ 21°48′	67°31′ 22°29′	66°48′ 23°12′	66°2′ 23°58
	13	72°25′ 17°35′	71°59′ 18°1′	71°34′ 18°26′	71°7′ 18°53′	70°39′ 19°21′	70°9′ 19°51′	69°37′ 20°23′	69°5′ 20°55′	68°30′ 21°30′	67°53′ 22°7′	67°15′ 22°45′	66°34′ 23°26′	65°51′ 24°9′	65°6′ 24°54′	64 17 25°43
	14	71°9′ 18°51′	70°43′ 19°17′	70°15′ 19°45′	69°46′ 20°14′		68°45′ 21°15′	68°12′ 21°48′	67°37′ 22°23′	67°0′ 23°0′	65°23′ 23°37′	65°42′ 24°18′	64°59′ 25°1′	64°14′ 25°46′	63°26′ 26°34′	62°36 27°24
	15	69°54′	69°26′	68°58′ 21°2′	68°28′ 21°32′	67°56′ 22°4′	67°23′ 22°37′	66 48	66°12′	65°33′ 24°27′	64°53′ 25°7′	64°10′ 25°50′	63°26′ 26°34′	62°39′ 27°21′	61°49′ 28°11′	60°57
	16	20°6′ 68°41′	20°34′ 68°12′	67 42'	67°10′	66°37′	66°2′	23°12′ 65°26′	23°48′ 64°48′	64°8′	63°26′	62°42'	61°56′	61°7′	60°15′	29°3′ 59°21′
	17	21°19′	21°48′ 66°58′	22°18′	65°54′	65°19′	23°58′ 64°43′	64°6′	25°12'	25°52′ 62°45′	26°34′ 62°1′	27°18′ 61°15′	28°4′ 60°28′	28°53′ 59°37′	29°45′ 58°44′	30°39' 57°48
		22°31′ 66°18′	23°2′ 65°46′	23°33′ 65°14′	24°6′ 64°39′	24°41′ 64°4′	25°17′ 63°26′	25°54′ 62°47′	26°34′	27°15′ 61°23′	27°59′ 60°38′	28°45′ 59°51′	29°32′ 59°2′	30°23′ 58°10′	31°16′ 57°16′	32°12
	18	23°42′ 65°8′	24°14′ 64°36′	24°46′ 64°2′	25°21′ 63°26′	25°56′ 62°49′	26°34′ 62°10′	27°13′ 61°30′	27°54′ 60°48′	28°37′ 60°4′	29°22′ 59°18′	30°9′ 58°30′	30°58′ 57°39′	31°50′ 56°46′	32°44′ 55° 5 1′	33°41′ 54°52
	19	24°52′ 64°0′	25°24′ 63°26′	25°58′ 62°51′	26°34′ 62°14′	27°11′ 61°37′	27°50′ 60°57′	28°30′ 60°15′	29°12′.	29°56′ 58°47′	30°42′ 58°0′	31°30′ 57°10′	32 ² 11′ 56°19′	33°14′ 55°24′	34°9′ 54°28′	35°8′ 53°28
	20	26°0′ 62°53′	26°34′ 62°18′	27°9′ 61°42′	27°46′ 61°4′	28°23′ 60°25′	29°3′ 59°45′	29°45′	30°28′ 58°18′	31°13′ 57°32′	32°0 ′ 56°43′	32°50′ 55°53′	33°41′ 55°0′	34°36′ 54°5′	35°32′ 53°7′	36°32 52°8′
	21	27°7′	27°42′ 61°11′	28°18′	28°56′	29°35′ 59°15′	30°15′	30°58′	31°42′	32°28′	33°17′	34°7′	35°0′	35°55′	36°53′	37 52
	22	61°47′ 28°13′	28'49'	60°34′ 29°26′	59°56′ 30°4′	30°45′	58°34′ 31°26′	57°51′ 32°9′	57°6′ 32°54′	56°19′ 33°41′	55 ³ 29′ 34 ³ 31′	54°38′ 35°22′	53°45′ 36°15′	52°49′ 37°11′	51°50′ 38°10′	50°49 39°11
	23	60°42′ 29°18′	60°6′ 29°54′	59°28′ 30°32′	58°49′ 31°11′	58°8′ 31°52′	57°25′ 32°35′	56°41′ 33°19′	55°55′ 34°5′	55°7′ 34°53′	54°18′ 35°42′	53°26′ 36°34′	52°31′ 37°29′	51°35′ 38°25′	50°36′ 39°24′	49°34′ 40°26′
	24	59°39′ 30°21′	59°2′ 30°58′	58°23′ 31°37′	57*44′ 32°16′	57°2′ 32°58′	56°19′ 33°41′	55°33′ 34°27′	54°47′ 35°13′	53°58′ 36°2′	53°8′ 36°52′	52°15′ 37°45′	51°20′ 38°40′	50 23' 39'37'	49°24′ 40°36′	48°22' 41°38
z	25	58°38′ 31 22′	58°0′ 32°0′	57°20′ 32°40′	56°4¢′ 33°20′	55°57′ 34°3′	55°13′ 34°47′	54°28′ 35°32′	53°40′ 36°20′	52°51′ 37°9′	52°0′ 38°0′	51°7′ 38°53′	50°12′ 39°48′	49°14′ 40°46′	48°14′ 41°46′	47°12'
PINION	26	57°37′ 32°23′	56°58′ 33°2′	56°19′ 33°41′	55°37′ 34°23′	54°54′ 35°6′	54°10′ 35°50′	53°24′ 36°36′	52°36′ 37°24′	51°46′ 38°14′	50°54′ 39°6′	50°1′ 39°59′	49°55′ 40°55′	48°7′ 41°53′	47°7′ 42°53′	46°5′ 43°55
┙	27	56°38′ 33°22′	55°59′ 34°1′	55°18′ 34°42′	54°36′ 35°24′	53°53′ 36°7′	53°7′ 36°53′	52 21 ' 37 39 '	51°33′ 38°27′	50°43′ 39°17′	49°51′ 40°9′	48°57′ 41°3′	45°0′ 42°0′	47°3′ 42°57′	46°2′ 43°58′	45°
	28	55°40′ 34°20′	55°0′ 35°0′	54°19′ 35°41′	53°37′ 36°23′	52°53′ 37°7′	52°8′ 37°52′	51°20′ 38°40′	50°32′ 39°28′	49°41′ 40°19′	48°49′ 41°11	47°55′ 42°5′	46°58′ 43°2′	46°0′ 44°0′	45°	
	29	54°44′	54°3′	53°22′	52°39′	51°55′	51°9′	50 21'	49°32′	48°41′	47°49′	46°54′	45°58′	45°		
	30	35°16′ 53°48′	35°57′ 53°7′	36°38′ 52°26′	37°21′ 51°42′	38°5′ 50°58′	38°51′ 50°12′	39°39′ 49°24′	40°28′ 48°35′	41°19′ 47°43′	46°51′	43°6′ 45°56′	44°2′ 45°			
	31	36°12′ 52°54′	36°53′	37°34′ 51°31′	38°18′ 50°48′	39°2′ 50°2′	39°48′ 49°16′	40°36′ 48°28′	41°25′ 47°39′	42°17′ 46°47′	43°9′ 45°54′	44°4′ 45°				
	32	37°6′ 52°2′	37°47′ 51°20′	38°29′ 50°38′	39°12′ 49°54′	39°58′ 49°9′	48°22′	41°32′ 47°34′	42°21′ 46°44′	43°13′ 45°53′	44°6′	43				
		37°58′ 51°10′	38°40' 50°29'	39°22′ 49°46′	40°6′ 49°2′	40°51′ 48°16′	41°38′	42°26′ 46°41′	43°16′ 45°51′	44 7′	45°					
	33	38°50′ 50°20′	39°31′ 49°38′	40°14′ 48°55′	40°58′ 48°11′	41°44′ 47°25′	42°31′ 46°38′	43°19′ 45°50′	44°9′	45°						
	34	39°40′ 49°31′	40°22′ 48°48′	41°5′ 48°5′	41°49′ 47°21′	42°35′ 46°35′	43°22′ 45°48′	44°10′	45°							
	35	40°29′ 48°43′	41°12′	41°55′.	42°39′ 46°33′	43°25′	44°12′	45°								
	36	41°17′	42°0′	42°43′	43°27′	44°13′	45°									
	37	47°56′ 42°4′	47°14′ 42°46′	46°30′ 43°30′	45°46′ 44°14′	45°										
	38	47°10′ 42°50′	46 ^c 28′ 43 ^c 32′	45°45′ 44°15′	45°											
	3 9	46°26′ 43°34′	45°43′ 44°17′	45°			For	Bev	el G	ears	with	axes	at ri	ght a	ngle	s.
	40	45°42′ 44°18′	45°					gle fo								
	41	45°														

ANGLE OF EDGE.

GEAR

		26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	
	12	05°14′ 24°46′	64°22′ 25°38′	63°26′ 26°34′	62°27′ 27°33′	61°23′ 25°37′	60°15′ 29°45′	59 ⁵ 2′ 30°58′	57°44′ 32°16′	56°19′ 33°41′	54°47′ 35°13′	53 ⁵ 7′ 36 ⁵ 53′	51°20′ 38°40′	49°24′ 40°36′	47°17′ 42°43′	45°	
	13	63°26′ 26°34′	62°31′	61°33′ 28°27′	60°31′ 29°29′	59°25′	58°14′ 31°46′	55°58′	55°37′ 34°23′	54°10′	52°36′ 37°24′	50°54′ 39°6′	49°5′ 40°55′	47°7′ 42°53′	45°		
	14	61042'	60'45'	59°45′ 30°15′	55°40′	57°32′	56°19′	550'	53°37′	52°8′ 37°52′	50°32′ 39°28′	48°48′ 41°12′	46°58′ 43°2′	45°			
	15	28°18′	29°15′	550'	31°20′ 56°53′	55°43′	33°41′ 54°28′	35°0′ 53°7′	36°23′ 51°42′ 38°18′	50°12′	48°35′	46°51′	45°				
	16	20°50′ 58°23′	30°58′ 57°23′	32°0′ 56°19′	33°7′ 55°11′	34°17′ 53°58′	52°42′	36 53' 51°20'	49°54′	39°48′ 48°22′	41°25′ 46°44′	43°9′ 45°		!			
-		31°37′ 56°49′	32°37′ 55°47′	33°41′ 54°41′	34°49′ 53°32′	36°2′ 52°18′	37°18'	38°40′ 49°38′	40°6′ 48°11′	41°38′ 46°38′	43°16′ 45°	70	l				
z	17	33°11′ 55°18′	34°13′ 54°15′	35°19′ 53°7′	36°28′ 51°57′	37°42′ 50°43′	39°0′ 49°24′	40°22′ 48°0′	41°49′ 46°33′	43°22′	45						
NO P	18	34°42′ 53°51′	35°45′ 52°46′	36°53′ 51°38′	38°3′ 50°26′	39°17′ 49°11′	40°36′ 47°52′	42°0′ 46°28′	43°27′	45	1						
PN	19	36°9′ 52°26′	37°14′ 51°20′	38°22′ 56°12′	39°34′	40°49′ 47°43′	42°8′	43°32′	45°								
	20	37°34′	38°40′	39°48′	48°59′ 41°1′	42°17′	46°24′ 43°36′	45°									
	21	51°4′ 38°56'	49°58′ 40°2′	48°48′ 41°12′	47°36′ 42°24′	46°20′ 43°40′	45°										
I	22	49°46′ 40°14′	48°39′ 41°21′	47°29′ 42°31′	46°16′ 43°44′	45°											
Ī	23	48°30′ 41°30′	47°23′ 42°37′	46°13′ 43°47′	45°												
Ì	24	47°17′ 42°43′	46°10′ 43°50′	45°													
1	25	46°7′ 43°53′	45°														
	26	45°															

For Bevel Gears with axes at right angles. Angle for gear above, for pinion below.

GEAR 7°53′ 8° 8°7′ 8°54′ 78°34′ 78°34′ 78°34′ 78°34′ 78°35′ 78°34′ 78°35′ 78° 69 57 72 71 70 68 67 66 65 64 63 62 61 60 59 58 12 13 14 15 16 17 18 13°59′ 14°11′ 14°23′ 14°34′ 14°46′ 15°4′ 15°11′ 15°25′ 15°39′ 15°52′ 16°7′ 16°21′ 16°37′ 16°53′ 17 20 21 22 23 24 25 ZOZ 26 65°11′ 64°49′ 64°26′ 64°2′ 63°39 22°10′ 22 29′ 22°49′ 23°10′ 23°31 64°24′ 64°1′ 63°39′ 63°14′ 63°34 27 28 29 30 31 32 33 23°51′ 24°8′ 24°27′ 24°44′ 63°17′ 62°58′ 62°37′ 62°16′ 24°29′ 24°48′ 25°6′ 25°25′ 34 27°6′ 27°28′ 27°50′ 28°13′ 28°36′ 29°1′ 29°25′ 29 50° 59°44′ 59°22′ 55°56′ 58°31′ 55°6′ 57°39′ 57°11′ 56 44 35 62°39′ 62°18′ 61°58′ 61°37′ 61°16′ 60°54′ 60°32′ 60°9′ 26°24′ 26°45′ 27°5′ 27°26′ 60°36′ 60°15′ 59°51′ 59°28′ 27°4′ 27°25′ 27°45′ 28°7′ 30°9′ 25°27′ 25°45′ 26°5′ 61°41′ 61°20′ 60°59′ 25°10′ 28°33′ 55°40′ 58°15′ 28°56′ 29°20′ 29°43′ 30°3′ 36°35 57°50′ 57°24′ 56°57′ 56°29′ 56°1′ 27°48′ 59°4′ 25°9′ 27°26′ 59°28′ 36 25°47′ 26°6′ 26°25′ 26°44′ 25°29′ 25°51′ 29°15′ 29°38′ 36°2′ 30°27′ 30°52′ 37 59°55′ 59°13′ 55°49′ 58°25′ 58°11′ 57°35′ 57°10′ 53°42′ 56°15′ 55°48′ 55°20′ 61°23′ 61°2′ 60°41′ 60°20′ 26°25′ 26°44′ 27°4′ 27°24′ 60°47′ 60°26′ 60°4′ 59°42′ 27°3′ 27°22′ 27°42′ 28°2′ 27°44′ 28°4′ 59°20′ 58°56 29°9′ | 29°33′ | 29°53′ | 30°36′ | 30°44′ | 31°9′ | 31°33′ | 32°17 57°45′ | 57°21′ | 56°55′ | 56°30′ | 56°2′ | 55°35′ | 55°17′ | 54°39 29°49′ | 30°13′ | 30°36′ | 31°1′ | 31°26′ | 31°50′ | 32°16′ | 32°43′ 28°26′ 28°47′ 29°9 58°34′ 58°9′ 57°45 38 59° 20′ 58°56′ 58°34′ 58°9′ 57°45′ 28°22′ 28°43′ 29°5′ 29°27′ 29°49′ 58°42′ 58°19′ 57°55′ 57°31′ 57°7′ 59°42′ 39 60°9′ 59°48′ 59°28′ 59°4′ 56°41′ 56°16′ 55°49′ 55°22′ 54°54′ 54°28′ 53°57 30°6′ 30°26′ 30°52′ 31°17′ 31°42′ 32°6′ 56°54′ 56°26′ 56°2′ 55°37′ 55°10′ 54°44′ 30°45′ 31°31′ 31°55′ 32°20′ 32°46′ 31°42′ 32°0′ 32°31′ 32°57′ 33°24′ 55°10′ 54°44′ 54°15′ 53°46′ 55°18′ 32°20′ 32°46′ 33°12′ 33°39′ 34°6′ 27'40' 28°2' 28°20' 28°41' 59°34' 59° 14' 58°50' 58°27' 29°1' 29°22′ 29°43′ 30°6′ 57°42′ 57°17′ 56°54′ 40 55°5′ 28°17' 28°37' 29°37' 29°37' 29°37' 30°17' 30°22' 30°24' 358 36°2' 55°37' 55°10' 54°44 58°37' 58°37' 58°15' 57°32' 57°32' 57°32' 55°37' 55°10' 56°10' 56°15' 55°37' 55°57' 58°57' 58°32' 57°32' 34°6 41 53°36′ 53°7′ 28'52' 29'12' 29'33' 29'55' 30't6' 30'38' 31" 31"23' 31"4' 32"0' 32"3' 33"4' 53"26' 58'22' 58'1' 57'39' 57'15' 56'52' 56'28' 56'4' 55"39' 55'13' 54'48' 54'21' 53'34' 53'36' 52'38' 52'29' 34°46 52°

For Bevel Gears with axes at right angles. Angle for gear above, for pinion below.

								GI	EAR							
l		58	55	54	53	52	51	50	49	48	47	46	45	44	43	42
ſ	12	10 6' 75 54'	10°16′ 75°40′	10°28′ 75°24′	10°39′	10 52'	11 3 ' 74°37'	74"15"	11°30′	73 [°] 39′	11 58' 73 20'	12°13′	12 29'	12 45'	13 1'	13°19
ł	13	11"4"	11 10'	11 28'	11'42'	11 54'	128'	12'20'	73 58'	12 51	13 7'	72 59' 13 23'	72 37' 13 40'	72 15' 13 58'	71 51'	71°25′
ŀ		74°56′	74 49'	74 24'	74°8′	73 50'	73°32′	73''12'	72 53'	72 33'	72-11'	71 49'	71°26′	71'2'	70°38′	70°11′ 15°51′
1	14	73°58′	73°42′	73°25′	73 7′	72°49	72 29	728'	71°48′	71 27'	71°5′	70 41'	70°17′	69°52′	69°26′	68° 5 9′
1	15	73°1′	13 16' 72 44'	13°28′ 72°26′	13°43' 72°7'	13°59′ 71°49′	71^28'	14°30′ 71°6′	14°47′ 70°45′	15°5′ 70°23′	15°237 69°591	15 42 69 34'	16°1′ 69°9′	16°22′ 68°42′	16°43′ 68°15′	17°5′ 67°47′
t	16	13°59′	14-13'	14°28′	14'44'	15°1′	15°17′	1535	15°52′	16 11'	16 30'	16 50'	17 10'	17 32	17 56'	18°18′
ŀ		72°5′ 14°57′	71°47′	71°28′	71°8′	70°49′	70°27′ 16°18′	70°5′ 16°37′	16.55	69°19′	68°54′	68 28'	18 20	67°34′ 18°43′	676'	66°36′ 19°31′
	17	71°9′	70°49′	70°30′	70°10′	69 49'	69°26′	69°3′	68°39′	68°15′	67°50'	67°23′	66°54′	66°27′	65°58′	65°27′
1	18	15°52′ 70°14′	16 7' 69°53'	16°26′ 69°34′	16°42′ 69°12′	17°1′ 68°49′	17°20' 68°26'	17°39′ 68°3′	17°58′ 67°38′	18°20′ 67°12′′	18°41′ 66°47	19°3′ 66°19′	19°27' 65°51'	19°50′ 65°20′	20°18′ 64°50′	20°42′ 64°18
I	19	16°49′	1702'	17023	17°41′	18°	18°21′	18°40'	19°1′	19°22′	19 46'	20°8′	20'134'	20°59′	21°24′	21 52
ŀ		69°19′	68°58′	68°37′ 18°19′	68°15′ 18°40′	67'52'	67°29′	.67°4′	66°37′	66°12′ 20°25′	65°44 20°49′	65°16′ 21°13′	64°46′ 21°39′	64°15′ 22°5′	63°44′ 22°32′	63°10′
	20	68°26′	68°3′	67°41′	67°18′	66°54′	66°30′	66°5′	65°38′	65°11′	64°43′	64°13′	63°43′	63°11′	62°38′	62°4′
ı	21	18°39′ 67 °31′	18°57′ 67°9′	19°16′	19°37′ 66°23′	19°58′ 65°58′	20°19′ 65°33′	20°41′ 65°7′	21°3′ 64°39′	21°27′ 64°11′	21°52′ 63°42′	22°17′ 63°13′	22°43′ 62°41′	23°10′ 62°8′	23°38′ 61°34′	24°8′ 61°
ı	22	19°32′	1952	20 12'	20°33′	20°55′	21017'	210401	22°3′	22°17′	22°53′	23°19′	23°46′	24°15′	24°44′	25°14′
ŀ		66°38′ 20°25′	66°16′	65 ⁵² ′	65°27′	65°3′	64°37′ 22°13	64°10′ 22°37′	63°41′ 23°2′	63°13′	62°43′ 23°54′	62°11′ 24°21′	61°40′ 24=49′	61°7′	60°32′ 25°47′	59°56′ 26`18′
-	23	65°47′	65°23′	64°58′	64°33′	64°8′	63°41′	63°13′	62°44′	62°15′	61°44′	61°13′	60°41′	60°6′	59°31′	58°54′
1	24	21°19′ 64°55′;	21°39′ 64°31′	22°1′ 64°5′	22°24′ 63°40′	22°46′ 63°14′	23°10′ 62°46′	23°36′ 62°19′	24° 61°48′	24°26′ 61°18′	24°53′ 60°47′	25°21′ 60°15′	25°49′ 59°41′	26°20′ 59°6′	26°51′ 58°31′	27°23′ 57°53′
t	25	22°II′	22°33′	22°56′	23°18′	23'41'	2407'	24°32′	24°57′	25°24′	25°52′	26°20′	26°50′	27021	27052'	28°26′
		64°5′ 23°3′	63°39′ 23°25′	63°14′	62°48′ 24°13′	62°21'	61°53′ 25°1′	61°24′ 25°28′	60°53′ 25°53′	60°22′ 26°21′	59°50′ 26°49′	59°18′	27°49′	58°9′ 28°21′	57°32′ 28°54′	56°54′ 29°27′
21	26	63°15′	62°49′	62°23′	6τ°56′	61°28′	60°59′	60°30′	59°59′	59°27′	58°55′	58°21′	57°47′	57°11′	56°34′	55°55′
	27	23°53′ 62°25′	24°16′ 61°58′	24°40′ 61°32′	25°5′ 61°5′	25°29′ 60°37′	^{25°} 55′ 60°7′	26°22′ 59°38′	26°48′ 59°5′	27°17′ 58°33′	27°46′ 58°	28°16′ 57°26′	28°47′ 56°51′	29°19′ 56°15′	29°52′ 55°38′	30°27′. 54°59′
-1	28	24°44′	25°7′	25°31′	25°56′	26°22′	26°48′	27°15′	27°43′	28°124	28°42′	29°12′	29°43′	30°16′	30°50′	31°25′
ŀ		61°36′ 25°33′	61°9′ 25°57′	60°43′ 26°22′	60°14′ 26°47′	59°46′ 27°14′	59°16′ 27°40′	58°45′ 28°8′	58°13′ 28°36′	57°42′	57 8'	56°32′ 30 S′	55°57′ 30°40′	55°20′	54°42′ 31°48′	54°3′ 32°23′
L	29	60°47′	60°21′	59°52′	59°25′	58°56′	58°26′	57°54′	57°22′	56°49′	56°15′	55 40'	55 4'	54°27′	53°48′	53°9′
ı	30	26°22′ 60°	26°47′ 59°33′	27°12′ 59°6′	27°38′ 58°36′	28°4′ 58°6′	28°32′ 57°36′	29° 57°4′	29°28′ 56°32	29°58′ 55°58′	30°30′ 55°24′	31°2′ 54°48′	31°34′ 54°12′	32°8′ 53°34′	32°44′ 52°54′	33°19′ 52°15′
	31	27°10′	27°34′	28°3′	28°27′	28°54′	29°23′	29°51′	30°20′	30 52	31°22′	31.55'	32°29′	33°2′	33 39'	340151
H	_	59°14′ 27°58′	58°46′ 28°23′	58°15′ 28°49′	57°49′ 29°17′	57°1S′	56°47′ 30°12′	56°15′ 30°42′	55°42′ 31°10′	55'8' 31°42'	54°34′ 32°14′	53°57′ 32°46′	53°21′ 33°21′	52°42′ 33°56′	52°3′ 34°31′	51°23′ 35°8′
L	32	58°28′	57°59′	57°31′	57°1′	56°41′	56°	55°28'	54°54′	54°20′	53°44′	53°8′	52°31′	51°52′	51 13	50°32′
ı	33	28°45′ 57°43′	29°10′ 57°14′	29°37′ 56°45′	30°5′ 56°15′	30°32′ 55°49′	31°1′ 55°13′	31°31′ 54°39′	32°1′′ 54°5′	32°32′ 53°32′	33°4′ 52°56′	33°38′ 52° 20′	34°12′ 51°42′	34 47′ 51°3′	35°24′ 50°22′	36° 49°41′
	34	29°31′	29°57′	30°24	30°51′	31° 20'	31°49′	32-19'	32°50′	33°22′	33°54′	34°28′	35°6′	35°38′	36°15′	36°53′
ŀ	_	56°59′ 30°15′	56°29'	56° 31°10′	55°29′ 31°38′	54°58′ 32°7′	54°27′ 32°36′	53°53′ 33°7′	53°20′ 33°38′	52°44′ 34°10′	52°S'	51°32′ 35°17′	50°50′	36°27′	49°35′ 37°5′	48°53′ 37°42′
-	35	56°15′	55°46′	55°16′	54°44"	54°13′	53°40'	53°7′	52°34′	51°58′	51°22′	50°45′	50°7′	49°27′	48°47′	48°6′
	3 6	55°32′	31°27′ 55°3′	31°55′ 54°33′	32°23′ 54°1′	32°53′ 53°28′	33°23′ 52°57′	33°53′ 52°23′	34°25′ 51°40′	34°57′ 51°13′	35°31′ 50°37′	36°5′ 49°59′	36°41′ 49°21′	37°16′ 48°42′	37°53′ 48°1′	38°32′ 47°20′
	37	31°45′	32°12′	32°40′	33°8′	33°38′	34°9′	34°40'	35°12′	35°43′	36°18′	36°51′	37=27'	38°4′	38°42′	39°20′
H		54°49′ 32°27′	54°20′ 32°56′	53°50′ 33°24′	53°18′	52°46′ 34°22′	52°13′ 34°54′	51°40′ 35°24′	51°4′ 35°57′	50°29′	49°52′ 37°3′	49°15′	48°37′ 38°14′	47°56′ 38°51′	47°16′ 39°28′	46°34′
-	38	54°9′	53°38′	53°8′	52°38°	52°4′	51°30′	50°56′	50°21′	49°45′	49°9′	48°32′	47°52′	47°13′	46°32′	45'51'
	39	33°10′ 53°28′	33°39′ 52°57′	34°7′ 52°27′	34°36″ 51°54′	35°7′ 51°21′	35°37′ 50°49′	36°9′ 50°15′	36°41′ 49°39′	37°15′ 49°3′	37°48′ 48°26′	38°24′ 47°48′	39° 47°10′	39°36° 46°30°	40°13′ 45°49′	40°53′ 45°7′
	40	33°52′	34°21′	34°50′	35°18′	35°49′	36°20′	36°53′	37°25′	37°58′	38°33′	39'8'	39°44′	40°20′	40°55′	41°37′
ŀ		52°48′ 34°33′	52°17′	51°46′	51°14′ 36°1′	50°41′ 36°31′	50°8′	49°33′ 37°35′	48°57′ 38°7′	48°22′ 38°41′	47°45′ 39°16′	47°6′ 39°51′	46°28′	45°48′ 41°5′	45°8′	44°25′ 41°22′
1	41	52°9′	51°37′	51°7′	50°33′	50° I′	49 27'	48°53′	48°17′	47°41′	47°4′	46°25′	45°47′	45°7′	44°26′	43°44′
1	42	35°14′ 51°30′	35°43′ 50°59′	36°12′ 50°28′	36°421 49°54′	37°131 49°21′	37°44′ 48°48′	38°17′ 48°13′	38°49′ 47°37′	39°23′ 47°1′	39°58′ 46°24′	40°34′ 45°46′	41°9′ 45°7′	41°47′ 44°27′	42°26′ 43°46′	43°4′
-	_		J 37	_	.,	-/		0	., 0,			19 1			10 7-	

For Bevel Gears with axes at right angles. Angle for gear above, for pinion below.

GEAR

								GE	An							
		41	40	39	38	37	36	35	34	33	32	31	30	29	28	27
		13°37′	13°57′	14°18′	14°39′	15°1′	15°24′	15°49′	16°15′	16°43′	17°13′	17°43′	18°15′	18°51′	19°27′	20°5′
	12	70°59′	70°33′	70°6′	69°35′	69°5′	68°32′	67°59′	67°23′	66°45′	66°5′	65°23′	64°39′	63°53′	63°3′	62°9′
		14°55′	15°17′	15°39′	16°1′	16°25′	16°51′	17°19′	17°46′	18°16′	18°48′	19°21′	19'57'	20°32′	21'11'	21°54′
	13	69°45′	69°15′	68°47′	68°15′	67°43′	67°9′	66°33′	65°56′	65°16′	64°34′	63°51′	63°5′	62°14′	61°23′	60°28′
		16°13′	16°34′	16°59′	17°24′	17°50′	18°17′	18°45′	19°16′	19°48′	20 20'	20°56′	21°34′	22°13′	22°55′	23°38′
	14	68°31′	68°o′	67°29′	66°56′	66°22′	65°47′	65°9′	64°30′	63°48′	63°6′	62°20′	61°32′	60°41′	59°47′	58°50′
	4.5	17-28	17°53′	18"18"	18'44'	19°11′	19°40′	20°11′	20°44′	21°18′	21°53′	22°31′	23°10′	23°51′	24°35′	25°20′
- 1	15	67°16′	66°45′	66°14′	65°40′	65°3′	64°26′	63°49′	63°8′	62°24′	61°39′	60°51′	60°2′	59°9′	58°13′	57°14′
	16	18°42′	1939	19°35′	2003′	20°32′	21°3′	21°36′	22°9 ′	2,2°45′	23°22′	24°I′	24°42′	25°26′	26,12,	27°I′
	10	66°4′	65°33′	64°59′	64°23′	63°46′	63°7′	62°28′	61°45′	61°01′	60°14′	59°25′	58°34′	57°40′	56°42′	55°43′
	17	19°56′	20°24′	20°51′	21.51,	21°53′	22-24	22°57′	23°33′	24°10′	24°50′	25°31′	26°14′	27°59′	27°47′	28°37′
	1,	64°54′	64°20′	63°45′	63°9′	62°31′	61°50′	61°9′	60°25′	59°40′	58°52′	58°1′	57°10′	56°13′	55° 15′	54°13′
	18	21°9′	21°37′	22.6′	2238	23°9′	23°43′	24°18′	24°56	25°34′	26°15′	26°57′	27°42′	28°29′	29°18′	30°9′
	, 0	63°45′	63°9′	62°34′	61°56′	61°17′	60°35′	59°52′	59°8′	58°20′	57°31′	56°39′	55°46′	54°49′	53°50′	52°47′
	19	22°20′	22'49'	23°20′	23°52′	24°26′	25°I′	25°37′	26°15′	26°56′	27°38′	28°22′	29°8′	29°56′	30°43′	31°40′
		62°36′	62°I'	61°24′		60°4′	59°21′	58°37′	57°51′	57 4'	56°14′	55°22′	54°26′	53°28′	52°28′	51°24′
	20	23°30′	24°I"	24°32′	25°6′	25°40′	26°16′	26°55′	27°34′	28°15′	28°58′	29°44′	30°31′	31°21′	32°13′ 51°9′	33°8′
п		61°30′	60°53′	60°14′	59°34′	58°54′	58°10′	57°25′	56°38′	55°49′	54°58′	54°4′	53°9′	52°9′		50°4′
	21	24°39′ 60°25′	25°10′	25°43′	26°18′	26°53′	27°30′	28°10′	28°50′	29°32′	30°17′	31°4′	31°52′	32°43′	33°36′	34°31′
			59°46′ 26°19′	59°7′	58°26′ 27°27′	57°43′	57°0′	56°14′ 29°22′	55°26′	54°36′	53°43′	52°50′ 32°22′	51°52′	50°53′	49°50′	48°47′
- 1	22	25°46′ 59°20′	58°41′	26°53′ 58°1′	57°19'	28°5′ 56°35′	28°43′ 55°51′	55°4′	30°5′ 54°17′	30°48′ 53°26′	31°34′ 52°32′	51°38′	33°11′ 50°41′	34°3′ 49°41′	34°57′ 48°37′	35°54′ 47°32′
- 1		26°52′	27°26′	2800	28°36′	29°14′	29°53′	30°35′	31°18′	32°I′	32°48′	33°36′	34°27′	35°20′	36°15′	37°12′
	23	58°16′	57°38′	56°56′	56°14'	55°30′	54°43′	53°57′	53°8′	52°15′	51°24'	50°28′	49°29′	48°30′	47°27′	46°20′
- 1		27°57′	28°31'	29 7'	29°43′	30°22′	31°2′	31°45′		33°14′	34°I′	34°50′	35°42′	36°35′	37°30′	38°28′
	24	57°15′	56°35'	55°53′	55°11′	54°26′	53°40′	52°51′	32°28′ 52°2′	51°10′	50°5′	49°20′	48°22′	47°21′	46°18′	45°12′
		28°59'	29°34′	30°12′	300491	31°29′	32°10′	32°52′	33°37′	34°23′	35°11′	36°0′	36°52′	37°47 ′	38°43′	39°41′
-	25	56°15′	55°34′	54°52′	54°9′	53°23′	52°36′	51°48′	50°57′	50°5′	49°11'	48°14′	47°16'	46°15′	45°11′	44°5′
Z O Z	26	30°1′	30°38′	31 14'	31°54′	32°34′	33°15′	33°587	34°45′	35°31′	36°19′	37°10′	38°2′	38°56′	39°53′	40°52′
Ξl	20	55°15′	54°34′	53°52′	53°8′	52°22′	51°35′	50°46′	49°55′	49°3′	48°7′	47°12′	46°12′	45°10′	44°7′	43°2′
<u>-</u> 1	27	31°3′	31°39′	32:18'	32°57′	33°37′	34°20′	35°3′	35°49′	36°36′	37°25′	38°16′	39°10′	40°4 ′	41°1'	42°
	21	54°19′	53°37′	52°54′	52°9′	51°23′	50°34′	49°45′	48°55′	48°2′	47°7′	46°10′	45°10′	44°10′	43°5′	4-
	28	32°27	32°39′	33°18′	33°57′,	34°39′	35°21′	36°7′	36°52′	37°40′	38°29′	39°21	40°15′	41°9′	42°7′	
		53°22′	52°39′	51°56′	51°11′	50°25′	49°31′	48°47′	47°56	47°2′	46°7′	45°11′	44°11′	43°9′		
	29	32°59′ 52°27′	33°38′ 51°44′	34°17′ 51°1′	34°58′ 50°16′	35°39′	36°23′	37°8′	37°54′	38°42′	39°32′ 45°10′	40°24′	41°18′ 43°14′	42°13′		
		33°57′	34°36′	35"15"	35°56′	49°29′ 36°38′	48°41'	47°50′ 38°7′	46°58′	46°4′ 39°43′	40°32′	44°12′ 41°25′			ł	
	30	51°33′	50°50′	50°7′	49°20′	48°34′	47°45′	46°55′	38°53′ 46°3′	45°9′	44°14′	43°17′	42°18′			
1		34°53′	35°31′	36°11′	36°52′	37°35′	38°20′	39°5′	39°52′	40°41′	41°32′					
	31	50°41′	49°57′	49°13′	48°28′	47°39′	46°52′	46°1′	45°10′	44°15′	43°20′	42 23'				
		35°46′	36°27′	37°6′	37°48′	38°31′	39°15′	40°1′	40°49′	41°38′						
	32	49°50′	49°7′	48°22′	47°36′	46°49′	45°59′	45°9′	44°17′	43°24′	42°28′					
	22	36°39′	37019	380'	38°42′	39°26′	40°0′	40°56′	41°44′							
	33	48°59′	48717	47°32′	46°46′	45°58′	45°8′	44°18′	43°26′	42°33′						
	34	37°32′	383111	38 53'	39°35′	40°18′	41°4′	41°49′	42°37′		•					
	37	48°12′	47°27′	46°43′	45°57′	45°8′	44°20′	43°29′	7- 31							
	35	38°22′	39°3′	39°44′	40°26′	41°10′	41°55′	42°41′								
	-	47°24′	46°39′	45°54′	45°8′	44°20′	43°31′									
	36	39°11′	39 52	40 34	41015	42°0′	42°45′									
-		46°37′	45°52′ 40°40′	45°8	44°21′	43°34′		l								
	37	45°52′	45°8′	41°22′	42 3 43°37′	42°48′										
		40°47′	45°28′	44 22 42°9'												
	38	45°7′	44°24′	43°39′	42°52′											
		41°32′	42514			ı										
	39	44°24′	43°40′	42°56′												
	40	42°18′			73	D	1	С.		1.		1		.1.		
	+0	43°42′.	42 58					Gear				_	_			
	41	43°2′			A	ngle	for	gear	abov	e, fo	r pin	ion l	elow	7.		
	41	43 4				-8.0	8	5		-, 10	- 1,11,					

							Gi	EAR							
	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12
12	20°46′ 61°14′	21°31′ 60°15′	22°18′ 59°10′	23°8′ 58°2′	24°3′ 56°49′	25°2′ 55°32′	26°3′ 54°7′	27°11′ 52°39′	25°25′ 51°3′	29°43′ 49°17′	31°11′ 47°25′	32'44' 45°24'	34°26′ 43°14′	36°16′ 40°50′	38°17′
13	22°37′ 59°29′	23°26′ 58°28′	24°15′ 57°21′	25°9′ 56°11′	26°6′ 54°56′	27°8′ 53°36′	28°14′ 52°10′	29°25′ 50°39′	30°42′ 49°2′	32°4′ 47°16′	33°34′ 45°22′	35 10' 43 20'	36°55′ 41°9′	38°48′	
14	24°25′ 57°49′	25°16′ 56°46′	26 ⁸ ′ 55 ^c 38′	27°5′ 54°25′	28°4′ 53°8′	29°9′ 51°47′	30°20′ 50°20′	31°33′ 48°47′	32°52′ 47 [°] 8′	34°18′ 45°12′	35°50′ 43°26′	37°28′ 41°24′	39° 15′		
15	26°11′ 56°13′	27°3′ 55°7′	27 ⁵⁸ ′ 53 ⁵⁸ ′	28°58′ 52°44′	30°0′ 51°26′	31 6' 50°2'	32°19′ 48°33′	33°36′ 47°0′	34°56′ 45°20′	36°23′ 43°33′	37°57′ 41°39′	39°38′			
15	27°52′ 54°38′	28°45′ 53°31′	29°43′ 52°21′	516′	31°50′ 49°46′	32°58′ 48°22′	34°12′ 46°52′	35°31′ 45°,19′	36°54′ 43°38′	38°23′ 41°51′	39°57′				
17	29°30′ 53°8′	30°26′ 52°0′	31°26′ 50°48′	32°28′ 49°32′	33°35′ 48°11′	34°47′ 46°47′	36°0′ 45°16′	37°21′ 43°43′	38°45′ 42°1′	40°15′					
18	31°5′ 51°41′	32°2′ 50°32′	33°4′ 49°18′	34°8′ 48°2′	35°15′ 46°41′	36°28′ 45°16′		39°5′ 42°11′	40 31'						
19	32°36′ 50°18′	33°36′ 49°8′	34°38′ 47°54′	35°49′ 46°36′	36°53′ 45°15′	38°6′ 43°50″	39 ^{^24} ′ 42 ^{^20} ′	40°45′							
20	34°5′ 48″57′	35°6′ 4 7 °46′	36°8′ 46°32′	37°16′ 45°14′	38°26′ 43°52′	39°39′ 42°2 7 ′	40°57′								
21	35°31′ 47°39′	36°32′ 46°28′	37°37′ 45°13′	38°44′ 43°56′	39°54′ 42°34′	41°8′									
22	36°52′ 46°24′	37°55′ 45°13′	39°0′ 43°58′		41°19′										
23	38°12′ 45°12′	39°15′ 44°1′	40°20′ 42°46′	41°28′											
24	39°29′ 44′3′	40°32′ 42°52′	41°38′												
25	40°43′ 42°57′	41°46′													
26	41°53′														

For Bevel Gears with axes at right angles. Angle for gear above, for pinion below.



Table for Selecting Cutters for Bevel Gears.

SELECTION OF CUTTERS.

The following tables are for use in selecting cutters for cutting bevel gears. The various numbers of teeth in gear and pinion are given and at the intersection of the two columns will be found the numbers of the cutters required.

Example.—Required cutters for a pair of bevel gears, 8 pitch; gear 24 teeth, pinion 12 teeth.

In column at left of table, page 86, will be found 24 teeth and in column at top 12 teeth; at the intersection of these two columns will be found the numbers of the cutters, in this case No. 3 for the gear and No. 8 for the pinion.

CUTTERS FOR USE IN CUTTING BEVEL GEARS.

PINION.

	7	12	13	14	15	16	17	18	_	20	21	22	23	24	25	26	27	28	29	30
1	7	7-7	10		15		.,	10	-13		21		20		وع			20		-
1		6 - 7	6-6																•	
1			6-6	6-6																
1				5-6	5-5															
1					5-6	5-5		-												
1	-					5-5	5-5													
1						4-5		5-5												
1						4-6			1-1											
2						4-6				1-1				·						
2	—					4-6					1-1				1					
2						3-6						1-1								
-	3	3-8	3-7	3-7	3-6	3-6	3-5	3-5	3-5	3-1	4-4	A-A	1-1			-				
1	4	3-8	3-7	3-7	3-6	3-6	3-6	3-5	3-5	3-1	3-1	3-1	1-1	1-1			-			
-	5	2-8	2-7	3-7	3-6	3-6	3-6	3-5	3-5	3-5	3-4	3-1	3-4	4-4	3-3					
	6	2-8	2-7	3-7	3-6	3-6	3-6	3-5	3-5	3-5	3-1	3-4	3-4	3-4	3-3	3-3				
	7	2-8	2-7	2-7	2-6	3-6	3-6	3-5	3-5	3-5	3-4	3-1	3-4	3-4	3-4	3-3	3-3			
_	ន	2-8	2-7	2-7	2-6	2-6	3-6	3-5	3-5	3-5	3-1	3-1	3-4	3-4	3-1	3-3	3-3	3-3	1 1	
-		2-8	2-7	2-7	2-7	2-6	2-6	3-5	3-5	3-5	3-1	3-1	3-1	3-4	3-1	3-3	3-3	3-3	3-2	
	0	2-8	2-7	2-7	2-7	2-6	2-6	2-5	2-5	3-5	3-5	3-1	3-4	3-4	3-4	3-4	3-3	3-3	3-3	3-3
_	1	2-8	2-7	2-7	2-7	2-6	2-6	2-6	2-5	2-5	2-5	3-1	3-4	3-4	3-4	3-1	3-3	3-3	3-3	3-3
	2	2-8	2-7	2-7	2-7	2-6	2-6	2-6	2-5	2-5	2-5	2-4	2-4	3-4	3-4	3-4	3-3	3-3	3-3	3-3
	3	2-8	2-8	2-7	2-7	2-6	2-6	2-6	2-5	2-5	2-5	2-4	2-4	2-4	3-4	3-4	3-4	3-3	3-3	3-3
7		2-8	2-8	2-7	2-7	2-6	2-6	2-6	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	3-4	3-3	3-3	3-3
3	5	2-8	2-8	2-7	2-7	2-6	2-6	2-6	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3	3-3	3-3
3	6	2-8	2-8	2-7	2-7	2,-6	2-6	2-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-3	2-3	2-3
3	7		2-8											2-4						
3	8			2-7	2-7	2-6	2-6	2-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3	2-3
														2-4						
4	0	1-8	2-8	2-7	2-7	2-6	2-6	2-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3	2-3
-														2-4					2-3	
4														2-4						
4	3	1-8	1-8	1-7	2-7	2-6	2-6	2-6	2-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3
4	4	1-8	1-8	1-7	1-7	2-6	2-6	2-6	2-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3
4														2-4						
	6	1-8	1-8	1-7	1-7	1-7	2-6	2-6	2-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3
														2-4						
4	8	1-8	1-8	1-7	1-7	1-7	1-6	1-6	2-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3
														2-4						
		1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	2-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-3
5	1	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-5	2-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-4
		1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-5	1-5	2-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-4
5	3	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-5	1-5	r-5	2-5	2-4	2-4	2-4	2-4	2-4	2-4	2-4
														2-4						
5	5	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	2-4	2-4	2-4	2-4	2-4	2-4
_							47						_	_	_	_	_	_	_	_

For Bevel Gears with axes at right angles.

Number of cutter for gear given first, followed by number for pinion.

CUTTERS FOR USE IN CUTTING BEVEL GEARS.

(Continued.)

_										PINI	ON.									
1		12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
ı	56	1-8	1-8	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	2-4	2-4	2-4	2-4	2-4
	57	I-S	1-8	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	2-4	2-4	2-4	2-4
	58	I-S	1-8	1-7	1-7	1-6	1-6	1-6	I-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	2-4	2-4	2-4
	59	1-8	1-8	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-5	1-4	I-4	I-4	1-4	2-4	2-4
1	60	1-8	1-8	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	2-4
1	61	1-8	1-8	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
ļ	62	1-8	1-8	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	I-4	1-4
ļ	63	1.8	1-8	I-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
ŀ	64	1-8	1-8	1-7	1-7	1-6	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	I-4	1-4	1-4	1-4	1-4
ŀ	65	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
	66	1-8	1-8	I-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
1	67	1-8	1-8	1-7	1-7	1-7	1-6	1-6	_	1-6	1-5	1-5	1-5	1-5	1-4	1-4	I-4	I-4	1-4	1-4
-	68	1-8		1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	I-4	I-4	1-4	1-4	1-4	1-4
1	69	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	I-4	1-4	I-4	I-4
1	70		1-8	I-7	1-7	1-7	1-6	I-6	1-6	1-6	1-5	1-5	1-5	1-5	I-4	I-4	1-4	1-4	1-4	1-4
1	71		1-8	1-7	I-7	I-7	1-6	1-6	1-6	1-6	1-5	I-5	1-5	1-5	I-4	I-4	1-4	1-4	1-4	1-4
1	72		1-8	I-7	I-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	I-4 I-4	1-4	1-4	1-4	1-4	I-4 I-4
ł	73 74		1-8	I-7 I-7	I-7 I-7	I-7	1-6	1-6	1-6	I-6	I-5 I-5	1-5	I-5 I-5	1-5	I-4	1-4	1-4	1-4	I-4	1-4
ł	75	1-8	1-8	I-7	1-7	I-7 I-7	1-6	1-6	I-6	I-6	1-5	I-5 I-5	1-5	1-5	I-4	1-4	1-4	I-4	1-4	I-4
ł	_	1-8	1-8	1-7	1-7	1-7	1-6	I-6	1-6		-	-	I-5	I-5	1-4	1-4	1-4	1-4	1-4	1-4
ż	76 77	1-8	1-8	I-7	I-7	1-7	1-6	1-6	1-6	1-6	I-5	1-5	I-5	I-5	1-4	1-4	1-4	I-4	1-4	1-4
EA	78	1-8	1-8	1-7	1-7	I-7	1-6	1-6	1-6	1-6	I-5	1-5	1-5	1-5	1-4	I-4	I-4	I -4	1-4	1-4
ত	79	1-8	1-8	17	1-7	1-7	1-6	1-6	1-6	1-6	I-5	1-5	1-5	1-5	I-4	1-4	1-4	1-4	1-4	1-4
ł	80	1-8	1-8	I-7	1-7	1-7	I-6	1-6	1-6	-	_	1-5	1-5	1-5	1-4	1-4	1-4	I-4	1-4	1-4
ł	81	1-8	1-8	I-7	1-7	I-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	I-4	1-4	1-4	1-4	1-4
ı	82	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	-	1-5	1-5	1-5	1-5	1-4	1-4	I-4	1-4	1-4	1-4
ı	83	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	-	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
ı	84	I-S	1-8	1-7	1-7	1-7	1-6	1-6	1-6	-	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
ı	85	18	I-S	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
ı	86	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
1	87	1-8	1-8	1-7	1-7	1-7	1-6	1-6	I 6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
ı	88	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
	89	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	I-4
	90	1-8	1-8	1-7	1 .7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
	91	1-8	I-S	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	I-4	1-4	1-4	1-4	1-4	1-4
	92	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	1-4	1-4	1-4
ı	93	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	I-4	1-4	1-4
	94	1-8	I-S	1-7	I-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	1-4	I-4	1-4	1-4
	95	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	I-5	1-4	1-4	1-4	1-4	1-4	1-4
	96	1-8	1-8	1-7	1-7	I-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	I · 4	1-4	I-4	1-4	1-4	1-4
	97	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	I-4	1-4	1-4	1-4
	98	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	1-4	I-4	1-4	1-4	1-4
	99	-	1-8	1-7	1-7	I-7	1-6	1-6	1-6	-	1-5	1-5	I ·5	1-5	1-4	1-4	I-4	I-4	1-4	1-4
	100	1-8	1-8	1-7	1-7	1-7	1-6	1-6	1-6	1-6	1-5	1-5	1-5	1-5	1-4	I-4	1-4	1-4	1-4	1-4

For Bevel Gears with axes at right angles.

Number of cutter for gear given first, followed by number for pinion.



Table for the Solution of Right Angled Triangles.

SOLUTION OF TRIANGLES BY NATURAL LINES.

PARTS		PA	RTS TO BE FOU	ND.	
GIVEN.	ANGI.E.	Adj. Side.	OPP. SIDE.	Нуротн.	OPP. ANG.
Opp. and Hyp.	$Sin. = \frac{Opp.}{Hyp.}$	VHyp 2—Opp.2			$\cos = \frac{\text{Opp.}}{\text{Hyp.}}$
Opp. and Adj.	$Tan. = \frac{Opp.}{Adj.}$			VOpp.2+Adj.2	$\cot = \frac{\text{Opp.}}{\text{Adj.}}$
Adj. and Hyp.	Cos.=Adj Hyp.		VHyp.2—Adj.2		$Sin. = \frac{Adj.}{Hyp.}$
Ang. and Opp.		Opp. X Cot.		Opp.÷ Sin.	90°—Ang.
Ang. and Adj.			Adj.×Tang.	Adj.÷ Cos.	90°—Ang.
Ang. and Hyp.		Hyp.×Cos.	Hyp.×Sin.		90°—Ang.

ABBREVIATIONS USED.

Opp. = Opposite side. Adj. = Adjacent side. Hyp. = Hypothenuse.

Ang. = Angle.

Sin. = Sine.

Tan. = Tangent.

 $\cos = \cos e$

Cot. = Cotangent.



Natural Sines and Cosines Natural Tangents and Cotangents

COURTESY OF

THE INTERNATIONAL CORRESPONDENCE SCHOOLS,

SCRANTON, PA.

1	0	0	I	0	2	0	3	0	4	‡°	,
	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0 I 2	.00000	I. I. I.	.01745 .01774 .01803	.99985 .99984 .99984	.03490 .03519 .03548	.99939 .99938 .99937	.05234 .05263 .05292	.99863 .99861 .99860	.06976 .07005 .07034	.99756 .99754 .99752	60 59 58
3 4	.00087	I.	.01832	.99983	.03577 .03606	.99936 .99935	.05321	.99858	.07063	.99750 .99748	5 7 56
5 6 7	.00145	I. I. I.	.01891 .01920 .01949	.99982 .99982 .99981	.03635 .03664 .03693 •	.99934 .99933 .99932	.05379 .05408 .05437	.99855 .99854 .99852	.07121 .07150 .07179	.99746 .99744 .99742	55 54 53
7 8 9	.00233	I.	.01978	.99980	.03723	.99931	.05466	.99851	.07208	.99740	52 51
10	.00291	.99999	.02036	•99979 •99979	.03781	.99929	.05524	.99847	.07266	.99736	50 49
12 13	.00349	.99999 .99999	.02094	.99978	.03839	.99926	.05582	.99844	.07324	.9973I .99729	49 48 47
14 15 16	.00407	.99999 .99999	.02152	.99977 .99976 .99976	.03897 .03926 .03955	.99924 .99923 .99922	.05640 .05669 .05698	.99841 .99839 .99838	.07382	.99727 .99725 .99723	46 45 44
17 18	.00495	.99999	.02240	•99975 •99974	.03984	.99921	.05727 .05756 .05785	.99836	.07469	.99721	43 42
19 20	.00553	.99998	.02298	•99974 •99973	.04042 .04071	.99918 .99917	.05785	.99833 .99831	.07527 .07556	.99716 .99714	41 40
2I 22	.00611	.99998	.02356 .02385	.99972 .99972	.04100	.99916	.05844	.99829	.07585	.99712	39 38
23 24 25	.00669 .00698 .00727	.g.:998 .99998 .99997	.02414 .02443 .02472	.99971 .99970 .99969	.04159 .04188 .04217	.99913 .99912 .99911	.05902 .05931 .05960	.99826 .99824 .99822	.07643 .07672 .07701	.99708 .99705 .99703	37 36 35
26 27 28	.00756 .00785 .00814	.99997 .99997	.0250I .02530	.99969 .99968	.04246	.99910	.05989 .06018	.99821	.07730 .07759 .07788	.99701	34 33
28 29 30	.00814	.99997 .99996 .99996	.02560 .02589 .02618	.99967 .99966 .9996 6	.04304 .04333 .04362	.99907 .99906 .99905	.06047 .06076 .06105	.99817 .99815 .99813	.07817	.99696 .99694 .99692	32 31 30
3I 32	.00902	.99996	.02647	.99965	.04391	.99904	.0 6 134	.99812	.07875	.99689	29 28
33 34	.00960	•99995 •99995	.02705	.99963 .99963	.04449	.99901	.0619 2 .0622 1	.99808	.07933	.99685	27 26
35 36 37	.01018 .01047 .01076	•99995 •99994	.02763 .02792 .02821	.99962 .99961	.04507 .04536 .04565	.99898 .99897 .99896	.06250 .06279 .06308	.99804 .99803 .99801	.07991 .08020 .08049	.99680 .99678 .9967 6	25 24 23
37 38 39	.01105 .01134 .01164	.99994 .99994	.02850	•99959 •99959	.04594	.99894	.06337 .06366	-99799 -99797	.08078 .08107 .08136	.99673 .99671 .99668	22 21 20
40 4I	.01104	•99993 •99993	.02908	.99958	.04653	.99892	.06395	·99795 ·99793	.08165	.99666	19 18
42 43	.01222 .01251 .01280	.99993	.02967	.99956 •99955	.04711	.99889 .99888 .99886	.06453	.99792	.08194 .08223 .08252	.99664	18 17 16
44 45 46	.01309	.99992 .99991 .99991	.03025 .03054 .03083	•99954 •99953 •99952	.04769 .04798 .04827	.99885	.06511 .06540 .06569	.99788 .99786 .99784	.08281	.99659 .99657 .99654	15 14
47 48	.01367 .01396	.99991 .99990	.03112	.99952 .99951	.04856	.99882	.06598 .06627 .06656	.99782 .99780	.08339 .08368 .08397	.99652	13 12
49 50	.01425	.99990	.03170	•99950 •99949	.04914	.99879 .99878	.06685	.99778 .99776	.08426	.99647 .99644	10
51 52 53	.01483 .01513 .01542	.99989 .99989 .99988	.03228 .03257 .03286	.99948 .99947 .99946	.04972 .05001 .05030	.998 76 .99875 .99873	.06714	.99774 .99772 .99770	.08455 .08484 .08513	.99642 .99639 .99637	9 8
53 54 55 56	.01571 .01600	.99988	.03316	•99945 •99944	.05059	.99872	.06773 .06802 .06831	.99768 .99766	.08542	.99635 .99632	7 6 5
56 57 58	.01629 .01658 .01687	.99987 .99986 .99986	.03374 .03403 .03432	.99943 .99942 .99941	.05117 .05146 .05175	.99869 .99867 .99866	.06860 .06889 .06918	.99764 .99762 .99760	.08600 .08629 .08658	.99630 .99627 .99625	4 3 2
59 60	.01716	.99985	.03461	.99940	.05205	.99864	.06947	.99758	.08687	.99622	1 0
,	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	
	89)°	88	3°	87	,0	86	5°.	8.	5°	

Γ,	5	0	6	0	7	0	8	0	9	0	,
	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0 1 2 3 4	.08716 .08745 .08774 .08803	.99619 .99617 .99614 .99612	.10453 .10482 .10511 .10540	.99452 .99449 .99446 .99443	.12187 .12216 .12245 .12274 .12302	.99255 .99251 .99248 .99244	.13917 .13946 .13975 .14004	.99027 .99023 .99019 .99015	.15643 .15672 .15701 .15730	.98769 .98764 .98760 .98755 .98751	60 59 58 57 56
5 6 7 8 9	.08860 .08889 .08918 .08947 .08976 .09005	.99607 .99604 .99602 .99599 .99596	.10597 .10626 .10655 .10684 .10713	.99437 .99434 .99431 .99428 .99424 .99421	.12331 .12360 .12389 .12418 .12447 .12476	.99237 .99233 .99230 .99226 .99222	.14061 .14090 .14119 .14148 .14177 .14205	.99006 .99002 .98998 .98994 .98990	.15787 .15816 .15845 .15873 .15902 .15931	.98746 .98741 .98737 .98732 .98728 .98723	55 54 53 52 51 50
11 12 13 14 15 16 17 18 19 20	.09034 .09063 .09092 .09121 .09150 .09179 .09208 .09237 .09266	.99591 .99588 .99586 .99583 .99580 .99578 .99575 .99572	.10771 .10800 .10859 .10858 .10887 .10916 .10945 .10973 .11002	.99418 -99415 -99409 -99406 -99406 -99399 -99396 -99393	.12504 .12533 .12562 .12591 .12620 .12649 .12678 .12706 .12735	.99215 .99211 .99208 .99204 .99200 .99197 .99193 .99189	.14234 .14263 .14292 .14320 .14349 .14378 .14407 .14436 .14464	.98982 .93978 .98973 .98969 .98965 .98961 .98957 .98953 .98944	.15959 .15988 .16017 .16046 .16074 .16103 .16132 .16160 .16189	.98718 .98714 .98709 .98704 .98700 .98695 .98690 .98686 .98681	49 48 47 46 45 44 43 42 41 40
21 22 23 24 25 26 27 28 29 30	.09324 .09353 .09382 .09411 .09440 .09469 .09498 .09527 .09556 .09585	.99564 .99562 .99559 .99556 .99553 .99551 .99543 .99544 .99544	.11060 .11089 .11118 .11147 .11176 .11205 .11234 .11263 .11291	.99386 .99383 .99380 .99377 .99374 .99370 .99367 .99364 .99360	.12793 .12822 .12851 .12880 .12908 .12937 .12966 .12995 .13024 .13053	.99178 .99175 .99171 .99167 .99163 .99160 .99166 .99148	.14522 .14551 .14580 .14608 .14608 .14666 .14695 .14723 .14752 .14781	.98940 .98936 .98931 .98927 .98923 .98919 .98914 .98910 .98906 .98902	.16246 .16275 .16304 .16333 .16361 .16390 .16419 .16447 .16476	.98671 .98667 .98662 .98652 .98652 .98648 .98643 .98633 .98633	39 38 37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.09614 .09642 .09671 .09700 .09729 .09758 .09787 .09816 .09845	.99537 .99534 .99531 .99528 .99526 .99523 .99520 .99517 .99514	.11349 .11378 .11407 .11436 .11465 .11494 .11523 .11552 .11580 .11609	.99354 .99351 .99347 .99344 .99341 .99337 .99334 .99327 .99324	.13081 .13110 .13139 .13168 .13197 .13226 .13254 .13283 .13312 .13341	.99141 .99137 .99133 .99129 .99125 .99122 .99118 .99114 .99110	.14810 .14838 .14867 .14896 .14925 .14954 .14982 .15011 .15040	.98897 .98893 .98889 .98884 .98880 .98876 .98871 .98867 .98863 .98858	.16533 .16562 .16591 .16620 .16648 .16677 .16706 .16734 .16763	.98624 .98619 .98614 .98609 .98600 .98595 .98590 .98585 .98580	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.09903 .09932 .09961 .09990 .10019 .10048 .10077 .10106 .10135	.99508 .99506 .99503 .99500 .99497 .99494 .99491 .99488 .99485	.11638 .11667 .11696 .11725 .11754 .11783 .11812 .11840 .11869 .11898	.99320 .99317 .99314 .99310 .99307 .99303 .99300 .99297 .99293	.13370 .13399 .13427 .13456 .13485 .13514 .13543 .13572 .13600 .13629	.99102 .99098 .99094 .99091 .99087 .99083 .99079 .99075 .99071	.15097 .15126 .15155 .15184 .15212 .15241 .15270 .15299 .15327 .15356	.98854 .98849 .98845 .98841 .98836 .98832 .98827 .98823 .98818	.16820 .16849 .16878 .16906 .16935 .16964 .16992 .17021 .17050	.98575 .98565 .98561 .98556 .98551 .98546 .98541 .98536 .98531	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.10192 .10221 .10250 .10279 .10308 .10337 .10366 .10395 .10424 .10453	.99479 .99476 .99473 .99470 .99467 .99464 .99461 .99458 .99455	.11927 .11956 .11985 .12014 .12043 .12071 .12100 .12129 .12158 .12187	.99286 .99283 .99279 .99276 .99272 .99269 .99265 .99265 .99258	.13658 .13687 .13716 .13744 .13773 .13802 .13831 .13860 .13889 .13917	.99063 .99059 .99055 .99051 .99047 .99043 .99035 .99031	.15385 .15414 .15442 .15471 .15500 .15529 .15557 .15586 .15615	.98809 .98805 .98800 .98796 .98791 .98787 .98782 .98778 .98773	.17107 .17136 .17164 .17193 .17222 .17250 .17279 .17308 .17336	.98526 .98521 .98516 .98511 .98506 .98501 .98496 .98491 .98486	98 76 5 4 3 2 1 0
,	Cosine 8.	Sine 4°	Cosine 8	Sine	Cosine 8:	Sine 2°	Cosine 8	Sine I O	Cosine 8	Sine 0°	,

,	10	°	11	r °	12	20	13	3°	1.	4°	,
'	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0 1 2	.17365 .17393 .17422	.98481 .98476 .98471	.19081 .19109 .19138	.98163 .98157 .98152	.20791 .20820 .20848	.97815 .97809 .97803	.22495 .22523 .22552	.97437 .97430 .97424	.24192 .24220 .24249	.97030 .97023 .97015	60 59 58
3	.17451	.98466	.19167	.98146	.20877	.97797 .97791	.22580	.97417 .97411	.24277	.97008 .97001	50 57 56
4 5 6	.17508	.98455 .98450	.19224	.98135	.20933	.97784 .97778	.22637	.97404	.24333	.96994 .96987	55 54
7 8	.17565 .17594 .17623	.9844 5	.19281	.98124 .98118	.20990 .21019	.97772 .97766	.22693	.97391 .97384	.24390	.96980 .96973	53 52
9 10	.17623	.98435 .98430	.19338 .19366	.98112 .98107	.21047	.97760 •97754	.22750	.97378 .97371	.24446	.96966 .96959	51 50
11 12	.17680 .17708	.98425	.19395 .19423	.98101	.21104	.97748	.22807	.97365 .97358	.24503 .24531	.96952 .96945	49 48
13 14	.17737	.98414	.19452	.98090 .98084	.21161	·97735 ·97729	.22863	.97351 .97345	·24559 ·24587	.96937	47 46
15 16	.17794 .17823 .17852	.98404 .98399	.19509 .19538	.98079	.21218	.97723 .97717	.22920	.97338 .97331	.24615	.96923 .96916	45 44
17 18	.17880	.98394	.19566	.98067 .98061	.21275	.97711 .97705 .97698	.22977	.97325 .97318	.24672 .24700	.96909 .96902	43 42
19 20	.17909 .17937	.98389 .98383 .98378	.19623 .19652	.98056 .98050	.21331	.97698	.23033	.97311 .97304	.24728	.96894 .96887	4I 40
2I 22	.17966 .17995	.98373 .98368	.1968o .19709	98044ء	.21388	.97686 .97680	.23090	.97298 .97291	.24784	.96880 .96873	39 38
23 24	.18023	.98362 .98357	.19737 .19766	.98033 .98027	.21445	.97673 .97667	.23146	.97284 .97278	.24841	.96866 .96858	37 36
25 26	.18081 .18109 .18138	.98352 .98347	.19794 .19823 .19851	.98021 .98016 .98010	.21502 .21530 .21559	.97661 .97655 .97648	.23203 .23231 .23260	.97271 .97264 .97257	.24897 .24925 .24954	.96851 .96844 .96837	35 34
27 28 29	.18166	.98341 .98336 .98331	.19880	.98004	.21587	.97642	.23288	.97251 .97244	.24982	.96829	33 32 31
30	.18224	.98325	.19937	•97992	.21644	.97630	+23345	-97237	.25038	.96815	30
31 32	.18252	.98320	.19965	.97987 .97981	.21672	.97623	.23373	.97230	.25066	.96807	29 28
33 34 35	.18309 .18338 .18367	.98310 .98304 .98299	.20022 .20051 .20079	.97975 .97969 .97963	.21729 .21758 .21786	.97611 .97604 .97598	.23429 .23458 .23486	.97217 .97210 .97203	.25122 .25151 .25179	.96793 .96786 .96778	27 26 25
36 37	.18395	.98294	.20108	.97958	.21814	.97592	.23514	.97196	.25207	.96771	24 23
38	.18452	.98283	.20165	.97946 .97940	.21871	-97579 -97573	.23571	.97182	.25263 .25291	.96756 .96749	22 2I
40	.18509	.98272	.20222	•97934	.21928	.97566	.23627	.97169	.25320	.96742	20
41 42 43	.18538	.98261	.20250 .20279 .20307	.97928 .97922 .97916	.21950	.97560 .97553 .97547	.23684	.97155 .97148	.25376	.96734 .96727 .96719	19 18
44 45	.18595 .18624 .18652 .18681	.98250	.20336	.97910	.22041	.97541 .97534	.23740	.97141	.25432	.96712	17 16 15
46 47 48	.18710	.98240	.20393 .2042I	.97899	.22098	.97528 .97521	.23797	.97127	.25488	.96697 .96690	14 13
48 49 50	.18738	.98229 .98223 .98218	.20450	.97887 .97881	.22155 .22183	.97515	.23853	.97113	.25545 .25573 .25601	.96682 .96675	12 11 10
50	.18795	.98212	.20507	.97875 .97869	.22212	.97502	.23910	.97100	.25629	.96660	9 8
52 53	.18852	.98207	.20563	.97863 .97857	.22268	-97489 -97483	.23966	.97086	.25657	.96653 .96645	8 7 6
54 55 56	.18910 .18938 .18967	.98196	.20620	.97851	.22325	.97476 .97470	.24023	.97072 .97065	.25713	.96638 .96630 .96623	5 4
50 57 58	.18995	.98185 .98179	.20677 .20706	.97839 .97833 .97827	.22382 .22410 .22438	.97463 .97457 .97450	.24079 .24108 .24136	.97058 .97051	.25769 .25798 .25826	.96615	3 2
59 60	.19052	.98174 .98168 .98163	.20734 .20763 .20791	.97827 .97821 .97815	.22467	.97444 .97437	.24164	.97044 .97037 .97030	.25854	.96600 .96593	0
 ,	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	,
	7	9°	7	8°	7:	7°	7	5°.	7	5°	

,	15	0	16	5°	1;	70	18	3°	I	9°	,
′	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0 1 2 3 4 5 6	.25882 .25910 .25938 .25966 .25994 .26022	.96593 .96585 .96578 .96570 .96562	.27564 .27592 .27620 .27648 .27676	.96126 .96118 .96110 .96102 .96094 .96086	.29237 .29265 .29293 .29321 .29348 .29376	.95630 .95622 .95613 .95605 .95596	.30902 .30929 .30957 .30985 .31012	.95106 .95097 .95088 .95079 .95070	•32557 •32584 •32612 •32639 •32667 •32694	.94552 .94542 .94533 .94523 .94514 .94504	60 59 58 57 56 55
0 7 8 9 10	.26050 .26079 .26107 .26135 .26163	.96547 .96540 .96532 .96524 .96517	.27731 .27759 .27787 .27815 .27843	.96078 .96070 .96062 .96054 .96046	.29404 .29432 .29460 .29487 .29515	.95579 .95571 .95562 .95554 .95545	.31068 .31095 .31123 .31151 .31178	.95052 .95043 .95033 .95024 .95015	.32722 .32749 .32777 .32804 .32832	.94495 .94485 .94476 .94466 .94457	54 53 52 51 50
12 13 14 15 16 17 18	.26219 .26247 .26275 .26303 .26331 .26359 .26387	.96502 .96494 .96486 .96479 .96471 .96463 .96456	.27899 .27927 .27955 .27983 .28011 .28039 .28067	.96029 .96021 .96013 .96005 .95997 .95989 .95981	.29571 .29599 .29626 .29654 .29682 .29710 .29737 .29765	.95528 .95519 .95511 .95502 .95493 .95485 .95476	.31233 .31261 .31289 .31316 .31344 .31372 .31399 .31427	.94997 .94988 .94979 .94970 .94961 .94952 .94943	.32887 .32914 .32942 .32969 .32997 .33024 .33051 .33079	.94438 .94428 .94418 .94409 .94399 .94390 .94380 .94370	49 48 47 46 45 44 43 42 41
20 21 22 23 24 25 26 27 28 29 30	.26443 .26471 .26500 .26528 .26556 .26584 .26612 .26640 .26668 .26696	.96440 .96433 .96425 .96417 .96410 .96394 .96386 .96379 .96371	.28150 .28178 .28178 .28206 .28234 .28262 .28290 .28318 .28346 .28374 .28402	.95964 .95956 .95948 .95940 .95931 .95923 .95915 .95907 .95898 .95890	.29793 .29821 .29849 .29876 .29904 .29932 .29960 .29987 .30015 .30043	.95459 .95450 .95441 .95433 .95424 .95415 .95407 .95398 .95389 .95380	.31454 .31482 .31510 .31537 .31565 .31593 .31620 .31648 .31675 .31703 .31730	.94924 .94915 .94906 .94897 .94888 .94878 .94860 .94851 .94842	.33106 .33134 .33161 .33189 .33216 .33244 .33271 .33298 .33326 .33353 .33381	.94361 .94351 .94342 .94332 .94322 .94313 .94303 .94293 .94284 .94274	39 38 37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.26752 .26780 .26808 .26836 .26864 .26892 .26920 .26948 .26976	.96355 .96347 .96340 .96332 .96324 .96316 .96308 .96301 .96293	.28429 .28457 .28485 .28513 .28541 .28569 .28597 .28625 .28652 .28680	.95874 .95865 .95857 .95849 .95841 .95832 .95824 .95816 .95807 .95799	.30098 .30126 .30154 .30182 .30209 .30237 .30265 .30292 .30320 .30348	.95363 .95354 .95345 .95337 .95328 .95319 .95310 .95301 .95293 .95284	.31758 .31786 .31813 .31841 .31868 .31896 .31923 .31951 .31979 .32006	.94823 .94814 .94805 .94795 .94786 .94777 .94768 .94753 .94749	.33408 .33436 .33463 .33490 .33518 .33545 .33573 .33600 .33627 .33655	.94254 .94245 .94235 .94225 .94215 .94206 .94196 .94186 .94176	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.27032 .27060 .27088 .27116 .27144 .27172 .27200 .27228 .27256 .27284	.96277 .96269 .96261 .96253 .96246 .96238 .96230 .96222 .96214	.28708 .28736 .28764 .28764 .28820 .28847 .28875 .28903 .28931 .28959	.95791 .95782 .95774 .95766 .95757 .95749 .95740 .95732 .95724 .95715	.30376 .30403 .30431 .30459 .30514 .30514 .30542 .30570 .30597 .30625	.95275 .95266 .95257 .95248 .95240 .95231 .95222 .95213 .95204 .95195	.32034 .32061 .32089 .32116 .32144 .32171 .32199 .32227 .32254 .32282	.94730 .94721 .94712 .94702 .94693 .94684 .94674 .94665 .94656	.33682 .33710 .33737 .33764 .33792 .33819 .33846 .33874 .33901 .33929	.94157 .94147 .94137 .94127 .94118 .94108 .94098 .94088 .94078 .94068	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.27312 .27340 .27368 .27396 .27424 .27452 .27480 .27508 .27536 .27564	.96198 .96190 .96182 .96174 .96166 .96158 .96150 .96142 .96134	328987 .29015 .29042 .29070 .29098 .29126 .29154 .29182 .29209 .29237	.95707 .95698 .95690 .95681 .95673 .95664 .95656 .95647 .95639	.30653 .30680 .30708 .30736 .30763 .30791 .30819 .30846 .30874 .30902	.95186 .95177 .95168 .95159 .95150 .95142 .95133 .95124 .95115	.32309 .32337 .32364 .32392 .32419 .32447 .32502 .32529 .32529	.94637 .94627 .94618 .94609 .94599 .94590 .94580 .94571 .94561	.33956 .33983 .34011 .34038 .34065 .34093 .34120 .34147 .34175	.94058 .94049 .94039 .94029 .94019 .94009 .93999 .93989 .93979 .93969	98 7 6 5 4 3 2 1 0
′	Cosine 74	Sine 4°	Cosine 73	Sine 3°	Cosine	Sine 2°	Cosine 71	Sine	Cosine 7	Sine 0°	,

Sine Cosine Sine Cosine Sine Cosine Sine Cosine Cosine Sine Cosine Sin	1		20	00	21	٥	22	20	23	20	2.	4°	
1	١	′											'
1	ł												
2 34427 99349 35981 99337 37545 92686 39125 92016 40752 91331 3 3484 99393 35918 99337 37546 92686 39155 92016 40753 91319 4 34311 99390 35946 99306 35973 99306 37595 92664 3927 91994 40806 91307 5 34430 99391 36000 91386 37595 92664 3927 91994 40806 91307 6 34436 99391 36000 91386 37595 92664 3927 91994 40806 91307 8 3431 99391 36000 91326 37592 92659 92651 39240 91014 40806 91307 8 3431 99391 36000 91324 37700 92600 92614 3926 91059 91050	1		.34202	.93969	.35837 .35864	.93358 .03348	.37461 .37488	.92718					60 50
5 3.4439 9.3919 3.5973 9.3306 2.37595 9.2664 3.9207 9.1994 4.0866 91.295 7 3.4393 9.3606 9.3095 3.6004 9.3295 3.7629 9.2653 3.9244 9.3960 9.1991 4.0866 91.295 8 3.4421 9.3859 3.6054 9.3274 3.766 9.2621 3.9360 9.1911 4.0866 9.1262 9 3.4448 9.3859 3.6054 9.3274 3.766 9.2621 3.9360 9.1911 4.0866 9.1262 9 3.4448 9.3859 3.6068 9.1263 9 3.4448 9.3859 3.6068 9.1263 9 3.4448 9.3859 3.6068 9.1263 9 3.4448 9.3859 9.3860 3.6162 9.2253 3.7730 9.2609 3.9314 9.1948 4.0913 9.1428 12 3.4539 9.3850 3.6162 9.2232 3.7811 9.2568 3.9367 9.1925 4.0956 9.1236 4.0939 9.1236 4.0939 9.1236 4.0939 9.1236 9.1626 9.1224 9.2627 9.1234 9.2857 9.3944 9.1944 4.0902 9.1236 12 3.4539 9.3850 9.3850 3.6102 9.2232 3.7811 9.2867 9.3944 9.1944 4.0902 9.1236 12 3.4539 9.3850 9.36217 9.1922 9.2543 3.9468 9.1891 4.1045 9.1188 1.1546 9.0069 9.1360 9.3360 9.3509 9.3508 9.2543 9.3956 9.2543 9.3956 9.1068 4.1028 9.1188 1.1546 9.0069 9.3509 9.3508 9.180 3.7919 9.2543 9.3956 9.1868 4.1088 9.164 12 3.2544 9.3709 9.3625 9.3160 3.7919 9.2543 9.3958 9.1856 4.1125 9.1152 9.11	1	2	-34257	.93949	.35891	+93337	-37515	.92697	.39127	.92028	.40727	.91331	59 58
S	1						-37542 -37560	.92686	.39153		.40753		57 56
7 3.4393 .33890 .36057 .93285 .37649 .92642 .39287 .91971 .40886 .91260 9 .34448 .93890 .36081 .93244 .37703 .92609 .39344 .91948 .40913 .91281 10 .34475 .93869 .36168 .93283 .37730 .92609 .39341 .91948 .40913 .91821 11 .344573 .93859 .36135 .93243 .37757 .92598 .39367 .91925 .40966 .91224 12 .34530 .93849 .36167 .93222 .37811 .92587 .39340 .91914 .40992 .91124 14 .34584 .93829 .36217 .93211 .37832 .92565 .39488 .91891 .41045 .91186 15 .3462 .93389 .36237 .93180 .39190 .329243 .39501 .91894 .41025 .91174 16 .34606 .93789 .36	۱	5	•34339	.03010	-35973	.93306	∙ 37595	.92664	.39207	.91994	.40806	.91295	55
8 3.4421 9.3889 .36054 9.3274 .37676 9.2631 39.287 .91999 .40886 .91260 9 .34475 .93869 .36081 9.3263 .37730 .92609 .39341 .91948 .40913 .91248 .10913 .91248 .30931 .91248 .40943 .91248 .30931 .91248 .9124	١		.34366	.93909 03800	.36000 36027		.37622		39234		.40833		54 53
10	١		.34421	.93889	.36054	.93274	.37676	.92631	.39287	.91959	.40886	.91260	52
11 .34503 .93859 .36135 .93243 .37757 .92598 .39367 .91925 .40966 .91224 .234537 .93834 .36162 .93232 .37784 .92587 .39304 .91914 .40992 .91212 .234557 .93839 .36190 .93222 .37811 .92576 .39421 .91902 .41019 .91200 .41015 .91181 .23576 .39421 .91902 .41015 .91182 .23581 .92576 .39448 .91891 .41045 .91182 .23581 .23576 .39448 .91891 .41045 .91182 .23581 .23576 .39448 .91879 .41045 .91182 .23581 .23576 .39448 .91879 .41045 .91182 .23581 .23	١		.34448	.93879	.36081	.93264	.37703	.92620		.91948		.91248	51 50
14	ı	•											
14	ı			.93859	.36135 .36162		·37757	.92598					49 48
15	١	13	·34557	.93839	36190	.93222	.37811	.92576	.39421	,91902	.41019	.91200	47 46
16	ı			.93829			-37838 -37865	.92565					45
18	1	16	.34639	.93809	.36271	.93190	.37892	.92543	.39501	.91868	.41098	.91164	44
19 34721 93779 36352 93159 37973 92510 39581 91833 41178 91128		17	.34666	.93799	36298	.93180	·37919		·39528	.91856			43 42
20 34748 93769 36379 93148 37999 92499 39608 91822 341204 91116		19	.34721	.93779		.93159	·37973	.92510	.39581	.91833		.91128	41
22 34803 93748 36434 93127 38053 92477 330661 91799 41257 91092 23 34830 93738 35616 93116 33680 92456 339715 91775 41310 91068 25 34884 93718 35615 93095 38134 92444 33741 91764 41337 91068 26 34912 93708 35542 93084 38161 92432 33795 91752 41363 91044 27 34939 93698 36569 93063 38188 92421 33795 91752 41363 91044 28 34966 93688 36596 93063 38215 92410 33982 91729 41416 91020 29 34993 93667 36623 93052 38241 92398 33848 91718 41443 91008 30 35021 93667 36677 36650 93042 38268 92388 339875 91706 41469 90996 31 35048 93657 36677 93031 38295 92377 33902 91683 41522 90972 33 35102 93637 36731 93010 38349 92355 33925 91683 41522 90972 33 35102 93637 36731 93010 38349 92355 33925 91683 41522 90972 33 35184 93605 36788 92998 38430 92332 40008 91648 41602 90936 34 35130 9366 36788 92988 38403 92321 40035 91660 41575 90948 35 35187 93616 36785 92988 38430 92321 40035 91648 41602 90936 36 35184 93506 36812 92978 38430 92321 40035 9163 41628 90934 37 35211 93596 36839 92967 38456 92310 40062 91655 41655 90911 38 35239 93855 36867 92995 38483 92299 40088 91613 41681 90898 40 35293 93555 3694 92945 38510 92267 40115 91610 41767 90887 41 35320 93555 36948 92945 38510 92267 40141 91590 41734 90875 41 35320 93555 36948 92926 38687 92265 40168 91575 41787 90857 41 35340 93554 37092 92852 38644 92221 40025 91531 41866 90866 42 35347 93344 37029 92852 38644 92231 40046 91549 41945 90896 43 35512 93364 37039 92859 38525 92218 40948 91506 41787 90857 41 35360 93534 37095 92853		20		.93769			•37999	.92499	.39608	.91822	.41204	.91116	40
23	ı		-34775				.38026				.41231		39 38
24	ł		.34803		36434		.38053 38080			.91799	.41257		38 37
25 34884 93718 336515 93095 338134 92444 33761 91764 41337 91056 26 34912 93708 36562 93064 33818 92432 339768 91752 41363 91044 27 34939 93698 36566 93063 338215 92410 33982 91729 41416 91020 30 35021 93667 36650 93042 338268 92388 33875 91706 41469 90984 32 35048 93657 36650 93042 338268 92388 33875 91706 41469 90984 32 35075 93647 36704 93020 33822 92366 33928 91683 41522 90972 33 35102 93637 36731 93010 33849 92355 33955 91671 41549 90960 34 35130 93626 36758 92988 33876 92383 33982 91660 41575 99948 35157 93616 36785 92988 33843 92321 40035 91664 41626 90936 35184 93606 36812 92978 38430 92321 40035 91636 41628 90936 35221 93585 36867 92956 33843 92321 40035 91636 41628 90936 35221 93585 36867 92956 33843 92299 40088 91613 41681 90899 39 35356 93575 93565 36921 92958 33851 92287 40115 91610 41787 90887 40 35230 93565 36921 92935 33851 92226 40168 91578 41760 90886 42 35347 93544 336975 92993 38591 92226 40168 91578 41760 90886 42 35347 93544 336975 92938 33851 92226 40168 91578 41760 90863 42 35347 93544 336975 92935 33851 92226 40168 91578 41760 90863 42 35347 93544 37029 92892 33647 92224 40141 91590 41738 90892 42 43 43502 93503 37083 92870 33851 93644 93493 37110 92859 33878 92276 40141 91590 41748 90892 42 35346 93442 37039 92881 33867 92226 40048 91543 41840 90826 42 35440 93443 37110 92859 338725 92198 40935 41840 90826 42 35450 93303 37100 92859 33878 92290 40038 91508 41919 90790 4178 41840 90860 418506 93503 37083 92877 33895 922914 40048 91494 41205 90850 418506 93503 37086 92873 3	ı		.34857	.93738	.36488	.93106	.38107			.91775		.91068	36
28	ı	25	.34884	.93718	.36515	.93095	.38134		-3974I	.91764		.91056	35
28	ı	20 27		.93708	.30542		.38188		.39708	.91752			34 33
30 35021 93667 36650 93042 38268 92388 33875 91706 41469 99096 31 35048 93657 36674 93020 38322 92366 33928 91683 41522 99092 32 35075 93637 36704 93020 38322 92366 33928 91683 41522 99092 33 35102 93637 36731 93010 38349 92355 339955 91671 44549 99096 34 35130 93626 36758 92999 38376 92343 33982 91660 41575 99048 35 35157 93616 36785 92988 38403 92321 40008 91648 41602 99036 36 35184 93606 36812 92978 38430 92321 40035 91650 41575 99048 37 35211 93596 36830 92967 38456 92310 40062 91625 41655 99011 38 35230 93585 36864 92956 38483 92299 40088 91613 41681 90899 39 35266 93575 36894 92945 38510 92287 40115 91601 41707 90887 40 35293 93555 36948 92924 38564 92265 40168 91578 41760 90863 42 35347 93544 336975 92903 33851 92254 40195 91566 41787 90857 43 35375 93534 37002 92902 33851 92243 40222 91555 41813 90839 44 35402 93524 37029 92892 338614 92231 40242 91555 41813 90839 45 35429 93314 37056 92881 338671 92220 40275 91531 41866 90814 46 33546 93503 37083 92870 38698 92204 40255 91598 41919 90802 47 35484 93493 37110 92859 38725 92186 40355 91496 41945 90852 48 35511 93441 37245 92856 33885 92164 40408 91472 41999 90753 51 35592 93452 3718 92856 33885 92164 40408 91472 41999 90752 51 35592 93452 3718 92859 338525 92186 40048 91447 42051 90729 52 33510 93341 37272 92794 33856 92130 40488 91437 42077 90715 52 33510 93341 37272 92794 33856 92130 40648 91437 42077 90715 52 33570 93340 37380 92751 33893 92005 40647 91355 42204 90968 53 35782 93379 37380 92751 338	ı		.34966	.93688	.36596	.93063	.38215	.92410	.39822	.91729	.41416	.91020	32
31	ı		•34993	.93677	36623	.93052	.38241	.92399	.39848	.91718			31 30
32 35075 93647 36704 93020 38322 93666 39928 91683 41522 99072 33 35102 93626 36758 92999 38376 92343 33982 91660 41575 99048 35 35157 93616 36785 92999 38376 92343 33982 91660 41575 99048 35 35157 93616 36785 92988 38430 92332 40008 91648 41602 99936 36 35184 93606 36812 92978 38430 92321 400035 91636 41628 99924 37 35211 93596 36839 92967 38456 92310 40062 91656 41655 99011 38 35239 93585 36867 92956 38483 92299 40088 91613 41681 90899 40 35239 93555 36894 92945 38510 92287 40115 91601 41707 90887 41 35320 93555 36948 92924 38564 92287 40115 91601 41707 90887 42 35347 93544 36975 92913 38531 92256 40168 91578 41760 90863 42 35347 93544 36975 92902 38617 92234 40221 91555 41813 90839 44 35402 93524 37029 92892 38644 92231 40248 91556 41787 90851 45 35456 93593 337083 92870 33875 92220 40301 91519 41890 90824 46 35456 93593 337083 92870 38725 92198 40328 91513 41860 90814 47 35348 93472 37164 92859 338725 92198 40328 91508 41919 90950 48 35511 93483 37137 92849 38752 92175 40381 91496 41945 90766 50 35565 93462 37191 92827 38805 92175 40381 91449 42051 90790 48 35511 93483 37137 92849 38752 92175 40381 91496 41945 90766 50 35567 93452 37218 92816 38832 92152 40434 91461 42024 90771 51 35592 93452 37218 92816 38832 92152 40434 91461 42024 90771 52 35619 93452 37218 92856 33856 92175 40381 91496 41945 90753 51 355701 93410 37272 92794 33805 92175 40384 91496 41945 90753 51 35701 93410 37272 92794 33805 92175 40408 91472 41998 90753 52 35610 93383 37383 92767 3	ı												
33	ı	31	.35075	.93657		.93031		.92377	.39902			.90984	29 28
34	۱	33	.35102	.93637	.36731	.93010	.38349	.92355	·39955	.91671	.41549	.90960	27 26
37 .35211 .93590 .30839 .92907 .338160 .92310 .40062 .91025 .41055 .90911 .38 .32329 .93585 .36894 .92945 .38810 .92287 .40115 .91601 .41707 .90887 .40 .35293 .93565 .36921 .92935 .38537 .92276 .40141 .91590 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .41734 .90875 .41734 .41734 .41734 .90875 .41734 .417	١		.35130	.93626	.36758 36785	.92999	.38376	.92343	.39982 40008				25 25
37 .35211 .93590 .30839 .92907 .338160 .92310 .40062 .91025 .41055 .90911 .38 .32329 .93585 .36894 .92945 .38810 .92287 .40115 .91601 .41707 .90887 .40 .35293 .93565 .36921 .92935 .38537 .92276 .40141 .91590 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .90875 .41734 .41734 .90875 .41734 .41734 .41734 .90875 .41734 .417	ı	36	.35184	.93606	.36812	.92978	38430	.92321	.40035	.91636	.41628	.90924	24
39 35366 93575 336894 92935 338510 92287 40115 91601 41707 99687	١	37			.36839		.38456				.41655		23 22
40 .35293 .93565 .36921 .92935 .38537 .92276 .40141 .91590 .41734 .90875 41 .35320 .93555 .36948 .92924 .38540 .92254 .40168 .91578 .41760 .90863 42 .35347 .93544 .36975 .92913 .38591 .92254 .40105 .91505 .41787 .90851 43 .35375 .93534 .37002 .92902 .38617 .92243 .40221 .91555 .41813 .90839 44 .35402 .93524 .37029 .92892 .38644 .92231 .40248 .91543 .41840 .90826 45 .35429 .93514 .37056 .92851 .38671 .92220 .40275 .91531 .41860 .90814 46 .35349 .93531 .37056 .92851 .38671 .92220 .40275 .91531 .41860 .90814 46 .35456 .93503 .37083 .92870 .38752 .92108 .40328 .91508 .41919 .90826 47 .35348 .93493 .37110 .92859 .38752 .92108 .40325 .91496 .41945 .90778 49 .35531 .93463 .37137 .92849 .38752 .92186 .40325 .91496 .41945 .90778 49 .35538 .93472 .37164 .92838 .38778 .92175 .40381 .91484 .41972 .90765 50 .35505 .93462 .37191 .92827 .38805 .92141 .40461 .91449 .42051 .90753 51 .35592 .93452 .37218 .92816 .38832 .92152 .40434 .91461 .42024 .90741 52 .35674 .93431 .37272 .92794 .33856 .92130 .40488 .91437 .42077 .90717 54 .355728 .93400 .37353 .92762 .38965 .92130 .40488 .91437 .42077 .90719 55 .35701 .93410 .37326 .92773 .38939 .92107 .40514 .91425 .42104 .90704 56 .35728 .93349 .37380 .92751 .38993 .92050 .40647 .91355 .42209 .90655 59 .35810 .93358 .37461 .92718 .39903 .92050 .40647 .91355 .42209 .90655 59 .35810 .93358 .37461 .92718 .39903 .92050 .40674 .91355 .42262 .90631 Cosine Sine Cosine	ı		.35266	-93575	.36894		.38510					.90899	21
42	1	40	-35293	.93565	.36921	-92935	·3 ⁸ 537	.92276	.40141	.91590	-41734	.90875	20
43											.41760	.90863	19 18
44	1		-35347			.92913	.38591				41787	.90851	18
45			.35402	.93524	.37029	.92892	.38644	.92231	.40248		.41840	.90826	17 16
47 .35484 .93493 .37110 .92859 .38725 .92198 .40328 .91508 .41919 .90790 .35538 .93432 .37137 .92849 .38752 .92186 .40355 .91496 .41945 .90778 .4949 .35538 .93472 .37164 .92838 .38778 .92175 .40381 .91484 .41972 .90766 .35565 .93462 .37191 .92827 .38805 .92164 .40468 .91472 .41998 .90753 .51 .35592 .93452 .37218 .92816 .38832 .92152 .40434 .91461 .42024 .90741 .52 .35019 .93441 .37245 .92805 .38859 .92152 .40434 .91461 .42024 .90741 .52 .35019 .93441 .37245 .92805 .33859 .92130 .40488 .91437 .42071 .90729 .53 .35674 .93420 .37239 .92784 .38912 .92119 .40514 .91425 .42104 .42077 .90717 .55 .35701 .93410 .37326 .92763 .38366 .92130 .40488 .91437 .42077 .90704 .55 .35728 .93400 .37353 .92762 .38965 .92085 .40559 .91402 .42156 .90680 .57 .35755 .93389 .37380 .92751 .38993 .92085 .40594 .91399 .42183 .90668 .58 .35782 .93339 .37407 .92740 .39920 .92057 .40647 .91355 .42209 .90658 .59 .35810 .93358 .37461 .92718 .39973 .92050 .40674 .91355 .42209 .90653 .59 .35810 .93358 .37461 .92718 .39973 .92050 .40674 .91355 .42209 .90631 .35837 .93358 .37461 .92718 .39973 .92050 .40674 .91355 .42262 .90631 .42668		45	-35429	.93514	.37056	.92881	.38671		.40275	.91531	.41866	.90814	15
48	ı	47		-93493	.37110	.92859	.38725			.91519	.41919	.90790	14
S0	1		.35511	.93483	.37137	.92849	.38752	.92186	-40355	.9 1496	.41945	.99778	12
51 .35592 .93452 .37218 .92816 .38832 .92152 .30434 .9146: .42024 .90741 52 .35619 .93441 .37245 .92805 .38850 .92141 .40461 .91449 .42051 .90729 53 .35647 .99342 .37299 .92784 .38912 .92130 .40488 .91437 .42077 .90717 54 .35674 .93420 .37299 .92784 .38912 .92119 .40514 .91425 .42104 .90704 55 .35701 .93400 .37323 .92763 .38966 .92096 .40567 .91425 .42104 .90698 57 .35735 .93389 .37380 .92751 .38969 .92096 .40567 .91402 .42153 .90685 58 .35782 .93379 .37407 .92740 .39020 .92073 .40541 .91392 .42209 .90655 59 .35810 .93368 .3			·35538 ·35565	.93472	.37104	.92838	.38778						11
52 .35619 .93441 .37245 .92805 .38859 .92141 .40461 .91449 .42051 .90729 53 .35647 .93431 .37272 .92794 .38865 .92130 .40488 .91437 .42077 .90717 54 .35674 .93420 .37329 .92784 .38912 .92119 .40514 .91425 .42104 .90704 55 .35728 .93400 .37353 .92762 .38966 .92096 .40567 .91424 .42130 .90680 57 .35755 .93389 .37380 .92751 .38903 .92085 .40594 .91390 .42183 .90668 58 .35782 .93379 .37407 .92740 .39020 .92073 .40521 .91395 .42209 .90655 59 .35810 .93368 .37434 .92729 .39046 .90621 .40647 .91356 .42235 .90643 60 .35837 .93358 .3					1		i						
53 .35674 .93431 .37272 .92794 .33896 .92130 .40488 .91437 .42077 .90717 54 .35674 .93420 .37299 .92784 .38912 .92119 .40514 .91425 .42104 .90704 55 .35701 .93410 .37326 .92773 .38939 .92107 .40541 .91414 .42130 .90692 56 .35728 .93389 .37380 .92751 .38993 .92085 .40567 .91402 .42163 .90668 58 .35782 .93379 .37407 .92740 .39020 .92073 .40621 .91375 .42209 .90668 59 .35810 .93358 .37434 .92729 .39046 .92052 .40647 .91366 .42235 .90643 60 .35837 .93358 .37461 .92718 .39073 .92050 .40674 .91355 .42262 .90631					.37218 .37245		.38850		.40434		.42024		9 8
55 35701 93410 37326 992773 33939 92107 4.0541 4.1130 99699 4.0557 91414 4.2130 99699 55 35728 99340 37338 92762 38966 92996 4.0567 91402 4.2156 99680 57 35755 93389 37380 92751 38993 92085 4.0594 91390 4.2183 99668 58 35782 993379 37407 92740 339020 92073 4.0621 91378 4.2299 99655 59 35810 99358 37461 92718 339073 92050 4.0674 91355 4.2262 990631 4.0674 91355 4.2262 990631 4.0674 91355 4.0674 9135		53	.35647	.93431	.37272	.92794	.33386	.92130	.40488	.91437	.42077	.90717	7 6
56 35728 93400 37353 92762 38966 92096 4,0567 91402 4,2156 99080 57 35755 93389 37380 92751 38993 92085 40594 91390 42183 90668 58 35782 993379 37407 92740 339020 92073 4,0621 91378 42209 90655 90668 35810 93368 37434 92729 339046 92062 4,0647 91366 4,2235 990643 60 35837 93358 37461 92718 339073 92050 4,0674 91355 4,2262 90631 90668 9066					·37299							.90704	
57	ļ	56	.35728	.93400	-37353	.92762	.38966	.92096	.40567	.91402	.42156	.90680	5 4 3 2
59		57 58	·35755		.37380					.91390			3
60 .35837 .93358 .37461 .92718 .39073 .92050 .40674 .91355 .42262 .90631 Cosine Sine Cosine Sine Cosine Sine Cosine Sine Cosine Sine	1	59	.35810	.93368	-37434	.92729	.39046	.92062	.40647	.91366	.42235	.90643	1
		60	-35837	.93358	.37461	.92718	-39073			.91355	.42262	.90631	0
			Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	,
69° 68° 67° 66° 65°			6	9°	68	8°	6	7°	60	5°.	6	5°	'

,	25	0	26	;°	27	,0	28	30	29	o°	,
	Sine	Cosine									
0 1 2 3 4 5 6 7 8	.42262 .42288 .42315 .42341 .42367 .42394 .42420 .42446	.90631 .90618 .90606 .90594 .90582 .90569 .90557 .90545	.43837 .43863 .43889 .43916 .43942 .43968 .43994 .44020 .44046	.89879 .89867 .89854 .89841 .89828 .89816 .89803 .89790	.45399 .45425 .45451 .45477 .45503 .45529 .45554 .45580	.89101 .89087 .89074 .89061 .89048 .89035 .89021 .89008	.46947 .46973 .46999 .47024 .47050 .47076 .47101 .47127 .47153	.88295 .88281 .88267 .88254 .83240 .88226 .88213 .88199	.48481 .48506 .48532 .48557 .48583 .48608 .48634 .48659	.87462 .87448 .87434 .87420 .87406 .87391 .87377 .87363 .87349	60 59 58 57 56 55 54 53 52
9 10	.42499 .42525	.90520 .90507	.44072 .44098	.89764 .89752	.45632 .45658	.88981	.47178	.88172 .88158	.48710 .48735	.87335 .87321	51 50
11 12 13 14 15 16 17 18 19 20	.42552 .42578 .42604 .42631 .42657 .42683 .42709 .42736 .42762 .42788	.90495 .90483 .90470 .90458 .90446 .90433 .90421 .90408 .90396 .90383	.44124 .44151 .44177 .44203 .44229 .44255 .44281 .44307 .44333 .44359	.89739 .89726 .89713 .89700 .89687 .89674 .89662 .89649 .89636	.45684 .45710 .45736 .45762 .45787 .45813 .45839 .45865 .45891	.88955 .88942 .88928 .88915 .88902 .88888 .88875 .88862 .88848	.47229 .47255 .47281 .47306 .47332 .47358 .47383 .47409 .47434 .47460	.88144 .88130 .88117 .88103 .88089 .88075 .88062 .88048 .88034	.48761 .48786 .48811 .48837 .48862 .48888 .48913 .48938 .48964 .48989	.87306 .87292 .87278 .87264 .87250 .87235 .87221 .87207 .87193 .87178	49 48 47 46 45 44 43 42 41 40
21 22 23 24 25 26 27 28 29 30	.42815 .42841 .42867 .42894 .42920 .42946 .42972 .42999 .43025 .43051	.90371 .90358 .90346 .90334 .90321 .90309 .90296 .90284 .90271	.44385 .44411 .44437 .44464 .44490 .44516 .44542 .44568 .44594 .44620	.89610 .89597 .89584 .89571 .89558 .89545 .89532 .89519 .89506 .89493	.45942 .45968 .45994 .46040 .46046 .46072 .46097 .46123 .46149	.88822 .88808 .88795 .88782 .88768 .88755 .88741 .88728 .88715	.47486 .47511 .47537 .47562 .47588 .47614 .47639 .47665 .47690	.88006 .87993 .87979 .87965 .87951 .87937 .87923 .87909 .87896 .87882	.49014 .49040 .49065 .49090 .49116 .49141 .49166 .49192 .49217	.87164 .87150 .87136 .87121 .87107 .87093 .87079 .87064 .87050 .87036	39 38 37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.43077 .43104 .43130 .43156 .43182 .43209 .43235 .43261 .43287 .43313	.90246 .90233 .90221 .90208 .90196 .90183 .90171 .90158 .90146	.44646 .44672 .44698 .44724 .44750 .44776 .44802 .44828 .44854	.89480 .89467 .89454 .89441 .89428 .89415 .89402 .89389 .89376 .89363	.46201 .46226 .46252 .46278 .46304 .46330 .46355 .46381 .46407	.88688 .88674 .88661 .88647 .88634 .88620 .88607 .88593 .88580 .88566	.47741 .47767 .47793 .47818 .47844 .47869 .47895 .47920 .47946	.87868 .87854 .87840 .87826 .87812 .87798 .87784 .87770 .87756 .87743	.49268 .49293 .49318 .49344 .49369 .49394 .49419 .49445 .49470 .49495	.87021 .87007 .86993 .86978 .86964 .86949 .86935 .86921 .86906 .86892	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.43340 .43366 .43392 .43418 .43445 .43471 .43497 .43523 .43549 .43575	.90120 .90108 .90095 .90082 .90070 .90057 .90045 .90032 .90019	.44906 .44932 .44958 .44984 .45010 .45036 .45062 .45088 .45114	.89350 .89337 .89324 .89311 .89298 .89285 .89272 .89259 .89245 .89232	.46458 .46484 .46510 .46536 .46561 .46587 .46613 .46639 .46664	.88553 .88539 .88526 .88512 .88499 .88485 .88472 .88458 .88445 .88431	.47997 .48022 .48048 .48073 .48099 .48124 .48150 .48175 .48201	.87729 .87715 .87701 .87687 .87673 .87659 .87645 .87631 .87617	.49521 .49546 .49571 .49596 49622 .49647 .49672 .49697 .49723 .49748	.86878 .86863 .86849 .86834 .86820 .86805 .86791 .86777 .86762 .86748	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.43602 .43628 .43654 .43680 .43706 .43733 .43759 .43785 .43811 .43837	.89994 .89981 .89968 .89956 .89943 .89930 .89918 .89905 .89892 .89879	.45166 .45192 .45218 .45243 .45269 .45295 .45321 .45347 .45373 .45399	.89219 .89206 .89193 .89180 .89167 .89153 .89140 .89127 .89114	.46716 .46742 .46767 .46793 .46819 .46844 .46870 .46896 .46921 .46947	.88417 .88404 .88390 .88377 .88363 .88349 .88336 .88322 .88308 .88295	.48252 .48277 .48303 .48328 .48354 .48379 .48405 .48430 .48456 .48481	.87589 .87575 .87561 .87546 .87532 .87518 .87504 .87490 .87476 .87462	.49773 .49798 .49824 .49849 .49874 .49899 .49924 .49950 .49975 .50000	.86733 .86719 .86704 .86690 .86675 .86661 .86646 .86632 .86617 .86603	98 76 5 4 3 2 1 0
′	Cosine 6	Sine	Cosine 6	Sine	Cosine 6:	Sine	Cosine 6	Sine	Cosine 6	Sine O°	/

1	,	3	o°	3	ı°	3:	2°	3:	3°	3	4°	,
ı		Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
	0 I 2 3 4	.50000 .50025 .50050 .50076 .50101	.86603 .86588 .86573 .86559	.51504 .51529 .51554 .51579 .51604	.85717 .85702 .85687 .85672 .85657	.52992 .53017 .53041 .53066 .53091	.84805 .84789 .84774 .84759 .84743	.54464 .54488 .54513 .54537 .54561	.83867 .83851 .83835 .83819 .83804	.55919 .55943 .55968 .55992 .56016	.82904 .82887 .82871 .82855 .82839	60 59 58 57 56
	5 6 7 8 9	.50126 .50151 .50176 .50201 .50227 .50252	.86530 .86515 .86501 .86486 .86471	.51628 .51653 .51678 .51703 .51728 .51753	.85642 .85627 .85612 .85597 .85582 .85567	.53115 .53140 .53164 .53189 .53214 .53238	.84728 .84712 .84697 .84681 .84666 .84650	.54586 .54610 .54635 .54659 .54683 .54708	.83788 .83772 .83756 .83740 .83724 .83708	.56040 .56064 .56088 .56112 .56136	.82822 .82806 .82790 .82773 .82757 .82741	55 54 53 52 51 50
	11 12 13 14 15 16 17 18	.50277 .50302 .50327 .50352 .50377 .50403 .50428 .50453	.86442 .86427 .86413 .86398 .86384 .86369 .86354 .86340 .86325	.51778 .51803 .51828 .51852 .51877 .51902 .51927 .51952 .51977	.85551 .85536 .85521 .85506 .85491 .85476 .85461	.53263 .53288 .53312 .53337 .53361 .53386 .53411 .53435	.84635 .84619 .84604 .84588 .84573 .84557 .84542 .84526 .84511	.54732 .54756 .54781 .54805 .54829 .54854 .54878 .54902 .54927	.83692 .83676 .83660 .83645 .83629 .83613 .83597 .83581	:56184 .56208 .56232 .56256 .56280 .56305 .56329 .56353	.82724 .82708 .82692 .82675 .82659 .82643 .82626 .82610 .82598	49 48 47 46 45 44 43 42 41
	20 21 22 23 24 25 26 27 28 29 30	.50528 .50528 .50553 .50578 .50603 .50628 .50654 .50679 .50704 .50729	.86295 .86281 .86266 .86251 .86237 .86222 .86207 .86192 .86178	.52026 .52026 .52051 .52076 .52101 .52126 .52151 .52175 .52200 .52225 .52250	.85401 .85385 .85370 .85355 .85340 .85325 .85310 .85294 .85279	.53484 .5359 .53534 .53558 .5363 .53632 .53656 .53681 .53705 .53730	.84495 .84480 .84464 .84448 .84433 .84417 .84402 .84386 .84370 .84355 .84339	.54951 .54975 .54999 .55024 .55048 .55072 .55097 .55121 .55145 .55169	.83549 .83533 .83517 .83501 .83485 .83469 .83453 .83421 .83405 .83389	.56425 .56449 .56473 .56497 .56521 .56545 .56569 .56593 .56617	.82577 .82561 .82544 .82528 .82511 .82495 .82478 .82462 .82446 .82429 .82413	39 38 37 36 35 34 33 32 31 30
	31 32 33 34 35 36 37 38 39	.50779 .50804 .50829 .50854 .50879 .50904 .50929 .50954 .50979	.86148 .86133 .86119 .86104 .86089 .86074 .86059 .86045 .86030	•52275 •52299 •52324 •52374 •52374 •52399 •52423 •52448 •52473 •52498	.85249 .85234 .85218 .85203 .85188 .85173 .85157 .85142 .85127	•53754 •53779 •53804 •53828 •53853 •53877 •53902 •53926 •53951 •53975	.84324 .84308 .84292 .84277 .84261 .84245 .84230 .84214 .84198	•55218 •55242 •55266 •55291 •55315 •55339 •55363 •55388 •55412 •55436	.83373 .83356 .83340 .83324 .83308 .83292 .83276 .83260 .83244 .83228	.56665 .56689 .56713 .56736 .56760 .56784 .56808 .56832 .56836 .56880	.82396 .82380 .82363 .82347 .82330 .82314 .82297 .82281 .82264 .82248	29 28 27 26 25 24 23 22 21 20
	41 42 43 44 45 46 47 48 49 50	.51029 .51054 .51079 .51104 .51129 .51154 .51179 .51204 .51229 .51254	.86000 .85985 .85970 .85956 .85941 .85926 .85911 .85896 .85881 .85866	.52522 .52547 .52572 .52597 .52621 .52646 .52671 .52696 .52720 .52745	.85096 .85081 .85066 .85051 .85035 .85020 .85005 .84989 .84974	.54000 .54024 .54049 .54073 .54097 .54122 .54146 .54171 .54195 .54220	.84167 .84151 .84135 .84120 .84104 .84088 .84072 .84057 .84041 .84025	.55460 .55484 .55509 .55533 .55557 .55581 .55605 .55630 .55654 .55678	.83212 .83195 .83179 .83163 .83147 .83131 .83115 .83098 .83082 .83066	.56904 .56928 .56952 .56976 .57000 .57024 .57047 .57071 .57095 .57119	.82231 .82214 .82198 .82181 .82165 .82148 .82132 .82115 .82098 .82082	19 18 17 16 15 14 13 12 11
	51 52 53 54 55 56 57 58 59	.51279 .51304 .51329 .51354 .51379 .51404 .51429 .51454 .51479 .51504	.85851 .85836 .85821 .85806 .85792 .85777 .85762 .85747 .85732 .85717	.52770 .52794 .52819 .52844 .52869 .52893 .52918 .52943 .52967 .52992	.84943 .84928 .84913 .84897 .84882 .84866 .84851 .84836 .84820 .84820	.54244 .54269 .54293 .54317 .54342 .54366 .54391 .54415 .54440	.84009 .83994 .83978 .83962 .83946 .83930 .83915 .83899 .83883 .83867	.55702 .55726 .55750 .55775 .55799 .55823 .55847 .55871 .55895 .55919	.83050 .83034 .83017 .83001 .82985 .82969 .82953 .82936 .82920 .82904	.57143 .57167 .57191 .57215 .57238 .57262 .57286 .57310 .57334 .57358	.82065 .82048 .82032 .82015 .81999 .81982 .81965 .81949 .81932 .81915	9 7 6 5 4 3 2 1
	,	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	,
		59)	58	30	57	, 0	50)°	55	5	

,	35	, 0	36	5°	32	70	38	30	39	o°	,
.	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0 1 2	.57358 .57381 .57405	.81915 .81899 .81882	.58779 .58802 .58826	.80902 .80885 .80867	.60182 .60205	.79864 .79846 .79829	.61566 .61589	.78801 .78783 .78765	.62932 .62955 .62977	.77715 .77696 .77678	60 59 58
3	.57429 .57453	.81865 .81848	.58849 .58873	.80850 .80833	.60251 .60274	.79811 .79793	.61635 .61658	.78747 .78729	.63000 .63022	.77660 .77641	57 56
5 6	•57477 •57501	.81832 .81815	.58896 .58920	.80816 .80799	.60298	.79776 .79758	.61681 .61704	.78711 .78694	.63045	.77623 .77605	55 54
7 8	.57524 .57548	.81798 .81782 .81765	.58943 .58967	.80782 .80765	.60344	.79741 .79723 .79706	.61726 .61749	.78676 .78658	.63090	.77586 .77568	53 52
9 10	•57572 •57596	.81765	.58990 .59014	.80748 .80730	.60390 .60414	.79700	.61772 .61795	.78640 .78622	.63135	.77550 .77531	51 50
11 12	.57619 .57643	.81731	.59037 .59061	.80713 .80696	.60437 .60460	.79671 .79653	.61818 .61841	.78604 .78586	.63180 .63203	.77513 .77494	49 48
13 14	.57667 .57691	.81714 .81698 .81681	.59084 .59108	.80679 .80662	.60483 .60506	.79635 .79618	.61864	.78568 .78550	.63225 .63248	.77476 .77458	47 46
15 16	.57715 .57738	.81664 .81647	.59131 .59154	.80644 .80627	.60529 .60553	.79600 .79583	.61909 .61932	.78532 .78514	.63271 .63293	-77439 -77421	45 44
17	.57762 .57786 .57810	.81631 .81614	.59178	.80610 .80593	.60576	.79565	.61955	-78406	.63316	.77402 .77384	43
19	.57810 .57833	.81597 .81580	.59225	.80576 .80558	.60622	.79547 .79530 .79512	.62001 .62024	.78478 .78460 .78442	.63383	.77366 .77347	42 41 40
21		.81563	.59272	.80555	.60668	.79512	.62046	.78424	.63406	•77347 •77329	39
22 23	.57857 .57881 .57904	.81546 .81530	-59295 -59318	.80524 .80507	.60691	.79477 .79459	.62069	.78405 .78387	.63428	.77310 .77292	38 37
24	.57928	81513	-59342	80489	.60738	.79441	.62115	.78369	.63473	. 77273	36
25 26	.57952 .57976	.81496	.59365 .59389	.80472	.60761	.79424 .79406	.62138	.78351 .78333 .78315	.63496 .63518	-77255 -77236	35 34
27 28	.57999 .58023	.81462 .81445	.59412 .59436	.80438 .80420	.60807	.79388 .79371	.62183	.78297	.63540	.77218 .77199	33 32
29 30	.58047 .58070	.81428 .81412	•59459 •5948 2	.80403 .80386	.60853 .60876	·79353 ·79335	.62229 .62251	.78279 .78261	.63585 .63608	.77181 .77162	31 30
31 32	.58094 .58118	.81395 .81378	.59506 -59529	.80368 .80351	.60899 .60922	.79318 .79300	.62274 .62297	.78243 .78225	.63630 .63653	.77144 .77125	29 28
33 34	.58141 .58165	.81361 .81344	.59552 .59576	.80334 .80316	.60945	.79282 .79264	.62320	.78206 .78188	.63675	.77107 .77088	27 26
35 36	.58189 .58212	.81327 .81310	•59599 •59622	.80299 .80282	.60991	.79247	.62365 .62388	.78170 .78152	.63720 .63742	.77070 .77051	25 24
37 38	.58236 .58260	.8129 3 .81276	.59646 .59669	.80264 .80247	.61038 .61061	.79211 .79193	.62411	.78134 .78116	.63765 .63787	.77033 .77014	23 22
39 40	.58283 .58307	.81259 .81242	.59693 .59716	.80230 .80212	.61084	.79176 .79158	.62456 .62479	.78098 .78079	.63810 .63832	.76996 .76977	2I 20
4I 42	.58330	.81225 .81208	•59739	.80195 .80178	.61130	.79140	.62502 .62524	.78061 .78043	.63854 .63877	.76959	19
43	.58354 .58378	.81191	.59763 .59786 .59809	.80160	.61153	.79122	.62547	.78025	.63899	.76940 .76921	17 16
44 45	.58401 .58425	.81174	.59832	.80143 .80125	.61199	.79087 .79069	.62570 .62592	.78007 .77988	.63922	.76903 .76884	15
46 47	.58449 .58472	.81140 .81123	.59856 .59879	.80108 .80091	.61245	.79051 .79033	.62615 .62638	.77970 .77952	.63966 .63989	.76866 .76847	14
48 49	.58496 .58519	.81106 .81089	.59902 .59926	.80073 .80056	.61291 .61314	.79016 .78998	.62660 .62683	.77934 .77916	.64011	.76828 .76810	12 11
50	38543	.81072	•59949	.80038	.61337	.78980	.62706	.77897	.64056	.76791	10
51 52	.58567 .58590	.81055 .81038	.59972 .59995	.80021 .80003	.61360	.78962 .78944	.62728	.77879 .77861	.64078	.76772 .76754	9 8
53 54	.58614 .58637	.81021 .81004	.60019	.79986 .79968	.61406 .61429	.78926 .78908	.62774	.77843 .77824	.64123	.76735 .76717	7
55 56	.58684	.80987 .80970	.60065 .60089	.79951 .79934	.61451 .61474	.78891 .78873	.62819 .62842	.77806 .77788	.64167 .64190	.76698 .76679	5 4
57 58	.58708 .58731	.80953 .80936	.60112	.79916	.61497 .61520	.78855 .78837	.62864 .62887	.77769 .77751	.64212	.76661 .76642	3 2
59 6 0	.58731 .58755 .58779	.80919 .80902	.60158 .60182	.79881 .79864	.61543 .61566	.78819 .78801	.62909 .62932	.77733 .77715	.64256 .64279	.76623 .76604	I 0
1,	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	
Ĺ	54	1°	53	3°	5:	2°	5	ı°	5	0°	

,	40	0	41	0	42	20	43	3°	44	4°	,
	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	Sine	Cosine	
0 1 2 3 4 5 6 7 8	.64279 .64301 .64323 .64326 .64368 .64390 .64412 .64457 .64457	.76604 .76586 .76567 .76548 .76530 .76511 .76492 .76473 .76455 .76436	.65606 .65628 .65650 .65672 .65694 .65716 .65738 .65759 .65781	.75471 .75452 .75433 .75414 .75395 .75375 .75356 .75337 .75318	.66913 .66935 .66956 .66978 .66999 .67021 .67043 .67086 .67086	.74314 .74295 .74276 .74256 .74237 .74217 .74198 .74178 .74159 .74139	.68200 .68221 .68242 .68264 .68285 .68306 .68327 .68349 .68370	.73135 .73116 .73096 .73076 .73056 .73036 .73016 .72996 .72976	.69466 .69487 .69508 .69529 .69549 .69570 .69591 .69633 .69654	.71934 .71914 .71894 .71873 .71873 .71833 .71813 .71792 .71772 .71772	60 59 58 57 56 55 54 53 52 51
10 11 12 13 14 15 16 17 18	.64501 .64524 .64546 .64568 .64590 .64612 .64635 .64657 .64679	.76417 .76398 .76380 .76361 .76342 .76323 .76304 .76286 .76267	.65825 .65847 .65869 .65891 .65913 .65935 .65956	.75280 .75261 .75241 .75222 .75203 .75184 .75165 .75146 .75126	.67129 .67151 .67172 .67194 .67215 .67237 .67258 .67280	.74120 .74100 .74080 .74061 .74041 .74022 .74002 .73983 .73963	.68412 .68434 .68455 .68476 .68497 .68518 .68539 .68561	.72937 .72937 .72937 .72897 .72857 .72857 .72817 .72797 .72797	.69675 .69696 .69717 .69737 .69758 .69779 .69800 .69821	.71732 .71711 .71691 .71671 .71650 .71630 .71610 .71590	49 48 47 46 45 44 43 42
19 20 21 22 23 24 25 26 27 28 29 30	.64701 .64723 .64746 .64768 .64790 .64812 .64834 .64856 .64878 .64901 .64923	.76248 .76229 .76210 .76192 .76173 .76154 .76135 .76116 .76078 .76059 .76041	.66022 .66044 .66068 .66088 .66109 .66131 .66153 .66175 .66197 .66218	.75107 .75088 .75069 .75050 .75030 .75011 .74992 .74973 .74953 .74934 .74915 .74896	.67323 .67344 .67366 .67387 .67409 .67430 .67452 .67473 .67495 .67516 .67538	.73944 .73924 .73924 .73885 .73865 .73846 .73826 .73806 .73787 .73767 .73747 .73728	.68603 .68624 .68645 .68666 .68688 .68709 .68730 .68751 .68772 .68793 .68814	.72757 .72737 .72717 .72697 .72677 .72657 .72637 .72617 .72597 .72557 .72537	.69_62 .69883 .69904 .69925 .69946 .69966 .69987 .70008 .70029 .70049 .70070	.71549 .71529 .71508 .71488 .71468 .71447 .71427 .71407 .71386 .71366 .71345 .71325	39 38 37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.64967 .64989 .65011 .65033 .65055 .65077 .65100 .65122 .65144	.76022 .76003 .75984 .75965 .75946 .75927 .75908 .75889 .75870 .75851	.66284 .66306 .66327 .66349 .66371 .66393 .66414 .66436 .66458	.74876 .74857 .74838 .74818 .74799 .74780 .74760 .74741 .74722 .74703	.67580 .67602 .67623 .67645 .67666 .67688 .67709 .67730 .67752	.73708 .73688 .73689 .73649 .73629 .73610 .73590 .73570 .73551 .73531	.68857 .68878 .68899 .68920 .68941 .68962 .68983 .69004 .69025	.72517 .72497 .72477 .72457 .72437 .72417 .72397 .72377 .72357 .72337	.70112 .70132 .70153 .70174 .70195 .70215 .70236 .70257 .70277 .70298	.71305 .71284 .71264 .71243 .71223 .71203 .71182 .71162 .71141 .71121	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.65188 .65210 .65232 .65254 .65276 .65298 .65320 .65342 .65364	.75832 .75813 .75794 .75775 .75756 .75738 .75719 .75700 .75680	.66501 .66523 .66545 .66566 .66588 .66610 .66632 .66653 .66675	.74683 .74664 .74644 .74625 .74606 .74586 .74567 .74548 .74528	.67795 .67816 .67837 .67859 .67880 .67901 .67923 .67944 .67965 .67987	.73511 -73491 -73472 -73452 -73432 -73413 -73393 -73373 -73353 -73333	.69067 .69088 .69109 .69130 .69151 .69172 .69193 .69214 .69235 .69256	.72317 .72297 .72277 .72257 .72236 .72216 .72196 .72176 .72156 .72136	.70319 .70339 .70360 .70381 .70401 .70422 .70443 .70463 .70484 .70505	.71100 .71080 .71059 .71039 .71019 .70998 .70978 .70957 .70937 .70916	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.65408 .65430 .65452 .65474 .65496 .65518 .65540 .65562 .65584	.75642 .75623 .75604 .75585 .75566 .75547 .75528 .75509 .75490	.66718 .66740 .66762 .66783 .66805 .66827 .66848 .66870 .66891	.74489 .74470 .74451 .74431 .74412 .74392 .74373 .74353 .74354 .74314	.68008 .68029 .68051 .68072 .68093 .68115 .68136 .68157 .68179	.73314 .73294 .73274 .73254 .73234 .73215 .73195 .73175 .73155 .73135	.69277 .69298 .69319 .69340 .69361 .69382 .69403 .69424 .69445	.72116 .72095 .72075 .72055 .72035 .72015 .71995 .71974 .71954 .71934	.70525 .70546 .70567 .70587 .70608 .70628 .70649 .70670 .70690	.70896 .70875 .70855 .70834 .70813 .707793 .70772 .70752 .70731 .70711	9 7 6 5 4 3 2 1
′	Cosine 49	Sine	Cosine 4	Sine 80	Cosine 4	Sine	Cosine 40	Sine 50	Cosine 4.	Sine 5°	,

NATURAL TANGENTS AND COTANGENTS

,	0	0	I	0	2	0	3	0	4	1°	,
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0 1 2 3 4 5 6 7 8 9	.00000 .00029 .00058 .00087 .00116 .00145 .00175 .00204 .00233 .00262	Infinite 3437-75 1718.87 1145.92 859.436 687.549 572.957 491.106 429.718 381.971 343-774	.01746 .01775 .01804 .01833 .01862 .01891 .01920 .01949 .01978 .02007	57.2900 56.3506 55.4415 54.5613 53.7086 52.8821 52.0807 51.3032 50.5485 49.8157 49.1039	.03492 .03521 .03550 .03579 .03609 .03638 .03667 .03696 .03725 .03754	28.6363 28.3994 28.1664 27.9372 27.7117 27.4899 27.2715 27.0566 26.8450 26.6367 26.4316	.05241 .05270 .05299 .05328 .05357 .05387 .05416 .05445 .05474 .05503	19.0811 18.9755 18.8711 18.7678 18.6656 18.5645 18.4645 18.3655 18.2677 18.1708 18.0750	.06993 .07022 .07051 .07080 .07110 .07139 .07168 .07197 .07227 .07256	14.3007 14.2411 14.1821 14.1235 14.0655 14.0079 13.9507 13.8940 13.8378 13.7821 13.7267	60 59 58 57 56 55 54 53 52 51 50
11 12 13 14 15 16 17 18 19	.00320 .00349 .00378 .00407 .00436 .00465 .00495 .00524 .00553 .00582	312.521 286.478 264.441 245.552 229.182 214.858 202.219 190.984 180.932 171.885	.02066 .02095 .02124 .02153 .02182 .02211 .02240 .02269 .02298 .02328	48.4121 47.7395 47.0853 46.4489 45.8294 45.2261 44.6386 44.0661 43.5081 42.9641	.03812 .03842 .03871 .03900 .03929 .03958 .03987 .04016 .04046	26.2296 26.0307 25.8348 25.6418 25.4517 25.2644 25.0798 24.8978 24.7185 24.5418	.05562 .05591 .05620 .05649 .05678 .05708 .05737 .05766 .05795	17.9802 17.8863 17.7934 17.7015 17.6106 17.5205 17.4314 17.3432 17.2558 17.1693	.07314 .07344 .07373 .07402 .07431 .07461 .07490 .07519 .07548	13.6719 13.6174 13.5634 13.5098 13.4566 13.4039 13.3515 13.2996 13.2480 13.1969	49 48 47 46 45 44 43 42 41
21 22 23 24 25 26 27 28 29 30	.00611 .00640 .00669 .00698 .00727 .c0756 .00785 .00815 .00844	163.700 156.259 149.465 143.237 137.507 132.219 127.321 122.774 118.540 114.589	.02357 .02386 .02415 .02444 .02473 .02502 .02531 .02560 .02589 .02(19	42.4335 41.9158 41.4106 40.9174 40.4358 39.9655 39.5059 39.0568 38.6177 38.1885	.04104 .04133 .04162 .04191 .04220 .04250 .04279 .04308 .04337	24.3675 24.1957 24.0263 23.8593 23.6945 23.5321 23.3718 23.2137 23.0577 22.9038	.05854 .05883 .05912 .05941 .05970 .05999 .06029 .06058 .06087	17.0837 16.9990 16.9150 16.8319 16.7496 16.6681 16.5874 16.5075 16.4283 16.3499	.07607 .07636 .07665 .07695 .07724 .07753 .07782 .07812 .07841	13.1461 13.0958 13.0458 12.9962 12.9469 12.8981 12.8496 12.8014 12.7536 12.7062	39 38 37 36 35 34 33 32 31
31 32 33 34 35 36 37 38 39 40	.00902 .00931 .00960 .00989 .01018 .01047 .01076 .01105 .01135	110.892 107.426 104.171 101.107 98.2179 95.4895 92.9085 90.4633 88.1436 85.9398	.02648 .02677 .02706 .02735 .02764 .02793 .02822 .02851 .02881	37.7686 37.3579 36.9560 36.5627 36.1776 35.8006 35.4313 35.0695 34.7151 34.3678	.04395 .04424 .04454 .04483 .04512 .04541 .04570 .04599 .04628 .04658	22.7519 22.6020 22.4541 22.3081 22.1640 22.0217 21.8813 21.7426 21.6056 21.4704	.06145 .06175 .06204 .06233 .06262 .06291 .06321 .06350 .06379	16.2722 16.1952 16.1190 16.0435 15.9687 15.8945 15.8211 15.7483 15.6762 15.6048	.07899 .07929 .07958 .07987 .08017 .08046 .08075 .08104 .08134	12.6591 12.6124 12.5660 12.5199 12.4742 12.4288 12.3838 12.3390 12.2946 12.2505	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.01193 .01222 .01251 .01280 .01309 .01338 .01367 .01396 .01425	83.8435 81.8470 79.9434 78.1263 76.3900 74.7292 73.1390 71.6151 70.1533 68.7501	.02939 .02968 .02997 .03026 .03055 .03084 .03114 .03143 .03172	34.0273 33.6935 33.3662 33.0452 32.7303 32.4213 32.1181 31.8205 31.5284 31.2416	.04687 .04716 .04745 .04745 .04774 .04803 .04833 .04862 .04891 .04920	21.3369 21.2049 21.0747 20.9460 20.8188 20.6932 20.5691 20.4465 20.3253 20.2056	.06437 .06467 .06496 .06525 .06554 .06584 .06613 .06642 .06671	15.5340 15.4638 15.3943 15.3254 15.2571 15.1893 15.1222 15.0557 14.9898	.08192 .08221 .08251 .08280 .08309 .08339 .08368 .08397 .08427	12,2067 12,1632 12,1201 12,0772 12,0346 11,9923 11,9504 11,9087 11,8673 11,8262	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.01484 .01513 .01542 .01571 .01600 .01629 .01658 .01687 .01716	67.4019 66.1055 64.8580 63.6567 62.4992 61.3829 60.3058 59.2659 58.2612 57.2900	.03230 .03259 .03288 .03317 .03346 .03376 .03405 .03492	30.9599 30.6833 30.4116 30.1446 29.8823 29.6245 29.3711 29.1220 28.8771 28.6363	.04978 .05007 .05037 .05066 .05095 .05124 .05153 .05182 .05212	20.0872 19.9702 19.8546 19.7403 19.6273 19.5156 19.4051 19.2959 19.1879 19.0811	.06730 .06759 .06788 .06817 .06847 .06876 .06905 .06903 .06963 .06993	14.8596 14.7954 14.7317 14.6685 14.6059 14.5438 14.4823 14.4212 14.3607	.08485 .08514 .08544 .08573 .08602 .08632 .08661 .08690 .08720	11.7853 11.7448 11.7045 11.6645 11.6248 11.5853 11.5461 11.5072 11.4301	9 8 7 6 5 4 3 2
′	Cotang 80	Tang	Cotang 88	Tang	Cotang 87	Tang	Cotang 86	Tang	Cotang 8	Tang	,

NATURAL TANGENTS AND COTANGENTS

,	5	0	6	0	7	0	8	0	G	,°	,
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0 I 2 3 4	.08749 .08778 .08807 .08837 .08866	11.4301 11.3919 11.3540 11.3163 11.2789	.10510 .10540 .10569 .10599 .10628	9.51436 9.48781 9.46141 9.43515 9.40904	.12278 .12308 .12338 .12367 .12397	8.14435 8.12481 8.10536 8.08600 8.06674	.14054 .14084 .14113 .14143	7.11537 7.10038 7.08546 7.07059 7.05579	.15838 .15868 .15898 .15928	6.31375 6.30189 6.29007 6.27829 6.26655	60 59 58 57 56
5 6 7 8 9	.08895 .08925 .08954 .08983 .09013	11.2417 11.2048 11.1681 11.1316 11.0954	.10657 .10687 .10716 .10746 .10775 .10805	9.38307 9.35724 9.33155 9.30599 9.28058	.12426 .12456 .12485 .12515 .12544	8.04756 8.02848 8.00948 7.99058 7.97176 7.95302	.14202 .14232 .14262 .14291 .14321	7.04105 7.02637 7.01174 6.99718 6.98268 6.96823	.15988 .16017 .16047 .16077 .16107	6.25486 6.24321 6.23160 6.22003 6.20851	55 54 53 52 51
11 12 13 14 15	.09071 .09101 .09130 .09159 .09189	11.0594 11.0237 10.9882 10.9529 10.9178 10.8829 10.8483 10.8139	.10834 .10863 .10893 .10922 .10952 .10981	9.25530 9.23016 9.20516 9.18028 9.15554 9.13093 9.10646 9.08211	.12574 .12603 .12633 .12662 .12692 .12722 .12751 .12781	7.93438 7.91582 7.89734 7.87895 7.86064 7.84242 7.82428	.14351 .14381 .14410 .14440 .14470 .14499 .14529	6.95385 6.93952 6.92525 6.91104 6.89688 6.88278 6.86874	.16167 .16166 .16226 .16256 .16286 .16316	6.19703 6.18559 6.17419 6.16283 6.15151 6.14023 6.12899	50 49 48 47 46 45 44 43
17 18 19 20	.09247 .09277 .09306 .09335	10.7797 10.7457 10.7119 10.6783	.11040 .11070 .11099	9.05789 9.03379 9.00983 8.98598	.12810 .12840 .12869	7.80622 7.78825 7.77035	.14588 .14618 .14648	6.85475 6.84082 6.82694 6.81312	.16376 .16405 .16435	6.11779 6.10664 6.09552 6.08444 6.07340	42 41 40
22 23 24 25 26 27 28 29 30	.09394 .09423 .09453 .09482 .09511 .09541 .09570 .09600	10.6450 10.6118 10.5789 10.5462 10.5136 10.4813 10.4491 10.4172 10.3854	.11158 .11187 .11217 .11246 .11276 .11305 .11335 .11364 .11394	8.96227 8.93867 8.91520 8.89185 8.86862 8.84551 8.82252 8.79964 8.77689	.12929 .12958 .12988 .13017 .13047 .13076 .13136 .13165	7.73480 7.71715 7.69957 7.68208 7.66466 7.64732 7.63005 7.61287 7.59575	.14707 .14737 .14767 .14796 .14826 .14856 .14886 .14915 .14945	6.79936 6.78564 6.77199 6.75838 6.74483 6.73133 6.71789 6.70450 6.69116	.16495 .16525 .16555 .16585 .16615 .16645 .16674 .16704	6.06240 6.05143 6.04051 6.02962 6.01878 6.00797 5.99720 5.98646 5.97576	39 38 37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.09658 .09688 .09717 .09746 .09776 .09805 .09834 .09864 .09893	10.3538 10.3224 10.2913 10.2602 10.2294 10.1988 10.1683 10.1381 10.1080 10.0780	.11423 .11452 .11482 .11511 .11541 .11570 .11600 .11629 .11659 .11688	8.75425 8.73172 8.70931 8.68701 8.66482 8.64275 8.62078 8.59893 8.57718 8.55555	.13195 .13224 .13254 .13284 .13313 .13343 .13372 .13402 .13432	7.57872 7.56176 7.54487 7.52806 7.51132 7.49465 7.47806 7.46154 7.44509 7.42871	.14975 .15005 .15034 .15064 .15094 .15124 .15153 .15183 .15213	6.67787 6.66463 6.65144 6.63831 6.62523 6.61219 6.59921 6.58627 6.57339 6.56055	.16764 .16794 .16824 .16854 .16884 .16914 .16944 .17004 .17033	5.96510 5.95448 5.94390 5.93335 5.92283 5.91236 5.90191 5.89151 5.88114 5.87080	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.09952 .09981 .10011 .10040 .10069 .10099 .10128 .10158 .10187	10.0483 10.0187 9.98931 9.96007 9.93101 9.90211 9.87338 9.84482 9.81641 9.78817	.11718 .11747 .11777 .11806 .11836 .11865 .11895 .11924 .11954	8.53402 8.51259 8.49128 8.47007 8.44896 8.42795 8.40705 8.38625 8.36555 8.34496	.13491 .13521 .13550 .13580 .13609 .13639 .13669 .13698 .13728	7.41240 7.39616 7.37999 7.36389 7.34786 7.33190 7.31600 7.30018 7.28442 7.26873	.15272 .15302 .15332 .15362 .15391 .15421 .15451 .15481 .15511	6.54777 6.53503 6.52234 6.50970 6.49710 6.48456 6.47206 6.45961 6.44720 6.43484	.17063 .17093 .17123 .17153 .17183 .17213 .17243 .17273 .17303 .17333	5.86051 5.85024 5.84001 5.82982 5.81966 5.80953 5.79944 5.78938 5.77936 5.76937	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.10246 .10275 .10305 .10334 .10363 .10393 .10422 .10452 .10481	9.76009 9.73217 9.70441 9.67680 9.64935 9.62205 9.59490 9.56791 9.54106 9.51436	.12013 .12042 .12072 .12101 .12131 .12160 .12190 .12219 .12249 .12278	8.32446 8.30406 8.28376 8.26355 8.24345 8.22344 8.20352 8.16398 8.14435	.13787 .13817 .13846 .13876 .13906 .13935 .13965 .13995 .14024	7.25310 7.23754 7.22204 7.20661 7.19125 7.17594 7.16071 7.14553 7.13042 7.11537	.15570 .15600 .15630 .15660 .15689 .15719 .15749 .15779 .15838	6.42253 6.41026 6.39804 6.38587 6.37374 6.36165 6.34961 6.32566 6.31375	.17363 .17393 .17423 .17453 .17483 .17513 .17543 .17573 .17603 .17633	5.75941 5.74949 5.73960 5.72974 5.71992 5.71013 5.70037 5.69064 5.68094 5.67128	98 76 5 4 3 2 1 0
,	Cotang 84	Tang	Cotang 83	Tang	Cotang 82	Tang	Cotang 81	Tang	Cotang 80	Tang	,

,	10	o°	1	٥	12	20	13	°°	I.	1°	,
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0 1 2 3 4	.17633 .17663 .17693 .17723	5.67128 5.66165 5.65205 5.64248 5.63295	.19438 .19468 .19498 .19529	5.14455 5.13658 5.12862 5.12069 5.11279	.21256 .21286 .21316 .21347 .21377	4.70463 4.69791 4.69121 4.68452 4.67786	.23087 .23117 .23148 .23179 .23209	4.33148 4.32573 4.32001 4.31430 4.30860	.24933 .24964 .24995 .25026 .25056	4.01078 4.00582 4.00086 3.99592 3.99099	60 59 58 57 56
5 6 7 8 9	.17783 .17813 .17843 .17873	5.62344 5.61397 5.60452 5.59511 5.58573	.19589 .19619 .19649 .19680	5.10490 5.09704 5.08921 5.08139 5.07360	.21408 .21438 .21469 .21499 .21529	4.67121 4.66458 4.65797 4.65138 4.64480	.23240 .23271 .23301 .23332 .23363	4.30291 4.29724 4.29159 4.28595 4.28032	.25087 .25113 .25149 .25180 .25211	3.98607 3.98117 3.97627 3.97139 3.96651	55 54 53 52 51
10 11 12 13 14 15	.17933 .17963 .17993 .18023 .18053 .18083	5.57638 5.56706 5.55777 5.54851 5.53927 5.53007	.19740 .19770 .19801 .19831 .19861 .19891	5.0584 5.05809 5.05037 5.04267 5.03499 5.02734	.21560 .21590 .21621 .21651 .21682 .21712	4.63825 4.63171 4.62518 4.61868 4.61219 4.60572	.23393 .23424 .23455 .23485 .23516 .23547	4.27471 4.26911 4.26352 4.25795 4.25239 4.24685	.25242 .25273 .25304 .25335 .25366 .25397	3.95680 3.95196 3.94713 3.94232 3.93751	50 49 48 47 46 45
16 17 18 19 20	.18113 .18143 .18173 .18203 .18233	5.52090 5.51176 5.50264 5.49356 5.48451 5.47548	.19921 .19952 .19982 .20012 .20042	5.01971 5.01210 5.00451 4.99695 4.98940 4.98188	.21743 .21773 .21804 .21834 .21864	4.59927 4.59283 4.58641 4.58001 4.57363 4.56726	.23578 .23608 .23639 .23670 .23700	4.24132 4.23580 4.23030 4.22481 4.21933 4.21387	.25428 .25459 .25490 .25521 .25552	3.93271 3.92793 3.92316 3.91839 3.91364 3.90890	44 43 42 41 40
22 23 24 25 26 27 28	.18293 .18323 .18353 .18384 .18414 .18444	5.46648 5.45751 5.44857 5.43966 5.43077 5.42192 5.41309	.20103 .20133 .20164 .20194 .20224 .20254 .20285	4.97438 4.96690 4.95945 4.95201 4.94460 4.93721 4.92984	.21925 .21956 .21986 .22017 .22047 .22078 .22108	4.56091 4.55458 4.54826 4.54196 4.53568 4.52941 4.52316	.23762 .23793 .23823 .23854 .23885 .23916 .23946	4.20842 4.20298 4.19756 4.19215 4.18675 4.18137 4.17600	.25614 .25645 .25676 .25707 .25738 .25769	3.89945 3.89945 3.89474 3.89004 3.88536 3.88068 3.87601	39 38 37 36 35 34 33 32
30 31 32	.18504 .18534 .18564 .18594 .18624	5.40429 5.39552 5.38677 5.37805 5.36936	.20315 .20345 .20376 .20406 .20436	4.92249 4.91516 4.90785 4.90056 4.89330	.22139 .22169 .22200 .22231 .22261	4.51693 4.51071 4.50451 4.49832 4.49215	.23977 .24008 .24039 .24069 .24100	4.17064 4.16530 4.15997 4.15465 4.14934	.25831 .25862 .25893 .25924	3.87136 3.86671 3.86208 3.85745 3.85284	31 30 29 28 27
33 34 35 36 37 38 39	.18654 .18684 .18714 .18745 .18775 .18805	5.36070 5.35206 5.34345 5.33487 5.32631 5.31778	.20466 .20497 .20527 .20557 .20588 .20618	4.88605 4.87882 4.87162 4.86444 4.85727 4.85013	.22292 .22322 .22353 .22383 .22414 .22444	4.48600 4.47986 4.47374 4.46764 4.46155 4.45548	.24131 .24162 .24193 .24223 .24254 .24285	4.14405 4.13877 4.13350 4.12825 4.12301 4.11778	.25955 .25986 .26017 .26048 .26079 .26110 .26141	3.84824 3.84364 3.83906 3.83449 3.82992 3.82537	26 25 24 23 22 21
40 41 42 43 44 45	.18865 .18895 .18925 .18955 .18986	5.30928 5.30080 5.29235 5.28393 5.27553 5.26715	.20648 .20679 .20709 .20739 .20770 .20800	4.84300 4.83590 4.82882 4.82175 4.81471 4.80769	.22475 .22505 .22536 .22567 .22597 .22628	4.44942 4.44338 4.43735 4.43134 4.42534 4.41936	.24316 .24347 .24377 .24408 .24439 .24470	4.11256 4.10736 4.10216 4.09699 4.09182 4.08666	.26203 .26235 .26266 .26297 .26328	3.82083 3.81630 3.81177 3.80726 3.80276 3.79827	20 19 18 17 16 15
46 47 48 49 50	.19016 .19046 .19076 .19106 .19136	5.25880 5.25048 5.24218 5.23391 5.22566	.20830 .20861 .20891 .20921 .20952	4.80068 4.79370 4.78673 4.77978 4.77286	.22658 .22689 .22719 .22750 .22781	4.41340 4.40745 4.40152 4.39560 4.38969 4.38381	.24501 .24532 .24562 .24593 .24624	4.08152 4.07639 4.07127 4.06616 4.06107	.26359 .26390 .26421 .26452 .26483	3.79378 3.78931 3.78485 3.78040 3.77595 3.77152	14 13 12 11 10
52 53 54 55 56 57 58	.19197 .19227 .19257 .19287 .19317 .19347	5.20925 5.20107 5.19293 5.18480 5.17671 5.16863	.21013 .21043 .21073 .21104 .21134 .21164	4.75906 4.75219 4.74534 4.73851 4.73170 4.72490	.22842 .22872 .22903 .22934 .22964 .22995	4.37793 4.37207 4.36623 4.36040 4.35459 4.34879	.24686 .24717 .24747 .24778 .24809 .24840	4.05092 4.04586 4.04081 4.03578 4.03076 4.02574	.26546 .26577 .26608 .26639 .26670	3.76709 3.76268 3.75828 3.75388 3.74950 3.74512	9 7 6 5 4
58 59 60	.19378 .19408 .19438	5.16058 5.15256 5.14455 Tang	.21195 .21225 .21256 ————————————————————————————————————	4.71813 4.71137 4.70463 Tang	.23026 .23056 .23087 ————————————————————————————————————	4.34300 4.33723 4.33148 Tang	.24871 .24902 .24933 ———————————————————————————————————	4.02074 4.01576 4.01078	.26733 .26764 .26795 ————————————————————————————————————	3.74075 3.73640 3.73205 Tang	2 I 0
Ľ		90		30		70	76			;°	′

,	1	5°	10	5°	1	7°	18	3°	I9° Tang Cotang		,
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0	.26795	3.73205	.28675	3.48741	-30573	3.27085	.32492	3.07768	-34433	2.90421	60
1	.26826	3.72771 3.72338	.28706	3.48359	.30605	3.26745	.32524	3.07464	.34465	2.90147	59 58
2	.26857	3.72338	.28738	3.47977	.30637	3.26406	.32556	3.07160	-34498	2.89873	58
3	.26888	3.71907	.28769	3.47596	.30669	3.26067	.32588	3.06857	-34530	2.89600	57 56
4	.26920	3.71476	.28800 .28832	3.47216	.30700	3.25729	.32621	3.06554	.34563	2.89327	50
5 6	.26951	3.71046 3.70616	.28864	3.46458	.30732	3.25392	.32653	3.06252	.34596 .34628	2.89055	55
	.27013	3.70188	.28895	3.46080	.30796	3.24719	.32717	3.05649	.34661	2.88511	54 53
7 8	.27044	3.69761	.28927	3.45703	.30828	3.24383	.32749	3.05349	.34693	2.88240	52
9	.27076	3.69335	.28958	3.45327	.30860	3.24049	.32782	3.05049	.34726	2.87970	51
10	.27107	3.68909	.28990	3.44951	.30891	3.23714	.32814	3.04749	-34758	2.87700	50
11	.27138	3.68485	.29021	3.44576	.30923	3.23381	.32846	3.04450	.34791	2.87430	49 48
12	.27169	3.68061	.29053	3.44202	30955	3.23048	.32878	3.04152	.34824	2.87161	48
13	.27201	3.67638	.29084	3.43829	.30987	3.22715	.32911	3.03854	.34856	2.86892	47
14	.27232	3.67217 3.66796	.29116	3.43456	.31019	3.22384	•32943 •32975	3.03556	.34009	2.86356	46
15 16	.27294	3.66376	.29147	3.43084	.31083	3.21722	.32975	3.03200	.34954	2.86089	45 44
	.27326	3.65957	.29210	3.42343	.31115	3.21392	.33040	3.02667	.34987	2.85822	43
17 18	.27357	3.65538	.29242	3.41973	.31147	3.21063	.33072	3.02372	.35020	2.85555	42
19	.27357 .27388	3.65121	.29274	3.41604	.31178	3.20734	.33104	3.02077	.35052	2.85289	41
20	.27419	3.64705	29305	3.41236	.31210	3.20406	.33136	3.01783	.35085	2.85023	40
21	.27451	3.64289	-29337	3.40869	.31242	3.20079	.33169	3.01489	.35118	2.84758	39 38
22	.27482	3.63874	.29368	3.40502	.31274	3.19752	.33201	3.01196	.35150	2.84494	38
23 24	.27513	3.63461	.29400	3.40136	.31306	3.19426	-33233	3.00903	.35183	2.84229 2.83965	37 36
25	.27545 .27576	3.63048 3.62636	.29432	3.39771 3.39406	.31338	3.19100	.33266 .33298	3.00319	.35216	2.83702	35
26	.27607	3.62224	.29403	3 30042	.31402	3.18451	.33330	3.00028	.35281	2.83/02	35
27	27638	3.61814	.29526	3.3904 <i>2</i> 3.38679	-31434	3.18127	.33363	2.99738	-35314	2.83439 2.83176	33
27 28	.27670	3.61405	.29558	3.38317	.31466	3.17804	•33395	2.99447	-35346	2.82914	32
29	.27701	3.60996	.29590	3-37955	.31498	3.17481	-33427	2.99158	•35379	2.82653	31
30	.27732	3.60588	.29621	3-37594	-31530	3.17159	.33460	2.98868	.35412	2.82391	30
31	.27764	3.60181	.29653	3.37234	.31562	3.16838	-33492	2.98580	-35445	2.82130	29
32	.27795	3.59775	.29685	3.36875	.31594	3.16517	-33524	2.98292	•35477	2.81870	29 28
33	.27826	3.59370 3.58966	.29716	3.36516	.31626	3.16197	·33557	2.98004	.35510	2.81610	27
34	.27858	3.58966	.29748	3.36158	.31658	3.15877	•33589	2.97717	35543	2.81350	26
35 36	.27889	3.58562 3.58160	.29780 .29811	3.35800	.31690	3.15558	.33621	2.97430	-35576	2.81091	25
30	.2792I .27952	3.50100	20342	3.35443 3.35087	.31722	3.15240 3.14922	•33654 •33686	2.97144 2.96858	.35608 .35641	2.80574	24 23
37 38	.27983	3.57357	.29843	3.33007	.31754 .31786	3.14605	.33718	2.96573	.35674	2.80316	23
39	.28015	3.56957	.29906	3.34377	.31818	3.14288	.33751	2,96288	.35707	2.80059	21
40	.28046	3.56557	.29938	3.34023	.31850	3.13972	.33783	2.96004	-35740	2.79802	20
41	.28077	3 .5 6159	.29970	3.33670	.31882	3.13656	.33816	2.95721	-35772	2.79545	19 18
42	.28109	3.55761	.30001	3.33317	.31914	3.13341	.33848	2.95437	.35805	2.79289	
43	.28140	3.55364	.30033	3.32965	.31946	3.13027	.33881	2.95155	.35838	2.79033 2.78778	17 16
44	.28172	3.54968	.30065	3.32614	.31978	3.12713	.33913	2.94872 2.94591	.35871 .35904	2.78778	15
45 46	.28234	3.54573 3.54179	.30097	3.32204	.32010	3.12400	·33945 •33978	2.94591	·35904 •35937	2.78269	14
47	.28266	3.53785	.30160	3.31565	.32074	3.11775	.34010	2.94309	.35969	2.78014	13
47 48	.28297	3.53393	.30192	3.31216	.32106	3.11464	.34043	2.93748	.36002	2.77761	12
49	.28329	3.53001	.30224	3.30868	.32139	3.11153	-34075	2.93468	.36035	2.77507	11
50	.28360	3.52609	.30255	3.30521	.32171	3.10842	.34108	2.93189	.36068	2.77254	10
51	.28391	3.52219	.30287	3.30174	.32203	3.10532	.34140	2.92910	.36101	2.77002	9
52	.28423	3.51829	.30319	3.29829	.32235	3.10223	.34173	2.92632	.36134	2.76750 2.76498	
53	.28454	3.51441	.30351	3.29483	.32267 .32299	3.09914 3.09606	.34205	2.92354 2.92076	.36167	2.76247	7 6
54	.28517	3.51053 3.50666	.30302	3.29139	.32299	3.09000	.34230	2.92070	.36232	2.75996	5
55 56	.28549	3.50279	.30446	3.28452	.32363	3.08991	.34270	2.91799	.36265	2.75746	4
57	.28580	3.49894	.30478	3.28109	.32396	3.08685		2.91246	.36298	2.75496	3
57 58	.28612	3.49509	.30509	3.27767	.32428	3.08379	•34335 •34368	2.90971	.36331	2.75246	2
59 60	.28643	3.49125 3.48741	.30541	3.27426 3.27085	.32460	3.08073 3.07768	•34400 •34433	2.90696 2.90421	.36364 .36397	2.74997 2.74748	1 0
-											
,	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	,
	74	1°	73	3°	72	20	71	0	70	o°	

,	20) ^{,0}	2	10	2:	20	2	3°	2.	4°	,
	Tang	Cotang									
0 1 2 3	.36397 .36430 .36463 .36496	2.74748 2.74499 2.74251 2.74004	.38386 .38420 .38453 .38487	2,60509 2,60283 2,60057 2,59831	.40403 .40436 .40470 .40504	2.47509 2.47302 2.47095 2.46888	.42447 .42482 .42516 .42551	2.35585 2.35395 2.35205 2.35015	.44523 .44558 .44593 .44627	2.24604 2.24428 2.24252 2.24077	60 59 58 57
4 5 6 7 8	.36529 .36562 .36595 .36628	2.73756 2.73509 2.73263 2.73017 2.72771	.38520 .38553 .38587 .38620 .38654	2.59606 2.59381 2.59156 2.58932 2.58708	.40538 .40572 .40606 .40640	2.46682 2.46476 2.46270 2.46065 2.45860	.42585 .42619 .42654 .42688 .42722	2.34825 2.34636 2.34447 2.34258 2.34069	.44662 .44697 .44732 .44767 .44802	2.23902 2.23727 2.23553 2.23378 2.23204	57 56 55 54 53 52
9 10	.36694 .36727	2.72771 2.72526 2.72281 2.72036	.38687 .38721 .38754 .38787	2.58484 2.58261 2.58038	.40707 .40741	2.45655 2.45451 2.45246	.42757 .42791	2.33881 2.33693 2.33505	.44837 .44872	2.23030 2.22857 2.22683	51 50 49 48
12 13 14 15 16 17 18	.36793 .36826 .36859 .36892 .36925 .36958	2.71792 2.71548 2.71305 2.71062 2.70819 2.70577 2.70335	.38787 .38821 .38854 .38888 .38921 .38955 .38988	2.57815 2.57593 2.57371 2.57150 2.56928 2.56707 2.56487	.40809 .40843 .40877 .40911 .40945 .40979	2.45043 2.44839 2.44636 2.44433 2.44230 2.44027 2.43825	.42860 .42894 .42929 .42963 .42998 .43032 .43067	2.33317 2.33130 2.32943 2.32756 2.32570 2.32383 2.32197	.44942 .44977 .45012 .45047 .45082 .45117 .45152	2.22510 2.22337 2.22164 2.21992 2.21819 2.21647 2.21475	48 47 46 45 44 43 42
19 20 21 22	.37024 .37057 .37090 .37123	2.70094 2.69853 2.69612 2.69371	.39022 .39055 .39089 .39122	2.56266 2.56046 2.55827 2.55608	.41047 .41081 .41115	2.43623 2.43422 2.43220 2.43019	.43101 .43136 .43170 .43205	2.32012 2.31826 2.31641 2.31456	.45187 .45222 .45257 .45292	2.21304 2.21132 2.20961 2.20790	41 40 39 38
23 24 25 26 27 28 29 30	.37157 .37190 .37223 .37256 .37289 .37322 .37355 .37388	2.69131 2.68892 2.68653 2.68414 2.68175 2.67937 2.67700 2.67462	.39156 .39190 .39223 .39257 .39290 .39324 .39357 .39391	2.55389 2.55170 2.54952 2.54734 2.54516 2.54299 2.54082 2.53865	.41183 .41217 .41251 .41285 .41319 .41353 .41387 .41421	2.42819 2.42618 2.42418 2.42218 2.42019 2.41819 2.41620 2.41421	.43230 .43274 .43308 .43343 .43378 .43412 .43447 .43481	2.31271 2.31086 2.30902 2.30718 2.30534 2.30351 2.30167 2.29984	.45327 .45362 .45397 .45432 .45467 .45502 .45538 .45573	2.20619 2.20449 2.20278 2.20108 2.19938 2.19769 2.19599 2.19430	37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.37422 .37455 .37488 .37521 .37554 .37588 .37621 .37654 .37687	2.67225 2.66989 2.66752 2.66516 2.66281 2.66046 2.65811 2.65576 2.65342 2.65109	.39425 .39458 .39492 .39526 .39559 .39593 .39626 .39660 .39694 .39727	2.53648 2.53432 2.53217 2.53001 2.52786 2.52571 2.52357 2.52142 2.51929 2.51715	.41455 .41490 .41524 .41558 .41592 .41626 .41660 .41694 .41728 .41763	2.41223 2.41025 2.40827 2.40629 2.40432 2.40235 2.40038 2.39841 2.39645 2.39449	.43516 .43550 .43585 .43620 .43654 .43689 .43724 .43758 .43793 .43828	2.29801 2.29619 2.29437 2.29254 2.29073 2.28591 2.28710 2.28528 2.28344 2.28167	.45608 .45643 .45678 .45713 .45748 .45784 .45819 .45854 .45889	2.19261 2.19092 2.18923 2.18755 2.18587 2.18419 2.18251 2.18084 2.17916 2.17749	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.37754 .37787 .37820 .37853 .37887 .37920 .37953 .37986 .38020 .38053	2.64875 2.64642 2.64410 2.64177 2.63945 2.63714 2.63483 2.63252 2.63021 2.62791	.39761 .39795 .39829 .39862 .39896 .39930 .39963 .39997 .40031	2.51502 2.51289 2.51076 2.50864 2.50652 2.50440 2.50229 2.50018 2.49807 2.49597	.41797 .41831 .41865 .41899 .41933 .41968 .42002 .42036 .42070 .42105	2.39253 2.39058 2.38863 2.38668 2.38473 2.38279 2.38034 2.37891 2.37697 2.37504	.43862 .43897 .43932 .43966 .44001 .44036 .44071 .44105 .44140	2.27987 2.27866 2.27626 2.27447 2.27267 2.27088 2.26909 2.26730 2.26552 2.26374	.45960 .45995 .46030 .46065 .46101 .46136 .46171 .46206 .46242	2.17582 2.17416 2.17249 2.17083 2.16917 2.16751 2.16585 2.16420 2.16255 2.16090	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.38086 .38120 .38153 .38186 .38220 .38253 .38286 .38320 .38353 .38353	2.62561 2.62332 2.62103 2.61874 2.61646 2.61418 2.61190 2.60963 2.60736 2.60509	.40098 .40132 .40166 .40200 .40234 .40267 .40301 .40335 .40369	2.49386 2.49177 2.48967 2.48758 2.48549 2.48340 2.48132 2.47924 2.47716 2.47509	.42139 .42173 .42207 .42242 .42276 .42310 .42345 .42379 .42413	2.37311 2.37118 2.36925 2.36733 2.36541 2.36349 2.36158 2.35967 2.35776 2.35585	.44210 .44244 .44279 .44314 .44349 .44384 .44418 .44453 .44453	2.26196 2.26018 2.25840 2.25663 2.25486 2.25309 2.25132 2.24956 2.24780 2.24604	.46312 .46348 .46383 .46418 .46454 .46489 .46525 .46560 .46595 .46631	2.15925 2.15760 2.15596 2.15432 2.15268 2.15104 2.14940 2.14777 2.14614 2.14451	98 76 54 32 10
,	Cotang 6	Tang	Cotang 68	Tang 30	Cotang 6	Tang	Cotang 60	'	Cotang 6	Tang	′

,	25	, 0	20	5°	27	70	28	3°	2	9°0	,
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0 1 2 3 4 5 6 7 8 9	.46631 .46666 .46702 .46737 .46772 .46308 .46843 .46879 .46914 .46950	2.14451 2.14288 2.14125 2.13963 2.13639 2.13477 2.13316 2.13154 2.13154 2.12993 2.12832	.48773 .48809 .48845 .48881 .48917 .48953 .49026 .49062 .49098 .49134	2.05030 2.04879 2.04728 2.04577 2.04426 2.04276 2.04125 2.03975 2.03825 2.03675 2.03526	.50953 .50989 .51026 .51063 .51099 .51136 .51173 .51209 .51246 .51283	1.96261 1.96120 1.95979 1.95838 1.95698 1.95557 1.95417 1.95277 1.95137 1.94858	.53171 .53208 .53246 .53283 .53320 .53358 .53395 .53432 .53470 .53507	1.88073 1.87941 1.87809 1.87677 1.87546 1.87415 1.87283 1.87152 1.87021 1.86891 1.86760	.55431 .55469 .55507 .55545 .55583 .55621 .55659 .55697 .55736 .55774	1.80405 1.80281 1.80158 1.80034 1.79788 1.79665 1.79542 1.79419 1.79296	60 59 58 57 56 55 54 53 52 51
11 12 13 14 15 16 17 18 19	.47021 .47056 .47092 .47128 .47163 .47199 .47234 .47270 .47305 .47341	2.12671 2.12511 2.12350 2.12190 2.12030 2.11871 2.11711 2.11552 2.11392 2.11233	.49170 .49206 .49242 .49278 .49315 .49351 .49387 .49423 .49459	2.03376 2.03227 2.03078 2.02929 2.02780 2.02631 2.02483 2.02335 2.02187 2.02039	.51356 •51393 •51430 •51467 •51503 •51540 •51577 •51614 •51651 •51688	1.94718 1.94579 1.94440 1.94301 1.94162 1.94023 1.93885 1.93746 1.93608 1.93470	.53582 .53620 .53657 .53694 .53732 .53769 .53807 .53844 .53882 .53920	1.86630 1.86499 1.86369 1.86239 1.86109 1.85979 1.85850 1.85720 1.85591 1.85462	.55850 .55888 .55926 .55964 .56003 .56041 .56079 .56117 .56156 .56194	1.79051 1.78929 1.78685 1.78563 1.78441 1.78319 1.78077 1.77955	49 48 47 46 45 44 43 42 41 40
21 22 23 24 25 26 27 28 29 30	.47377 .47412 .47448 .47483 .47519 .47555 .47590 .47626 .47662 .47698	2.11075 2.10916 2.10758 2.10600 2.10442 2.10284 2.10126 2.09969 2.09811 2.09654	.49532 .49568 .49604 .49640 .49677 .49713 .49749 .49786 .49822 .49858	2.01891 2.01743 2.01596 2.01449 2.01302 2.01155 2.01008 2.00862 2.00715 2.00569	.51724 .51761 .51798 .51835 .51872 .51909 .51946 .51983 .52020 .52057	1.93332 1.93195 1.93057 1.92920 1.92782 1.92645 1.92508 1.92371 1.92235 1.92098	.53957 .53995 .54032 .54070 .54107 .54145 .54183 .54220 .54258	1.85333 1.85204 1.85075 1.84946 1.84818 1.84689 1.84561 1.84433 1.84305 1.84177	.56232 .56270 .56309 .56347 .56385 .56424 .56462 .56501 .56539 .56577	1.77834 1.77713 1.77592 1.77471 1.77351 1.77230 1.77110 1.76990 1.76869 1.76749	39 38 37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.47733 .47769 .47805 .47840 .47876 .47912 .47948 .47984 .48019 .48055	2.09498 2.09341 2.09184 2.09028 2.08873 2.08716 2.08560 2.08405 2.08250 2.08094	.49894 .49931 .49967 .50004 .50076 .50113 .50149 .50185 .50222	2.00423 2.00277 2.00131 1.99986 1.99841 1.99695 1.99550 1.99406 1.99261 1.99116	.52094 .52131 .52168 .52205 .52242 .52279 .52316 .52353 .52390 .52427	1.91962 1.91826 1.91690 1.91554 1.91418 1.91282 1.91147 1.91012 1.90876 1.90741	.54333 .54371 .54409 .54446 .54484 .54522 .54560 .54597 .54635 .54673	1.84049 1.83922 1.83794 1.83667 1.83540 1.83413 1.83286 1.83159 1.83033 1.82906	.56616 .56654 .56693 .56731 .56769 .56808 .56846 .56885 .56923 .56962	1.76629 1.76510 1.76390 1.76271 1.76151 1.76032 1.75913 1.75794 1.75675 1.75556	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.48091 .48127 .48163 .48198 .48234 .48270 .48306 .48342 .48378 .48414	2.07939 2.07785 2.07630 2.07476 2.07321 2.07167 2.07014 2.06860 2.06706 2.06553	.50258 .50295 .50331 .50368 .50404 .50441 .50477 .50514 .50550 .50587	1.98972 1.98828 1.98684 1.98540 1.98396 1.98253 1.98110 1.97966 1.97823 1.97681	.52464 .52501 .52538 .52575 .52613 .52650 .52687 .52724 .52761 .52798	1.90607 1.90472 1.90337 1.90203 1.90069 1.89935 1.89801 1.89667 1.89533 1.89400	.54711 .54748 .54786 .54824 .54862 .54900 .54938 .54975 .55013	1.82780 1.82654 1.82528 1.82402 1.82276 1.82150 1.82025 1.81899 1.81774 1.81649	.57000 .57039 .57078 .57116 .57155 .57193 .57232 .57271 .57309 .57348	1.75437 1.75319 1.75200 1.75200 1.75082 1.74964 1.74846 1.74728 1.74610 1.74492 1.74375	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.48450 .48486 .48521 .48557 .48593 .48629 .48665 .48701 .48737 .48773	2.06400 2.06247 2.06094 2.05942 2.05790 2.05637 2.05333 2.05182 2.05030	.50623 .50660 .50696 .50733 .50769 .50806 .50843 .50879 .50916	1.97538 1.97395 1.97253 1.97111 1.96969 1.96827 1.96685 1.96544 1.96402 1.96261	•52836 •52873 •52910 •52947 •52985 •53022 •53059 •53134 •53171	1.89266 1.89133 1.89000 1.88867 1.88662 1.88469 1.88337 1.88205 1.88073	.55089 .55127 .55165 .55203 .55241 .55279 .55317 .55355 .55393	I.81524 I.81399 I.81274 I.81150 I.81025 I.80901 I.80777 I.80653 I.80529 I.80405	.57386 .57425 .57464 .57503 .57541 .57580 .57619 .57657 .57696	1.74257 1.74140 1.74022 1.73905 1.73788 1.73671 1.73555 1.73438 1.73321 1.73205	98 76 5 4 3 2 1
,	Cotang 62	Tang	Cotang 6	Tang	Cotang 62	Tang	Cotang 6:	Tang	Cotang 6	Tang	,

,	30	00	3	ı°	32	2°	33	3°	34	1°	,
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0 1 2 3 4 5 6 7 8 9	•57735 •57774 •57813 •57890 •57929 •57968 •58007 •58046 •58085	1.73205 1.73089 1.72973 1.72857 1.72741 1.72625 1.72509 1.72393 1.72278 1.72163	.60086 .60126 .60165 .60205 .60245 .60284 .60324 .60364 .60403	1.66428 1.66318 1.66209 1.66099 1.65881 1.65772 1.65663 1.65554 1.65554	.62487 .62527 .62568 .62668 .62649 .62689 .62770 .62811	1.60033 1.59930 1.59826 1.59723 1.59620 1.59517 1.59414 1.59311 1.59208 1.59105	.64941 .64982 .65024 .65065 .65106 .65148 .65189 .65231 .65272	1.53986 1.53888 1.53791 1.53595 1.53497 1.53400 1.53302 1.53205 1.53107	.67451 .67493 .67536 .67578 .67620 .67663 .67705 .67748 .67790	1.48256 1.48163 1.48070 1.47977 1.47885 1.47792 1.47699 1.47607 1.47514 1.47422	59 58 57 56 55 54 53 52 51
10 11 12 13 14 15 16 17 18 19 20	.58124 .58162 .58201 .58240 .58279 .58318 .58357 .58396 .58435 .58474	1.72047 1.71932 1.71817 1.71702 1.71588 1.71473 1.71358 1.71244 1.71129 1.71015 1.70901	.60483 .60522 .60562 .60602 .60642 .60681 .60721 .60861 .60841	1.65228 1.65120 1.65011 1.64903 1.64795 1.64687 1.64579 1.64471 1.64363 1.64256	.62892 .62933 .62973 .63014 .63055 .63095 .63136 .63177 .63217 .63258 .63299	1.58900 1.58797 1.58695 1.58593 1.58490 1.58388 1.58286 1.58184 1.58083 1.57981	.65355 .65397 .65438 .65480 .65521 .65563 .65604 .65646 .65688 .65729	1.52913 1.52816 1.52719 1.52622 1.52525 1.52429 1.52332 1.52235 1.52139 1.52043	.67875 .67917 .67960 .68002 .68045 .68088 .68130 .68173 .68215 .68258 .68301	1.47330 1.47238 1.47146 1.47053 1.46962 1.46778 1.46686 1.46595 1.46503 1.46411	50 49 48 47 46 45 44 43 42 41 40
21 22 23 24 25 26 27 28 29 30	.58552 .58591 .58631 .58670 .58709 .58748 .58787 .58826 .58865 .58905	1.70787 1.70673 1.70560 1.70446 1.70332 1.70219 1.70106 1.69992 1.69879 1.69766	.60921 .60960 .61000 .61040 .61080 .61120 .61160 .61200 .61240 .61280	1.64148 1.64041 1.63934 1.63826 1.63719 1.63612 1.63505 1.63398 1.63292 1.63185	.63340 .63380 .63421 .63462 .63503 .63544 .63584 .63625 .63666	1.57879 1.57778 1.577676 1.57575 1.57474 1.57372 1.57271 1.57170 1.57069 1.56969	.65813 .65854 .65896 .65938 .65980 .66021 .66063 .66105 .66147	1.51946 1.51850 1.51754 1.51658 1.51562 1.51466 1.51370 1.51275 1.51179 1.51084	.68343 .68386 .68429 .68471 .68514 .68557 .68600 .68642 .68685 .68728	1.46320 1.46229 1.46137 1.46046 1.45955 1.45864 1.45773 1.45682 1.45592 1.45501	39 38 37 36 35 34 33 32 31 30
31 32 33 34 35 36 37 38 39 40	.58944 .58983 .59022 .59061 .59101 .59149 .59179 .59218 .59258	1.69653 1.69541 1.69428 1.69316 1.69203 1.69091 1.68979 1.68866 1.68754 1.68643	.61320 .61360 .61400 .61440 .61480 .61520 .61561 .61601 .61641	1.63079 1.62972 1.62866 1.62760 1.62654 1.62548 1.62442 1.62336 1.62230 1.62125	.63748 .63789 .63830 .63871 .63912 .63953 .63994 .64035 .64076	1.56868 1.56767 1.56667 1.56566 1.56466 1.56366 1.56265 1.56165 1.56065 1.55966	.66230 .66272 .66314 .66356 .66398 .66440 .66482 .66524 .66566	1.50988 1.50893 1.50797 1.50702 1.50607 1.50512 1.50417 1.50322 1.50228 1.50133	.68771 .68814 .68857 .68900 .68942 .68985 .69028 .69071 .69114	1.45410 1.45320 1.45229 1.45139 1.45049 1.44958 1.44868 1.44778 1.44688 1.44598	29 28 27 26 25 24 23 22 21 20
41 42 43 44 45 46 47 48 49 50	.59336 .59376 .59415 .59454 .59454 .59533 .59573 .59612 .59651 .59691	1.68531 1.68419 1.68308 1.68196 1.68085 1.67974 1.67863 1.67752 1.67641	.61721 .61761 .61801 .61842 .61882 .61922 .61962 .62003 .62043 .62083	1.62019 1.61914 1.61808 1.61703 1.61598 1.61493 1.61388 1.61283 1.61179 1.61074	.64158 .64199 .64240 .64281 .64322 .64363 .64404 .64446 .64487	1.55866 1.55766 1.55666 1.55567 1.55368 1.55269 1.55170 1.55071 1.54972	.66650 .66692 .66734 .66776 .66818 .66860 .66902 .66944 .66986 .67028	1.50038 1.49944 1.49849 1.49755 1.49661 1.49566 1.49472 1.49378 1.49284 1.49190	.69200 .69243 .69286 .69329 .69372 .69416 .69459 .69502 .69545 .69588	I.44508 I.44418 I.44329 I.44239 I.44149 I.44060 I.43970 I.43881 I.43792 I.43703	19 18 17 16 15 14 13 12 11
51 52 53 54 55 56 57 58 59 60	.59730 .59770 .59809 .59849 .59888 .59928 .59967 .60007 .60046 .60086	1.67419 1.67309 1.67198 1.67088 1.66978 1.66867 1.66647 1.666428	.62124 .62164 .62204 .62245 .62285 .62325 .62366 .62406 .62446	1.60970 1.60865 1.60761 1.60657 1.60553 1.60449 1.60345 1.60241 1.60137	.64569 .64610 .64652 .64693 .64734 .64775 .64817 .64858 .64899	1.54873 1.54774 1.54675 1.54576 1.54478 1.54379 1.54281 1.54183 1.54085 1.53986	.67071 .67113 .67155 .67197 .67239 .67282 .67324 .67366 .67409	1.49097 1.49003 1.48909 1.48816 1.48722 1.48629 1.48536 1.48442 1.48349 1.48256	.69631 .69675 .69718 .69761 .69804 .69847 .69891 .69934 .69977 .70021	1.43614 1.43525 1.43436 1.43347 1.43258 1.43169 1.43080 1.42992 1.42903 1.42815	98 76 5 4 3 2 1
,	Cotang 5	Tang	Cotang 5	Tang	Cotang 5	Tang	Cotang 5	Tang	Cotang 5	Tang	′

	,	3.	5°	3	6°	3:	7°	38	8°	3	9°	,
		Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
	0	.70021	1.42815	.72654 .72699	1.37638	.75355 .7540I	1.32704	.78129 .78175	1.27994	.80978 .81027	1.23490	60
ł	2	.70107	1.42638	.72743	1.37470	.75447	1.32544	.78222	1.27841	.81075	1.23343	59 58
1	3	.70151	1.42550	.72700	1.37386	.75492 .75538	1.32464	.78269 .78316	1.27764	.81123	1.23270	57 56
ı	5	.70238	1.42374	.72877	1.37218	-75584	1.32304	.78363	1.27611	.81220	1.23123	55
1		.70281	1.42286	.72921 .72966	1.37134	.75629 .75675	1.32224	.78410	1.27535	.81268	1.23050	54 53
1	7 8	.70368	1.42110	.73010	1.37050	.75724	1.32064	.78504 .78551	1.27458	.81364	1.22904	52
1	9 10	.70412	1.42022	-73055 -73100	1.36883	.75767 .75812	1.31984	.78551 .78598	1.27306	.81413 .81461	1.22831	51 50
١	11 12	.70499	1.41847	.73144	1.36716	.75858 .75904	1.31825	.78645 .78692	1.27153	.81510 .81558	1.22685	49 48
1	13	.70586	1.41672	.73234	1.36549	.75950	1.31666	.78739 .78786	1.27001	.81606	1.22539	47
1	14	.70629	1.41584	•73278	1.36466	.7599 6 .76042	1.31586	.78786	1.26925	.81655 .81703	1.22467	46 45
1	15 16	.70717	1.41409	•73323 •73368	1.36300	.76088	1.31427	.78881	1.26774	.81752 .81800	1.22321	45
1	17 18	.70760 .70804	1.41322	•734I3	1.36217	.76134 .76180	1.31427 1.31348 1.31269	.78928 .78975	1.26698	.81800 .81849	1.22249	43
1	10	.70848	1.41148	•73457 •73502	1.36134	.76226	1.31209	.70975	1.26546	.81898	1.22176	42 41
١	20	.70891	1.41061	-73547	1.35968	.76272	1.31110	.79070	1.26471	.81946	1.22031	40
	2I 22	.70935	1.40974	.73592 .73637	1.35885	.76318 .76364	1.31031	.79117 .79164	1.26395	.81995 .82044	1.21959	39 38
1	23	.71023	1.40800	.73681	1.35719	.76410	1.30873	.79212	1.26244	.82092	1.21814	37 36
ı	24 25	.71066	1.40714	.73726 .73771	1.35537	.76456 .76502	1.30795	.79259 .79306	1.26169	.82141 .82190	1.21742	36 35
ı	26	.71154	1.40540	.73816	1.35472	.76548	1.30637	-79354	1.26018	.82238	1.21598	34
1	27 28	.71198	1.40454	.73861 .73906	1.35389	.76594 .76640	1.30558	79401	1.25943	.82287 .82336	1.21526	33
ı	29	.71285	1.40307	.73951	1.35307 1.35224	.76686	1.30401	.79449 .79496	1.25792	.82385	1.21382	32 31
ı	30	.71329	1.40195	.73996	1.35142	.76733	1.30323	· 7 9544	1.25717	.82434	1.21310	30
ı	31 32	.71373 .71417	1.40109 1.40022	.74041 .74086	1.35060	.76779 .76825	1.30244	.79591 .79639	1.25642	.82483 .82531	1.21238	29 28
1	33	.71461	1.39936	.74131	1.34896	.76871	1.30087	.79686	1.25492	.82580	1.21100	27
1	34	.71505	1.39850	.74176	1.34814	.76918	1.30009	.70734	1.25417	.82629 .82678	1.21023	26
ı	35 36	.71549 .71593	1.39764 1.39679	.74221 .74267	1.34732	.76964 .77010	1.29931	.79781	1.25343	.82727	1.20951	25 24
ı	37 38	.71637	1.39593	.74312	1.34568	.77057	1.29775	.79877	1.25193	.82776 .82825	1.20808	23
١	38 39	.71631	1.39507	·74357	1.34487	.77103 .77149	1.29696	.79924 .79972	1.25118	.82825	1.20736	22 21
١	40	.71769	1.39336	-74447	1.34323	.77196	1,29541	.80020	1.24969	.82923	1.20593	20
1	4I 42	.71813 .71857	1.39250	.74492 .74 5 38	1.34242	.77242 .77289	1.29463	.80067 .80115	1.24895	.82972 .83022	1.20522 1.20451	19 18
1	43	.71901	1.39079	.74583	1.34079	·77335	1.29307	.80163	1.24746	.83071	1.20379	17 16
1	44	.71946 .71990	1.38994	.74628	1.33998	.77382	1.29229	.80211	1.24672	.83120	1.20308	
1	45 46	.72034	1.38324	.74674 .74719	1.33916	.77428 .77475	1.29152	.80306	1.24597	.83169 .83218	1.20237	15 14
1	47 48	.72078	1.38738 1.38653	.74764	1.33754	.77521	1.28997	.80354	1.24449	.83268	1.20095	13
1	45 49	.72122 .72167	1.38563	.74810 .74855	1.33673 1.33592	.77568 .77615	1.28919	.80402 .80450	1.24375	.83317 .83366	1.20024	12
	50	.72211	1.38484	.74900	1.33511	.77661	1.28764	.80498	1.24227	.83415	1.19882	10
	51 52	.72255	1.38339	.74946 .74991	1.33430	.77708	1.28687	.80546 .80594	1.24153	.83465 .83514	1.19811	9 8
1	53	.72344	1.38314	.75037	1.33268	.77754 .77801	1.28533	.80642	1.24005	.83564	1.19669	7 6
	54	.72388 .72432	1.38145	.75082	1.33187	.77848 .77895	1.28533 1.28456 1.28379	.80690	1.23931	.83613 .83662	I.19599 I.19528	
	55 56	.72432	1.37976	.75128 .75173	1.33107 1.33026	.77941	1.28302	.80738 .80786	1.23858	.83712	1.19520	5 4
	57 58	.72521	1.37801	.75219	1.32046	.77988	1.28225	.80834	1.23710	.83761	1.19387	3
1	58 59 60	.72565 .72610	1.37807	.75264 .75310	1.32865	.78035 .78082	1.28148	.80882 .80930	1.23637	.83811 .83860	1.19316	2
	60	.72654	1.37722	·75355	1.32704	.78129	1.27994	.80978	1.23490	.83910	1.19175	0
		Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	,
1		54	1°	53	3°	52	0	5 1	0	50	o°	
_												

,	40	o°	41	ı °	42	20	43	3°	4	4°	,
	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	
0 I 2	.83910 .83960 .84009	1.19175 1.19105 1.19035	.86929 .86980 .87031	1.15037 1.14969 1.14902	.90040 .90093 .90146	1.11061 1.10996 1.10931	.93252 .93306 .93360	I.07237 I.07174 I.07112	.96569 .96625 .96681	1.03553 1.03493 1.03433	60 59 58
3 4 5 6	.84059 .84108 .84158 .84208	1.18964 1.18894 1.18824 1.18754	.87082 .87133 .87184 .87236	1.14834 1.14767 1.14699 1.14632	.90199 .90251 .90304 .90357	1.10867 1.10802 1.10737 1.10672	.93415 .93469 .93524 .93578	1.07049 1.06987 1.06925 1.06862	.96733 .96794 .96850 .96907	1.03372 1.03312 1.03252 1.03192	57 56 55 54
7 8 9 10	.84258 .84307 .84357	1.18684 1.18614 1.18544	.87287 .87338 .87389	1.14565 1.14498 1.14430	.90410 .90463 .90516	1.10607 1.10543 1.10478	.93633 .93688 .93742	1.06800 1.06738 1.06676	.96963 .97020 .97076	1.03132 1.03072 1.03012	53 52 51
11 12	.84407 .84457 .84507	1.18474 1.18404 1.18334	.87441 .87492 .87543	1.14363 1.14296 1.14229	.90569 .90621 .90674	1.10414 1.10349 1.10285	.93797 .93852 .93906	1.06613 1.06551 1.06489	.97133 .97189 .97246	1.02952 1.02892 1.02832	50 49 48
13 14 15 16	.84556 .84606 .84656 .84706	1.18264 1.18194 1.18125 1.18055	.87595 .87646 .87698	1.14162 1.14095 1.14028 1.13961	.90727 .90781 .90834 .90887	1.10220 1.10156 1.10091 1.10027	.93961 .94016 .94071	1.06427 1.06365 1.06303 1.06241	.97302 .97359 .97416 .97472	1.02772 1.02713 1.02653 1.02593	47 46 45 44
17 18 19	.84756 .84806 .84856	1.17986 1.17916 1.17846	.87749 .87801 .87852 .87904	1.13894 1.13828 1.13761	.90940 .90993 .91046	1.09963 1.09899 1.09834	.94180 .94235 .94290	1.06179 1.06117 1.06056	.97529 .97586 .97643	1.02533 1.02474 1.02414	43 42 41
2I 22	.84906 .84956 .85006	1.17777 1.17708 1.17638	.87955 .88007 .88059	1.13694 1.13627 1.13561	.91099 .91153 .91206	1.09770 1.09706 1.09642	.94345 .94400 .94455	1.05994 1.05932 1.05870	.97700 .97756 .97813	1.02355 1.02295 1.02236	39 38
23 24 25 26	.85057 .85107 .85157 .85207	1.17569 1.17500 1.17430 1.17361	.88110 .88162 .88214 .88265	1.13494 1.13428 1.13361 1.13295	.91259 .91313 .91366	1.09578 1.09514 1.09450 1.09386	.94510 .94565 .94620 .94676	1.05809 1.05747 1.05685 1.05624	.97870 .97927 .97984 .98041	1.02176 1.02117 1.02057 1.01998	37 36 35 34
27 28 29 30	.85257 .85308 .85358	1.17292 1.17223 1.17154	.88317 .88369 .88421	1.13228 1.13162 1.13096	.91473 .91526 .91580	1.09322 1.09258 1.09195	.94731 .94786 .94841	1.05562 1.05501 1.05439	.98098 .98155 .98213	1.01939 1.01879 1.01820	33 32 31
30 31 32	.85408 .85458 .85509	1.17085 1.17016 1.16947	.88473 .88524 .88576	1.13029 1.12963 1.12897	.91633 .91687	1.09131 1.09067 1.09003	.94896 .94952 .95007	1.05378 1.05317 1.05255	.98270 .98327 .98384 .98441	1.01761 1.01702 1.01642	30 29 28
33 34 35 36	.85559 .85609 .85660 .85710	1.16878 1.16809 1.16741 1.16672	.88628 .88680 .88732 .88784	1.12831 1.12765 1.12699 1.12633	.91794 .91847 .91901	1.08940 1.08876 1.08813 1.08749	.95062 .95118 .95173 .95229	1.05194 1.05133 1.05072 1.05010	.98441 .98499 .98556 .98613	1.01583 1.01524 1.01465 1.01406	27 26 25 24
37 38 39	.85761 .85811 .85862	1.16603 1.16535 1.16466	.88836 .88888 .88940	1.12567 1.12501 1.12435	.92008 .92062 .92116	1.08686 1.08622 1.08559	.95284 .95340 .95395	1.04949 1.04888 1.04827	.98671 .98728 .98786	1.01347 1.01288 1.01229	23 22 21
40 41 42	.85912 .85963 .86014	1.16398 1.16329 1.16261	.88992 .89045 .89097	1.12369 1.12303 1.12238	.921 7 0 .92224 .92277	1.08496 1.08432 1.08369 1.08306	.95451 .95506 .95562	1.04766 1.04705 1.04644	.98843 .98901 .98958	1.01170 1.01112 1.01053	20 19 18
43 44 45 46	.86064 .86115 .86166 .86216	1.16192 1.16124 1.16056 1.15987	.89149 .89201 .89253 .89306	1.12172 1.12106 1.12041 1.11975	.92331 .92385 .92439 .92493	1.08306 1.08243 1.08179 1.08116	.95618 .95673 .95729 .95785	1.04583 1.04522 1.04461 1.04401	.99016 .99073 .99131 .99189	1.00994 1.00935 1.00876 1.00818	17 16 15
47 48 49 50	.86267 .86318 .86368 .86419	1.15919 1.15851 1.15783 1.15715	.89358 .89410 .89463 .89515	1.11909 1.11844 1.11778 1.11713	.92547 .92601 .92655	1.08053 1.07990 1.07927 1.07864	.95841 .95897 .95952 .96008	1.04340 1.04279 1.04218 1.04158	.99247 .99304 .99362 .99420	1.00759 1.00701 1.00642 1.00583	13 12 11 10
51 52	.86470 .86521	1.15647	.89567 .89620	1.11648	.92763 .92817	1.07801	.96064 .96120	1.04097	.99478 .99536	1.00525	9
53 54 55 56	.86572 .86623 .86674 .86725	1.15511 1.15443 1.15375 1.15308	.89672 .89725 .89777 .89830	1.11517 1.11452 1.11387 1.11321	.92872 .92926 .92980 .93034	1.07676 1.07613 1.07550 1.07487	.96176 .96232 .96288 .96344	1.03976 1.03915 1.03855 1.03794	.99594 .99652 .99710 .99768	1.00408 1.00350 1.00291 1.00233	7 6 5 4
57 58 59 60	.86776 .86827 .86878 .86929	1.15240 1.15172 1.15104 1.15037	.89883 .89935 .89988 .90040	1.11256 1.11191 1.11126 1.11061	.93088 .93143 .93197 .93252	1.07425 1.07362 1.07299 1.07237	.96400 .96457 .96513	1.03734 1.03674 1.03613 1.03553	.99826 .99884 .99942 1.00000	1.00175 1.00116 1.00058 1.00000	3 2 1 0
	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	Cotang	Tang	
	49)°	48	3°	4:	7°	40	5°	4.	5°	



Table of Angles for Gashing Worm Wheels.

The following table gives the angle with the axis of the worm wheel to which the cutter is to be set for gashing the teeth of worm wheels when the pitch diameter and lead of the worm are known.

If the worm has a pitch diameter which is not given exactly in the table, the angle can be approximated from the nearest sizes entered so as to be well within working limits.

TABLE OF ANGLES FOR GASHING WORM WHEELS.

	8000 1.000 01.333 31.500 02.000 03.000 0	n																
	02.000	- 01																
	31.500	01 20																
	1.333	60 44																
	1.000	-																
	8000	그*															,2-9	5-49
<u>,</u>	.7500	-T ₁													6-25	6-3	5-44	5-27
1111	.9999	1,2											6-27	6-3,	5-42	5-23	5-6	4-51
WILLIAM	.6000	67 <u>1</u> 8									6-42	6-14	5-49	5-27	5-8	4-51	4-36	4-22′
^	,17c.	ε[1								6-55	6-23	5-56	5-32	5-13	4-54	4-37	4-23′	4-10
1	.5000	23						7-15	6-36	6-3	5-36 6-23	5-12' 5-56'	3-53' 4-10' 4-19' 4-51' 5-32	4-33,	3-13' 3-26' 3-40' 3-46' 4-17' 4-54	4-3' 4-37'	3-50 4-23 4-36	3-14 3-39 4-10 4-22 4-51 5-27
>	1111	$\frac{2^{\frac{1}{4}}}{4}$	-			°-8	7-10'			5-23	£-29,		,6I- , f	, 6-4 -3	3-46	3-36	3-17 3-25	3-14
5	4285	2 2 3		10-18	8-52	7-17	6-55	6-14 6-27	4-25 4-19 4-58 5-17 5-40 5-52	5-12 5-23	4-4, 4-12, 4-29, 4-48, 4-59,	4-10' 4-27' 4-37'	4-10	3-54	3-40	3-14 3-28 3-36	3-17	3-2,
111	,400°	101	11-31	9-38	8-17	7-15	6-27' 6-55'	5-49	5-17		4-29	4-10	3-53	3-39'	3-26	3-14	3-4	2-55
7	3750	64 61/80	0-49	9-3	,91-2	6-43 7-15	, 1 -9	5-27	4-58	4-33 4-51	² -12′	3-54	3-39	3-25 3-39	3-13	3-2'		2-44
5	3636	es 44	8-17' 9-38' 10-30' 10-49' 11-31	8-46	7-32,	6-36	5-52	5-17	,6 1 - 1 9	4°-25	, t-4	3-47	33,	3-19	3-7		2-33' 2-47' 2-53'	2-5' 2-26' 2-39' 2-44
4	3333″	ಣ	9-38/1	°°-8	6-55	6-3	5-23		-25,	4-3,	3-44	3-28	3-14' 3° 32'	3-2,	2-52	2-42	2-33,	2-26
7	2857	- C-3 - C-3 - C-3	3-17		5-12' 5-56' 6-55' 7-32'	_	-37	l-10,	3-47	-	3-12	2-58,	,27-2		2-27	2-2' 2-19' 2-42' 2-57'		2-5
1	2500	4	7-16	6-1 6-55	-13	-33,	£3' 4°37'	3-39,	3-19 3-17	3-2' 3-28'	2-48 3-12	2-36 2-58	2-26 2-17	2-17 2-36	2-9,	2-2	-55	1-49
ANGLES FOR GASHING WORM	2222	17	6-28′	5-23	-31,	4-3' 4-33' 5-12'		3-14' 3-39' 4-10' 4-51'	2-57	2-42		2-19	2-10,	2-2	_	1°48′	1-32' 1-42' 1-55' 2-12'	1-37
1777	2000	10	5-49' (3-47' 4-10' 4-37'		2-57' 3-14' 3-36'		2-39	2-26	2-15' 2-30'	2-5	1-57'	l-49'	1-43 1-54	1°37′	-32,	1-27'
70	1818	512	5-18 5	4-25' 4-51'	1,217	3-19' 3-39'	3-57	-39,	25,	2-13	2-2,				-34	28,		[-20,]
1	LEAD1000 .1111 .1250 .1383 .1429 .1538 .1666 .1818 .2000 .2222 .2500 .2557 .3333 .3636 .3750 .4000 .4285 .444 .5000 .511 .6000 .6666 .7500	9		-63-4-	3-28' 3	3-2' 3	2-12	2-15 2-26 2-39 2-55	2-2' 2-13' 2-25' 2-39' 2-57'	2-1, 2		1-29' 1-36' 1-44' 1-54'	1-37' 1-46	1-24 1-31 1-39	1-19' 1-26' 1-34'	1°21′ 1°28′	1-17' 1-24'	1-13' 1-20'
777777	1538″.	$6\frac{1}{2}$	4-10 4-29 4-51	3-11	3-12		2-10' 2-19' 2-30' 2-42'	2-15	2-2	1-52	1-24' 1-30' 1-36' 1-44' 1-52'	1-36	1-30,	1-24	1-19	1-15	l-11,	1-7,
777	1429	1	-10, 4	3-14' 3-28' 3-14'	2-58 8	2-36' 2	-19'	2-5	-54	1-44,	1,98-1	-29	-23		1-14	1-9,	1-6	1-3,
	1333″.	-101	-51, 4	3-14, 3	71-8	-26,	210, 2		246	-37,	-30′ 1		-18	1-13 1-18	1-9,	l-5'	, l-1	58,
	1250	oo	3-38 3-51	3-2,	2-36 2-47 2-58 3-12	2-17' 2-26' 2-36' 2-48'	2-2 2	1-49' 1-57'	1-39 1	1-31 1-37	[-24]	1-18 1-23	1-13' 1-18 1-23' 1-30'	1-8' 1	1-4'	1-1	58,	24,
	ıııı.	6	3-14 3	2-42′ 8	2-19, 2	2-1, 2	1-48	1-37' 1	-28,	1-21 1	1-15/1	1-9, 1	1-5, 1]-1,	21,	54	51′	49,
	. 0001	10	2-55 3	2-26 2	2-5' 2	I°49'	1-37' 1	1-28 1	1-20' 1-28' 1-39' 1-46' 1-54'	1-13 1	1-7' 1	1-2,	58,	55'	52′	49,	46′	, #
		NS ICH	8 2	6 4	r- co	1 1	1 1 1	14 1	13 1	11/2 1	15	% <u> </u> 4	17	67	$\frac{2\frac{1}{8}}{8}$	$\frac{2^{\frac{1}{4}}}{4}$	6.f 80 /80	- ₂
	LEA	TURNS PER INCH						-	13T.		и н							
		ш										-						

TABLE OF ANGLES FOR GASHING WORM WHEELS.

	0000	a n								13-26	12-40	11-59	11-22	10-49	10-19	9-51	9-26	9-2,
	0000	₩ c1				-	-	10-19	9-38,	9-3' 1	8-32' 1	8-3,	7-38,1	7-15/1	6-54 1	6-36	6-19 8	6-3
	.50002.00003.0000	01 00				9-3	8-22	7-46/10	7-15 9	6-49	6-26 8	0-1 °	6-44 7	5-27 7	5-12' 6	4-58, 6	4-45, 6	4-33
	333%1.4	00 40			8-24	8-3	7-26 8	6-54 7	6-27	6-4' 6	5-42 6	5-23′	5-6 6	4-51 5	4-37, 5	f-25/ 4	£-13,	£-5,
	.8000 1.00001.33331	-	6-55	6-36	6-19	6-3' 8	5-36 7	5-12' 6		1-33	-t-17' 5	4-3,	3-50' 5	3-39, 4	3-28	3-19,	3-10' 4-	3-2'
	000	1-1-	5-32 6	5-17' 6	5-4 6	4-51 6	4-29, 5	1-10 5°	3-53,	3-39,	3-26	3-14 4	3-4 3	2-55' 3	2-47 3	2-39, 3	2-32, 3	2-26 3
	.7500 .80	1 1 1	5-12, 5-	4-58 2-	4-45, 5		±-12, 4-			3-25 / 3-	3-13 3-	65-2°.	2-53	2-44 2-2	2-36 2-	2-29 2-	2-23 2-	2-17 2-
	.7. 99	1-1-1-1		4-25/ 4-	4-13/4-	f-3, f-33,	3-44/ 4-	3-28 3-54	3-14, 3-33,	3-2' 3-	2-52' 3-	2-42, 3	2533′ 25	2-26, 3-	2-19, 2-	2-13 2-	2-1, 3-	2-1, 2-
	,9999, ,0009.	9]s	4-10 4-37					3-7 3-		2-44 3					2-5' 2		-	
Ī	.5714 .60	-		17, 3-58,	37, 3-48,	28′ 3°-39′	12, 8-32,		17, 25-55,		27, 2-34,	2-19 2-26	12, 2-18,	5' 2-11'		, F-29,	1549' 1-54'	14, 1-49,
	00 57	13	3-58	9 3-47	10, 3-37	2, 5-28,	8, 3-12,	6 2-59	2-17	7 2-36	9 2-2-	_	5 2-12	9, 2-5,	1, 1-59	1-54		1, 1-44
	14 5000	61	3-28	7 3-19	9, 3-10,	2,2	0 2-48	9, 2-36,	0 2-26	2 2-17	, 5-9,	8, 2-2,	2 1-55	7, 1-49,	3, 1-44	8 1-39	4' 1-35'	1' 1-31'
	35",4444"	23.1	9, 3-5,	0 2-57	3 2-49	6 2-42	1, 2-30	₹ 2-19,	2-10,	5, 2-2	0 1-54	1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1	7 1-42	4' 1-37'	9' 1-33'	5 1-28	2' 1-24'	8 12-21
	0,4285	C.J.	, 2-59	, 2-50	2-43	3, 2-36	, 2-24	2-14	7 2-5	, 1-55	3 1-50	1-11	2, 1-37,	3 1-34	3 1-2:0/	, 1-25	, 1-22,	, 1-18
	,4000	12 12	2-41	2-39	2-33	, 2-26	2-14	2-5	1-57	1-49	1-43	1-37	1-32,	, 1-28	1-23,	1-30] I-16	1-13
)	,3750	6.1 0.1 0.1	2-36	2-29	2-23,	3-17	2-6,	1-57	1-49	1-43	, I-37′	1-31	1-26	1-22	1-18	1-15	l-11/	1-8'
	.3636	63 4	2-31	2-25	2-18	2-13	2-2	1-54	1-46	1-39	1-34	1-28	1-24	1-20	l-16′	Î-12'	j-9'	1-6′
2	.3333″	က	2-19	2-13	2-1	2-2	1-52	1-44	l-37	1-31	1-26	1-21	² -11,	1-13′	1-9'	l-6'	1-3	1-1,
;	.2857	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1-59	1-54	1-49	1-44	1-36	[-29	1-23	1-18	1-11	1-9'	1-6'	1-3	1-1	51,	54,	52′
	.2500	4	1-44	1-39	1-35	1-31	1-24	1-18	1-13	1-8	\f-1	l-1	58,	55'	52,	50,	,84	46,
۱	.2322	4.	1-33	1-28	1-25	1-21	1-15	1-9'	1-5'	1-1	57,	54	51,	,6‡	46'	`#	-53	40,
	.2000.	5	1-23	1-20	1-16′	1-13	1-7'	1-3,	58,	55,	25	,6#	,94	`#	` <u>;</u> ;	`9	, œ	
	.1818	- 15 - 15 - 15 - 15 - 15 - 15 - 15 - 15	1-16	1-12	1-9'	1-6]. -1	57,	53,	20,	, L#	`#	43,	,04	, %	36,		
	.1666	9	1-9'	1-6′	l-3	1-1	56,	523	, 8 1	46	, Et	,0#	38,	36'	35,			
,	.1538	<u>~~9</u>	I-4′	1-1	58,	56'	52′	48,	45,	,23	, ₀ ‡	37,	35,	34				
	1429	7	1,	57,	54'	52'	48,	45'	` ;	39,	37,	35,	33,					
	.1333″	72	56,	533,	51′	49,	45,	42,	39,	37,	34′	, E3						
	.1250	∞	52'	20,	-84	46'	, č. 2 , č. 4 ,	39,	36,	31,	33,							
	1111	6	46'	44 ,	43,	40,	38,	35,	33,	31,								
	.111" 0001.	10	42'	40,	38,	36,	34,	32,	30,									
		NS	c) (c)	9 <u>8</u>	2 2 2	က	2 4 1	63 List	ಬ ಬ 4	44	4-4-	44 20 	4 4	6	5 4	$\frac{5\frac{1}{2}}{2}$	5.3	9
	LEAD.	TURNS PER INCH						.85	13T:	AME	н БІ	OTI	d					
L		<u> </u>		PITCH DIAMETERS.														



Tables of Prime Numbers and Factors.

1 to 10200.

In making use of these tables, the following explanation may be of assistance: the two columns at the left give the last two figures of the number to be factored; the first column gives all numbers to 50 and the second column from 50 to 100.

Example 1.—Required, the factors of 138. Refer to the column of numbers from 100 to 150 and follow down the column until opposite 38 in the left-hand column; the factors are found to be $2 \times 3 \times 23$.

EXAMPLE 2.—Required, the factors for 1672. Refer to the column of numbers from 1650 to 1700 and follow down the column until opposite 72 in the second column at the left; the factors are found to be $2^3 \times 11 \times 19$ or, more conveniently stated for factoring, $2 \times 2 \times 2 \times 11 \times 19$.

Prime Numbers and Factors, 1-300.

From	0	- 50	100	150	200	250
To	50	100	150	200	250	300
0 50 1 57 2 52 3 53 4 54 5 55 6 56 7 57 8 58 9 59	2 ² 2·3 2 ³	2·5² 3·17 2²·13 2·3³ 5·11 2³·7 3·19 2·29 	2 ² ·5 ² 2·3·17 2 ³ ·13 3·5·7 2·53 2 ² ·3 ³ 2·5·11	2·3·5 ² 2 ³ ·19 3 ² ·17 2·7·11 5·31 2 ² ·3·13 2·79 3·53 2 ⁵ ·5	2 ³ ·5 ² 3·67 2·101 7·29 2 ² ·3·17 5·41 2·103 3 ² ·23 2 ⁴ ·13 11·19 2·3·5·7	2·5³ 2²·3²·7 11·23 2·127 3·5·17 2³ 2·3·43 7·37 2²·5·13
11 61 12 62 13 63 14 64 15 65 16 66 17 67 18 68 19 69 20 70	2 ² ·3 2·7 3·5 2 ⁴ 2·3 ²	2·31 3 ² ·7 2 ⁶ 5·13 2·3·11 2 ² ·17 3·23 2·5·7	3·37 2 ⁴ ·7 	7·23 2·3 ⁴ 2 ² ·4 ¹ 3·5·11 2·83 2 ³ ·3·7 13 ² 2·5·17	2 ² ·53 3·71 2·107 5·43 2 ³ ·3 ³ 7·31 2·109 3·73 2 ² ·5·11	3 ² ·29 2·131
21 71 22 72 23 73 24 74 25 75 26 76 27 77 28 78 29 79 30 86	$2^{2 \cdot 11}$ $2^{3 \cdot 3}$ 5^{2} $2 \cdot 13$ 3^{3} $2^{2 \cdot 7}$	2 ³ ·3 ² 2·37 3·5 ² 2 ² ·19 7·11 2·3·13 2 ⁴ ·5	11 ² 2·61 3·41 2 ² ·31 5 ³ 2·3 ² ·7 2 ⁷ 3·43 2·5·13	3 ² ·19 2 ² ·43 2·3·29 5 ² ·7 2 ⁴ ·11 3·59 2·89 2 ² ·3 ² ·5	$ \begin{array}{c} 13 \cdot 17 \\ 2 \cdot 3 \cdot 37 \\ \vdots \\ 2^{5} \cdot 7 \\ 3^{2} \cdot 5^{2} \\ 2 \cdot 113 \\ 2^{2} \cdot 3 \cdot 19 \\ \vdots \\ 2 \cdot 5 \cdot 23 \end{array} $	2 ⁴ ·17 3·7·13 2·137 5 ² ·11 2 ² ·3·23 2·139 3 ² ·31 2 ³ ·5·7
31 81 32 82 33 83 34 84 35 85 36 86 37 87 38 88 39 86 40 96	25 3.11 2.17 5.7 2 ² ·3 ² 2.19 3.13	3 ⁴ 2·41 2 ² ·3·7 5·17 2·43 3·29 2 ³ ·11 2·3 ² ·5	2 ² ·3·11 7·19 2·67 3 ³ ·5 2 ³ ·17 	2·7·13 3·61 2³·23 5·37 2·3·31 11·17 2²·47 3³·7 2·5·19	3·7·11 2³·29 2·3²·13 5·47 2²·59 3·79 2·7·17 2⁴·3·5	2·3·47
41 9: 42 92 43 93 44 92 45 93 46 96 47 92 48 98 49 99 50 100	2 2·3·7 	7·13 2²·23 3·31 2·47 5·19 2⁵·3 	3·47 2·71 11·13 2 ⁴ ·3 ² 5·29 2·73 3·7 ² 2 ² ·37 	2.97 3.5.13 2.3 ² .7 ² 2.3 ² .11	2·11 ² 3 ⁵ 2 ² ·61 5·7 ² 2·3·41 13·19 2 ³ ·31 3·83 2·5 ³	3.97 2.73 2.3.72 5.59 2.3.37 3.11 2.149 13.23 2.2.3.52

Prime Numbers and Factors, 300-600.

From	n	300	350	400	450	500	550
To		350	400	450	500	550	600
0 1 2 3 4 5 6 7 8	50 51 52 53 54 55 56 57 59	2 ² ·3·5 ² 7·43 2·151 3·101 2 ⁴ ·19 5·61 2·3 ² ·17	2·5 ² ·7 3 ³ ·13 2 ⁵ ·11 2·3·59 5·71 2 ² ·89 3·7·17 2·179	2 ⁴ ·5 ² 2·3·67 13·31 2 ² ·101 3 ⁴ ·5 2·7·29 11·37 2 ³ ·3·17	2·3 ² ·5 ² 11·41 2 ² ·113 3·151 2·227 5·7·13 2 ³ ·3·19 	2 ² ·5 ³ 3·167 2·251 2 ³ ·3 ² ·7 5·101 2·11·23 3·13 ² 2 ² ·127	2·5²·11 19·29 2³·3·23 7·79 2·277 3·5·37 2²·139
10 11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	2 ³ ·3·13 2·157 3 ² ·5·7 2·3·53 11·29 2 ⁶ ·5	2 ³ ·3 ² ·5 19 ² 2·181 3·11 ² 2 ² ·7·13 5·73 2·3·61	2·5·41 3·137 2²·103 7·59 2·3²·23 5·83 2 ⁵ ·13 3·139 2·11·19 	2 ² ·5·23 2·3·7·11 2 ⁴ ·29 3·5·31 2·233 2 ² ·3 ² ·13 7·67 2·5·47	2·3·5·17 7·73 2 ⁹ 3 ³ ·19 2·2·57 5·103 2 ² ·3·43 11·47 2·7·37 3·173 2 ³ ·5·13	2 ⁴ ·5·7 3·11·17 2·281
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·107 2·7·23 17·19 2 ² ·3 ⁴ 5 ² ·13 2·163 3·109 2 ³ ·41 7·47 2·3·5·11	7·53 2²·3·31 2·11·17 3·5³ 2³·47 13·29 2·3³·7 2²·5·19	2·211 3 ² ·47 2 ³ ·53 5 ² ·17 2·3·71 7·61 2 ² ·107 3·11·13 2·5·43	3·157 2³·59 11·43 2·3·79 5²·19 2²·7·17 3²·53 2·239 	2·3 ² ·29 	2 ² ·11·13 3·191 2·7·41 5 ² ·23 2 ⁶ ·3 ²
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ² ·83 3 ² ·37 2·167 5·67 2 ⁴ ·3·7 2·13 ² 3·113 2 ² ·5·17	3·127 2·191 2 ⁷ ·3 5·7·11 2·193 3 ² ·43 2 ² ·97 2·3·5·13	2 ⁴ ·3 ³ 2·7·31 3·5·29 2 ² ·109 19·23 2·3·73 2 ³ ·5·11	13·37 2·241 3·7·23 2²·11² 5·97 2·3·61 3·163 2·5·7²	3 ² ·59 2 ² ·7·19 13·41 2·3·89 5·107 2 ³ ·67 3·179 2·269 7 ² ·11 2 ² ·3 ³ ·5	7.83 2·3.97 11·53 2³.73 3²·5·13 2·293
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	11·31 2·3 ² ·19 7 ³ 2 ³ ·43 3·5·23 2·173 2 ² ·3·29 	17·23 2³·7² 3·131 2·197 5·79 2²·3²·11 2·199 3·7·19 2⁴·5²	3 ² ·7 ² 2·13·17 	2 ² ·3·4 ¹ 17·29 2·13·19 3 ² ·5·11 2 ⁴ ·31 7·7 ¹ 2·3·83	2·271 3·181 2 ⁵ ·17 5·109 2·3·7·13 	3·197 2·4·37

Prime Numbers and Factors, 600-900.

From	600	650	700	750	800	850
То	650	700	750	800	850	900
0 50 1 51 2 52 3 53 4 54 5 55 6 56 7 57 8 58 9 59 10 60	2 ³ ·3·5 ² 	2··5²·13 3·7·31 2²·163 2·3·109 5·131 2⁴·41 3²·73 2·7·47 2²·3·5·11	2 ² ·5 ² ·7 2·3 ³ ·13 19·37 2 ⁶ ·11 3·5·47 2·353 7·101 2 ² ·3·59 2·5·71	2·3·5³ 	2 ⁵ ·5 ² 3 ² ·89 2·401 11·73 2 ² ·3·67 5·7·23 2·13·31 3·269 2 ³ ·101 	2·5²·17 23·37 2²·3·71
11 61 12 62 13 63 14 64 15 65 16 66 17 67 18 68 19 69 20 70	13·47 2²·3²·17 2·307 3·5·41 2³·7·11 2·3·103 2²·5·31	2·331 3·13·17 2³·83 5·7·19 2·3·23 23·29 2²·167 3·223 2·5·67	3 ² ·79 2 ³ ·89 23·31 2·3·7·17 5·11·13 2 ² ·179 3·239 2·359 	2·3·127 7·109 2²·191 3²·5·17 2·383 13·59 2·3 	2 ² ·7·29 3·271 2·11·37 5·163 2 ⁴ ·3·17 19·43 2·409 3 ² ·7·13 2 ² ·5·41	3·7·41 2·431
21 71 22 72 23 73 24 74 25 75 26 76 27 77 28 78 29 79 30 80	3 ³ ·23 2·311 7·89 2 ⁴ ·3·13 5 ⁴ 2·313 3·11·19 2 ² ·157 17·37 2·3 ² ·5·7	11.61 2 ⁵ ·3·7 	7·103 2·19 ² 3·241 2 ² ·181 5 ² ·29 2·3·11 ² 	3·257 2 ² ·193 	2.3·137 2.3·103 3·5·2·11 2·7·59 2 ² ·3 ² ·23 2·5·83	13.67 2 ³ .109 3 ² .97 2.19.23 5 ³ .7 2 ² .3.73
31 81 32 82 33 83 34 84 35 85 36 86 37 87 38 88 39 89 40 90	2 ³ ·79 3·211	3·227 2·11·31 	17:43 2 ² ·3·61 	11·71 2·17·23 3³·29 2⁴·7² 5·157 2·3·131 2²·197 3·263 2·5·79	3·277 26·13 7 ² ·17 2·3·139 5·167 2 ² ·11·19 3 ³ ·31 2·419 	2·3·7² 2·13·17 3·5·59 2·443 2³·3·37 7·127 2·5·89
41 91 42 92 43 93 44 94 45 95 46 96 47 97 48 98 49 99 50 100	2·3·107 	2 ² ·173 3 ² ·7·11 2·347 5·139 2 ³ ·3·29 17·41 2·349 3·233 2 ² ·5 ² ·7	3·13·19 2·7·53 	7·113 2³·3²·11 13·61 2·397 3·5·53 2²·199 	29 ² 2·421 3·281 2 ² ·211 5·13 ² 2·3 ² ·47 7·11 ² 2 ⁴ ·53 3·283 2·5 ² ·17	3 ⁴ ·11 2 ² ·223 19·47 2·3·149 5·179 2 ⁷ ·7 3·13·23 2·449 29·31 2 ² ·3 ² ·5 ²

Prime Numbers and Factors, 900-1200.

From	900	950	1000	1050	1100	1150
To	950	1000	1050	1100	1150	1200
0 50 1 51 2 52 3 53 4 54 5 55 6 56 7 57 8 58 9 59 10 60	17.53 2.11.41 3.7.43 2.3.113 5.181 2.3.151 	2·5²·19 3·3¹7 2³·7·17 2·3²·53 5·191 2²·239 3·11·29 2·479 7·137 2 ⁶ ·3·5	2 ³ ·5 ³ 7·11·13 2·3·167 17·59 2 ² ·251 3·5·67 2·503 19·53 2 ⁴ ·3 ² ·7	2·3·5 ² ·7 2 ² ·263 3 ⁴ ·13 2·17·31 5·211 2 ⁵ ·3·11 7·151 2·23 ² 3·353 2 ² ·5·53	2 ² ·5 ² ·11 3·3 ⁶ 7 2·19·29 	2·5²·23
11 61 12 62 13 63 14 64 15 65 16 66 17 67 18 68 19 69	2 ⁴ ·3·19 11·83 2·457 3·5·61 2 ² ·229 7·131 2·3 ³ ·17	31 ² 2·13·37 3 ² ·107 2 ² ·241 5·193 2·3·7·23 	3·337 2 ² ·11·23 	2·3·59 	11·101 2 ³ ·139 3·7·53 2·557 5·223 2 ² ·3 ² ·31 2·13·43 3·373 2 ⁵ ·5·7	3 ³ ·43 2·7·83
21 71 22 72 23 73 24 74 25 75 26 76 27 77 28 78 29 79 30 80	2·461 13·71 2 ² ·3·7·11 5 ² ·37 2·463 3 ² ·103 2 ⁵ ·29	2 ² ·3 ⁵ 7·139 2·487 3·5 ² ·13 2 ⁴ ·61 2·3·163 11·89 2 ² ·5·7 ²	2·7·73 3·11·31 2¹0 5²·41 2·3³·19 13·79 2²·257 3·7³ 2·5·103	3 ² ·7·17 2 ⁴ ·67 29·37 2·3·179 5 ² ·43 2 ² ·269 3·359 2·7 ² ·11 13·83 2 ⁸ ·3 ⁸ ·5	19·59 2·3·11·17 2²·281 3²·5 ⁸ 2·563 7²·23 2³·3·47 2·5·113	2 ² ·293 3·17·23 2·587 5 ² ·47 2 ³ ·3·7 ² 11·107 2·19·31 3 ² ·131 2 ² ·5·59
31 81 32 82 33 83 34 84 35 85 36 86 37 87 38 88 39 89 40 90	2 ² ·233 3·311 2·467 5·11·17 2 ³ ·3 ² ·13 2·7·67 3·313	3 ² ·109 2·491 	2 ³ ·3·43 	23.47 2.541 3.19 ² 2 ² .271 5.7.31 2.3.181 	3·13·29 2²·283 11·103 2·3 ⁴ ·7 5·227 2 ⁴ ·71 3·379 2·569 17·67 2²·3·5·19	2·3·197 7·13 ² 2 ⁵ ·37 3·5·79 2·593
41 91 42 92 43 93 44 94 45 95 46 96 47 97 48 98 49 99 50 100	2·3·157 23·41 2 ⁴ ·59 3 ³ ·5·7 2·11·43 	2 ⁵ ·31 3·331 2·7·71 5·199 2 ² ·3·83 2·499 3 ³ ·37 2 ³ ·5 ³	3:347 2:521 7:149 2 ² :3 ² ·29 5:11·19 2:523 3:349 2 ³ :131 	2·3·7·13 2·547 3·5·73 2³·137 2·3²·61 7·157 2²·5²·11	7·163 2·571 3²·127 2³·11·13 5·229 2·3·191 3¹·37 2²·7·41 3·383 2·5²·23	3:397 2 ³ ·149 2·3·199 5·239 2 ² ·13·23 3 ² ·7·19 2·599 11·109 2 ⁴ ·3·5 ²

Prime Numbers and Factors, 1200-1500.

1							
Fron	n	1200	1250	1300	1350	1400	1450
To		1250	1300	1350	1400	1450	1500
0 1 2 3 4 5 6 7 8 9 10	50 51 53 54 55 55 57 56 56 56 56 56	2 ⁴ ·3·5 ² 	2·5 ⁴ 3 ² ·139 2 ² ·313 7·179 2·3·11·19 5·251 2 ³ ·157 3·419 2·17·37 	2 ² ·5 ² ·13 2·3·7·31 2 ³ ·163 3 ² ·5·29 2·653 2 ² ·3·109 7·11·17 2·5·131	2·3 ³ ·5 ² 7·193 2 ³ ·13 ² 3·11·41 2·677 5·271 2 ² ·3·113 2 ³ ·59 2·7·97 3 ² ·151 2 ⁴ ·5·17	2 ³ ·5 ² ·7 3·467 2·701 23·61 2 ² ·3 ³ ·13 5·281 2·19·37 3·7·67 2 ⁷ ·11 	2·5²·29 2²·3·11² 2·727 3·5·97 2¹·7·13 31·47 2·3° 2²·5·73
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	7·173 2 ² ·3·101 2·607 3 ⁵ ·5 2 ⁶ ·19 2·3·7·29 2 ³ ·53 2 ² ·5·61	13.97 2.631 3.421 2 ⁴ .79 5.11.23 2.3.211 7.181 2 ² .317 3 ³ .47 2.5.127	3·19·23 2 ⁵ ·41 13·101 2·3 ² ·73 5·263 2 ² ·7·47 3·439 2·659 	2·3·227 29·47 2²·11·31 3·5·7·13 2·683 	17.83 2 ² .353 3 ² .157 2.7.101 5.283 2 ³ .3.59 13.109 2.709 3.11.43 2 ² .5.71	3:487 2:17:43 7:11:19 23:3:61 5:293 2:733 32:163 22:367 13:113 2:3:5:72
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·11·37 2·13·47 	31·41 2³·3·53 19·67 2·7²·13 3·5²·17 2²·11·29 	2.661 3 ³ ·7 ² 2 ² ·331 5 ² ·53 2·3·13·17 2 ⁴ ·83 3·443 2·5·7·19	3.457 2.73 	7 ² ·29 2·3 ² ·79 	2 ⁶ ·23 3·49 ¹ 2·11·67 5 ² ·59 2 ² ·3 ² ·41 7·211 2·739 3·17·29 2 ³ ·5·37
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ⁴ ·7·11 3 ² ·137 2·617 5·13·19 2 ² ·3·103 2·619 3·7·59 2 ³ ·5·31	3·7·6i 2·64i 	113 2 ² ·3 ² ·37 31·43 2·23·29 3·5·89 2 ³ ·167 7·191 2·3·223 13·103 2 ² ·5·67	2-691 3-461 2 ³ -173 5-277 2-3 ² -7-11 19-73 2 ² -347 3-463 2-5-139	3 ³ ·53 2 ³ ·179 2·3·239 5·7·41 2 ² ·359 3·479 2·719 2 ⁵ ·3 ² ·5	2·3·13·19 2·2·7·53 3³·5·11 2·743 2⁴·3·31 2·5·149
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	17·73 2·3³·23 11·113 2²·311 3·5·83 2·7·89 29·43 2 ⁵ ·3·13 	2 ² ·17·19 3·43 ¹ 2·647 5·7·37 2 ¹ ·3 ⁴ 2·11·59 3·433 2 ² ·5 ² ·13	3 ² ·149 2·11·61 17·79 2 ⁶ ·3·7 5·269 2·673 3·449 2 ² ·337 19·71 2·3 ³ ·5 ²	13·107 2 ⁴ ·3·29 7·199 2·17·41 3 ² ·5·31 2 ² ·349 11·1 ² 7 2·3·233 	11·131 2·7·103 3·13·37 2²·19² 5·17² 2·3·241 	3·7·71 2·3·2·83 5·13·23 2³·11·17 3·499 2·7·107 2²·3·5³

Prime Numbers and Factors, 1500-1800.

Fre	m	1500	1550	1600	1650	1700	1750
To		1550	1600	1650	1700	1750	1800
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3·5 ³ 19·79 2·751 3 ² ·167 2 ⁵ ·47 5·7·43 2·3·251 11·137 2 ² ·13·29 3·503 2·5:151	2·5²·31 3·11·47 2 ⁴ ·97 	2 ⁶ ·5 ² 2·3 ² ·89 7·229 2 ² ·401 3·5·107 2·11·73 2 ³ ·3·67 2·5·7·23	2·3·5 ² ·11 13·127 2 ² ·7·59 3·19·29 2·827 5·331 2 ³ ·3 ² ·23 2·829 3·7·79 2 ² ·5·83	2 ² ·5 ² ·17 3 ⁵ ·7 2·23·37 13·131 2 ³ ·3·71 5·11·31 2·853 3·569 2 ² ·7·61 	2·5³·7 17·103 2³·3·73 2·877 3³·5·13 2²·439 7·251 2·3·293 2⁵·5·11
11 12 13 14 15 16 17 18 19	61 62 63 64 65 66 67 68 69	2 ³ ·3 ³ ·7 17·89 2·757 3·5·101 2 ² ·379 37·41 2·3·11·23 7 ² ·31 2 ⁴ ·5·19	7·223 2·11·71 3·521 2²·17·23 5·313 2·3³·29 	3 ² ·179 2 ² ·13·31 	2 ⁷ ·13 3 ² ·5·37 2·7·13 3 ² ·5·37 2·7 ² ·17 2 ² ·3·139 2·5·167	29·59 2 ⁴ ·107 3·571 2·857 5·7 ³ 2 ² ·3·11·13 17·101 2·859 3 ² ·191 2 ³ ·5·43	3·587 2·881 4¹·43 2²·3²·7² 5·353 2·883 3·19·31 2³·13·17 29·61 2·3·5·59
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3 ² ·13 ² 2·761 	2 ² ·3·131 11 ² ·13 2·787 3 ² ·5 ² ·7 2 ³ ·197 19·83 2·3·263 	2.811 3.541 2 ³ .7.29 5 ³ .13 2.3.271 	3:557 2 ³ :11:19 7:239 2:3 ³ :31 5 ² :67 2 ² :419 3:13:43 2:839 23:73 2 ⁴ :3:5:7	2·3·7·41 	7·11·23 2 ² ·443 3 ² ·197 2·887 5 ² ·71 2 ⁴ ·3·37 ·································
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89	2 ² ·383 3·7·73 2·13·59 5·307 2 ⁹ ·3 2·9·53 2·769 3 ⁴ ·19 2 ² ·5·7·11	3·17·31 2·7·113 	7·233 2 ⁵ ·3·17 23·71 2·19·43 3·5·109 2 ² ·409 2·3 ² ·7·13 11·149 2 ³ ·5·41	41 ² 2·29 ² 3 ² ·11·17 2 ² ·421 5·337 2·3·281 7·241 2 ³ ·211 3·563 2·5·13 ²	3:577 2 ² ·433 2·3·17 ² 5·347 2 ³ ·7·31 3 ² ·193 2·11·79 37·47 2 ² ·3·5·29	13·137 2·3 ⁴ ·11
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	23.67 2·3·257 	37·43 2³·199 3³·59 2·797 5·11·29 2²·3·7·19 2·17·47 3·13·41 2 ⁶ ·5 ²	3·547 2·821 31·53 2²·3·137 5·7·47 2·823 3³·61 2⁴·103 17·97 2·3·5²·11	19.89 2 ² ·3 ² ·47 2·7·11 ² 3·5·113 2 ⁵ ·53 2·3·283 2 ² ·5 ² ·17	2·13·67 3·7·83 2 ⁴ ·109 5·349 2·3 ² ·97 2 ² ·19·23 3·11·53 2·5 ³ ·7	3 ² ·199 2 ⁸ ·7 11·163 2·3·13·23 5·359 2 ² ·449 3·599 2·29·31 7·257 2 ⁸ ·3 ² ·5 ²

Prime Numbers and Factors, 1800-2100.

Fron	n	1800	1850	1900	1950	2000	2050
To		1850	1900	1950	2000	2050	2100
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59	2°32°52° 2°17°53 3°601 2°11°41 5°192 2°33°743 13°139 2 ⁴ 113 3°67 2°5181	2·5²·37 3·617 2²·463 17·109 2·3²·103 5·7·53 26·29 3·619 2·929 11·13² 2²·3·5·31	2·5·19 2·3·317 11·173 2·4·7·17 3·5·127 2·953 2²·3²·53 23·83 2·5·191	2·3·5²·13 	2 ⁴ ·5 ³ 3·23·29 2·7·11·13 2 ² ·3·167 5·401 2·17·59 3 ² ·223 2 ³ ·251 7 ² ·41 2·3·5·67	2·5²·41 7·293 2²·3³·19
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	2 ² ·3·151 7 ² ·37 2·907 3·5·11 ² 2 ³ ·227 2 ³ ·227 2·3 ² ·101 17·107 2 ² ·5·7·13	2·7²·19 3 ⁴ ·23 2 ³ ·233 5·373 2·3·311 	3·7²·13 2³·239 2·3·11·29 5·383 2²·479 3³·71 2·7·137 19·101 2 ⁷ ·3·5	37:53 2:3 ² ·109 13:151 2 ² ·491 3:5·131 2·983 7·281 2 ⁴ ·3·41 11·179 2·5·197	2 ² ·503 3·11·61 2·19·53 5·13·31 2 ⁵ ·3 ² ·7 2·1009 3·673 2 ² ·5·101	3 ² ·229 2·1031
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3.607 2.911 	2 ⁴ ·3 ² ·13 2·937 3·5 ⁴ 2 ² ·7·67 2·3·3 ¹ 3 2 ³ ·5·47	17·113 2·31 ² 3·641 2 ² ·13·37 5 ² ·7·11 2·3 ² ·107 41·47 2 ³ ·241 3·643 2·5·193	3 ³ ·73 2··17·29 	43·47 2·3·337 7·17 ² 2 ³ ·11·23 3 ⁴ ·5 ² 2·1013 	19·109 2 ³ ·7·37 3·691 2·17·61 5 ² ·83 2 ² ·3·173 31·67 2·1039 3 ³ ·7·11 2 ⁵ ·5·13
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ³ ·229 3·13·47 2·7·131 5·367 2 ² ·3 ³ ·17 11·167 2·919 3·613 2 ⁴ ·5·23	3 ² ·11·19 2·941 7·269 2 ² ·3·157 5·13·29 2·23·41 3·17·37 2 ⁵ ·59 	2°·3·7·23 	7·283 2·991 3·661 2 ⁶ ·31 5·397 2·3·331 	3.677 2 ⁴ ·127 19·107 2·3 ² ·113 5·11·37 2 ² ·509 3·7·97 2·1019 	2·3·347 2·5·139 2·7·149 2·3·3²·29 2·5·11·19
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	7·263 2·3·307 19·97 2²·461 3²·5·41 2·13·71 	31·61 2 ² ·11·43 3·631 2·947 5·379 2 ³ ·3·79 7·271 2·13·73 3 ² ·211 2 ² ·5 ² ·19	3.647 2.971 2.9.67 2 ³ ·3 ⁵ 5·389 2.7·139 3·11·59 2 ² ·487 	11·181 2 ³ ·3·83 2·997 3·5·7·19 2 ² ·499 2·3 ³ ·37 	13·157 2·1021 3²·227 2²·7·73 5·409 2·3·11·31 23·89 2¹¹ 3·683 2·5²·41	3·17·41 2²·523 7·13·23 2·3·349 5·419 2⁴·131 3²·233 2·1049

Prime Numbers and Factors, 2100-2400.

From	2100	2150	2200	2250	2300	2350
То	2150	2200	2250	2300	2350	2400
0 50 1 51 2 52 3 53 4 54 5 55 6 56 7 57 8 58 9 59 10 60	2 ² ·3·5 ² ·7 11·191 2·1051 3·701 2 ³ ·263 5·421 2·3 ⁴ ·13 7 ² ·43 2 ² ·17·31 3·19·37 2·5·211	2·5²·43 3²·239 2³·269 	2 ³ ·5 ² ·11 31·71 2·3·367 2 ² ·19·29 3 ² ·5·7 ² 2·1103 2 ⁵ ·3·23 47 ² 2·5·13·17	2·3 ² ·5 ³ 	2 ² ·5 ² ·23 3·13·59 2·11·51 7 ² ·57 2 ⁸ ·3 ² 5·461 2·11·53 3·769 2 ² ·577 	2·5²·47 2⁴·3·7² 13·181 2·11·107 3·5·157 2²·19·31 2·3²·131 7·337 2³·5·59
11 61 12 62 13 63 14 64 15 65 16 66 17 67 18 68 19 69 20 70	26·3·11 	2-23-47 3-7-103 2 ² -541 5-433 2-3-19 ² 11-197 2 ³ -271 3 ² -241 2-5-7-31	3·11·67 2²·7·79 	7·17·19 2·3·13·29 31·73 2³·283 3·5·151 2·11·103 	2 ³ ·17 ² 3 ² ·257 2·13·89 5·463 2 ² ·3·193 7·331 2·19·61 3·773 2 ⁴ ·5·29	3·787 2·1181 17·139 2·2·3·197 5·11·43 2·7·13 ² 3 ² ·263 2 ⁶ ·37 23·103 2·3·5·79
21 71 22 72 23 73 24 74 25 75 26 76 27 77 28 78 29 79 30 80	3.7.101 2.1061 11.193 2 ² .3 ² .59 5 ³ .17 2.1063 3.709 2 ⁴ .7.19 	13.167 2 ² ·3.181 4 ¹ ·53 2·1087 3·5 ² ·29 2 ⁷ ·17 7·311 2·3 ² ·11 ² 	2·11·101 3 ² ·13·19 2 ⁴ ·139 5 ² ·89 2·3·7·53 17·131 2 ² ·557 3·743 2·5·223	3.757 25.71 	11·211 2·3 ³ ·43 23·101 2 ² ·7·83 3·5 ² ·31 2·1163 13·179 2 ³ ·3·97 17·137 2·5·233	2 ² ·593 3·7·113 2·1187 5 ³ ·19 2 ³ ·3 ³ ·11 2·29·41 3·13·61 2 ² ·5·7·17
31 81 32 82 33 83 34 84 35 85 36 86 37 87 38 88 39 89 40 90	2 ² ·13·41 3 ³ ·79 2·11·97 5·7·61 2 ³ ·3·89 2·1069 3·23·31 2 ² ·5·107	3·727 2·1091 37·59 2³·3·7·13 5·19·23 2·1093 3 ⁷ 2²·547 11·199 2·3·5·73	23·97 2³·3²·31 7·11·29 2·1117 3·5·149 2²·13·43 	2·7·163 3·761 2 ² ·571 5·457 2·3 ² ·127 	3 ² ·7·37 2 ² ·11·53 	2·3·397 2·4·149 3 ² ·5·53 2·1193 7·11·31 2 ² ·3·199 2·5·239
41 91 42 92 43 93 44 94 45 95 46 96 47 97 48 98 49 99 50 100	19.113	7·313 2 ⁴ ·137 3·17·43 2·1097 5·439 2 ² ·3 ² ·61 13 ³ 2·7·151 3·733 2 ³ ·5 ² ·11	3 ³ ·83 2·19·59 2 ² ·3·11·17 5·449 2·1123 3·7·107 2 ³ ·281 13·173 2·3 ² ·5 ³	29·79 2 ² ·3·191 2·31·37 3 ³ ·5·17 2 ³ ·7·41 2·3·3 ⁸ 3 11 ² ·19 2 ² ·5 ² ·23	2·1171 3·11·71 2³·293 5·7·67 2·3·17·23 2²·587 3⁴·29 2·5²·47	3·797 2³·13·23 2·3²·7·19 5·479 2²·599 3·17·47 2·11·109 2⁵·3·5²

Prime Numbers and Factors, 2400-2700.

From	1	2400	2450	2500	2550	2600	2650
To	-	2450	2500	2550	2600	2650	2700
1 2 3 4 5 6 7 8	50 51 52 53 54 55 56 57 58 59 60	2 ⁵ ·3·5 ² 7 ⁴ 2·1201 3 ³ ·89 2 ² ·601 5·13·37 2·3·401 29·83 2 ³ ·7·43 3·11·73 2·5·241	2·5²·7² 3·19·43 2²·613 11·223 2·3·409 5·491 2³·307 3³·7·13 2·1229 	2 ² ·5 ⁴ 41·61 2·3 ² ·139 2 ³ ·313 3·5·167 2·7·179 23·109 2 ² ·3·11·19 13·193 2·5·251	2·3·5 ² ·17 2³·11·29 3·23·37 2·1277 5·7·73 2 ² ·3 ² ·71 	2 ³ ·5 ² ·13 3 ² ·17 ² 2·1301 19·137 2 ² ·3·7·31 5·521 2·1303 3·11·79 2 ⁴ ·163 	2·5²·53 11·241 2²·3·13·17 7·379 2·1327 3²·5·59 2·5·83
13 14 15 16 17 18 19	61 62 63 64 65 66 67 68 69 70	2 ² ·3 ² ·67 19·127 2·17·71 3·5·7·23 2 ⁴ ·151 2·3·13·31 4 ¹ ·59 2 ² ·5·11 ²	23·107 2·1231 3·821 2 ⁵ ·7·11 5·17·29 2·3 ² ·137 	3 ⁴ ·31 2 ⁴ ·157 7·359 2·3·419 5·593 2 ² ·17·37 3·839 2·1259 11·229 2 ³ ·3 ² ·5·7	13·197 2·3·7·61 11·233 2²·641 3³·5·19 2·1283 17·151 2³·3·107 7·367 2·5·257	7·373 2²·653 3·13·67 2·1307 5·5²3 2³·3·109 	3·887 2·11 ³
22 23 24 25 26 27 28 29	71 72 73 74 75 76 77 78 79 80	3 ² ·269 2·7·173 2 ³ ·3·101 5 ² ·97 2·1213 3·809 2 ² ·607 7·347 2·3 ⁵ ·5	7·353 2³·3·103 	2·13·97 3·29 ² 2 ² ·631 5 ² ·101 2·3·421 7·19 ² 2 ⁵ ·79 3 ² ·281 2·5·11·23	3.857 2 ² .643 31.83 2·3 ² ·11·13 5 ² ·103 2 ⁴ ·7·23 3.859 2·1289 	2·3·19·23 43·61 2·41 3·5 ³ ·7 2·13·101 3 ⁷ ·71 2 ² ·3 ² ·73 11·239 2·5·263	2 ⁴ ·167 3 ⁵ ·11 2·7·191 5 ² ·107 2 ² ·3·223
32 33 34 35 36 37 38 39	81 82 83 84 85 86 87 88 90	11·13·17 2 ⁷ ·19 3·811 2·1217 5·487 2 ² ·3·7·29 	3.827 2.17.73 13.191 2 ² .3 ³ .23 5.7.71 2.11.113 3.829 2 ³ .3 ¹ 1 19.131 2.3.5.83	2 ² ·3·211 17·149 2·7·181 3·5·13 ² 2 ³ ·317 43·59 2·3 ³ ·47 	29.89 2.1291 3 ² ·7·41 2 ³ ·17·19 5·11·47 2·3·431 13·199 2 ² ·647 3·863 2·5·7·37	3.877 2.3.439 5.17.31 2.2.659 3.2.293 2.1319 7.13.29 2.4.3.5.11	7·383 2·3 ² ·149 2 ² ·11·61 3·5·179 2·17·79
42 43 44 45 46 47 48 49	91 92 93 94 95 96 97 98 99	2·3·11·37 7·349 2²·13·47 3·5·163 2·1223 2⁴·3²·17 31·79 2·5²·7²	47·53 2 ² ·7·89 3 ² ·277 2·29·43 5·499 2 ⁶ ·3·13 11·227 2·1249 3·7 ² ·17 2 ² ·5 ⁴	3·7·11² 2·31·41 	2 ⁵ ·3 ⁴ 	19·139 2·1321 3·881 2²·661 5·23² 2·3³·7² 	3 ² ·13·23 2 ² ·673

Prime Numbers and Factors, 2700-3000.

From	1	2700	2750	2800	2850	2900	2950
То		2750	2800	2850	2900	2950	3000
1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3 ³ ·5 ² 37·73 2·7·193 3·17·53 2 ⁴ ·13 ² 5·541 2·3·11·41 	2·5³·11 3·7·131 2 ⁶ ·43 	2 ⁴ ·5 ² ·7 2·3·467 2·701 3·5·11·17 2·23·61 7·401 2 ³ ·3 ³ ·13 53 ² 2·5·281	2·3·5 ² ·19 ···································	2 ² ·5 ² ·29 3·967 2·1451 	2·5²·59 13·227 2³·3²·41 2·7·211 3·5·197 2²·739 2·3·17·29 11·269 2⁴·5·37
13 14 15 16 17 18	61 62 63 64 65 66 67 68 69 70	2.23.59 3.5.181 2.27.97 11.13.19 2.32.151 25.517	11·251 2·1381 3²·307 2²·691 5·7·79 2·3·461 	3.937 22.19.37. 29.97 2.3.7.67 5.563 28.11 32.313 2.1409 	2·3³·53 7·409 2⁴·179 3·5·191 2·1433 47·61 2²·3·239 19·151 2·5·7·41	41·71 2 ⁵ ·7·13 3·971 2·31·47 5·11·53 2 ² ·3 ⁶ 	3 ² ·7·47 2·1481
23 24 25 26 27 28 29	71 72 73 74 75 76 77 78 79	3·907 2·1361 7·389 2 ² ·3·227 5 ² ·109 2·29·47 3 ³ ·101 2 ³ ·11·31 	17·163 2 ² ·3 ² ·7·11 47·59 2·19·73 3·5 ² ·37 2 ³ ·347 2·3·463 7·397 2 ² ·5·139	7·13·31 2·17·83 3·941 2³·353 5²·113 2·3²·157 11·257 2²·7·101 3·23·41 2·5·283	3 ² ·11·29 2 ³ ·359 13 ² ·17 2·3·479 5 ³ ·23 2 ² ·719 3·7·137 2·1439 	23·127 2·3·487 37·79 2 ² ·17·43 3 ² ·5 ² ·13 2·7·11·19 	2 ² ·743 3·991 2·1487 5 ² ·7·17 2 ⁵ ·3·31 13·229 2·1489 3 ² ·331 2 ² ·5·149
32 33 34 35 36 37 38 39	81 82 83 84 85 86 87 88 89	2 ² ·683 3·9 ¹¹ 2·1367 5·547 2 ⁴ ·3 ² ·19 7·17·23 2·37 ² 3·11·83 2 ² ·5·137	3 ³ ·103 2·13·107 11 ² ·23 2 ⁵ ·3·29 5·557 2·7·199 3·929 2 ² ·17·41 	19·149 2 ⁴ ·3·59 	43.67 2.11.131 3.31 ² 2 ² .7.103 5.577 2.3.13.37 	3.977 2 ² .733 7.419 2·3 ² ·163 5·587 2 ³ ·367 3:11.89 2·13·113 	11·271 2·3·7·71 19·157 2³·373 3·5·199 2·1493 29·103 2²·3²·83 7²·61 2·5·13·23
42 43 44 45 46 47 48 49	91 92 93 94 95 96 97 98 99	2·3·457 13·211 2³·7³ 3²·5·61 2·1373 41·67 2²·3·229 	2 ³ ·349 3·7 ² ·19 2·11·127 5·13·43 2 ² ·3·233 3·1399 3 ² ·311 2 ⁴ ·5 ² ·7	3·947 2·7 ² ·29 	$7^{2} \cdot 59$ $2^{2} \cdot 3 \cdot 241$ $11 \cdot 263$ $2 \cdot 1447$ $3 \cdot 5 \cdot 193$ $2^{4} \cdot 181$ $2 \cdot 3^{2} \cdot 7 \cdot 23$ $13 \cdot 223$ $2^{2} \cdot 5^{2} \cdot 29$	17·173 2·1471 3³·109 2 ⁷ ·23 5·19·31 2·3·491 7·421 2²·11·67 3·983 2·5²·59	3·997 2·1·1·17 4·73 2·3·499 5·599 2²·7·107 3 ⁴ ·37 2·1499

Prime Numbers and Factors, 3000-3300.

Fro	m	3000	3050	3100	3150	3200	3250
To	l	3050	3100	3150	3200	3250	3300
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ³ ·3·5 ³ 	2·5²·61 3³·113 2²·7·109 43·71 2·3·509 5·13·47 2⁴·191 3·1019 2·11·139 7·19·23 2²·3²·5·17	2 ² ·5 ² ·31 7·443 2·3·11·47 29·107 2 ⁵ ·97 3 ³ ·5·23 2·1553 13·239 2 ² ·3·7·37 2·5·311	2·3 ² ·5 ² ·7 23·137 2 ⁴ ·197 3·1051 2·19·83 5·631 2 ² ·3·263 7·11·41 2·1579 3 ⁵ ·13 2 ³ ·5·79	2 ⁷ ·5 ² 3·11·97 2·1601 	2·5³·13 2²·3·271 2·1627 3·5·7·31 2³·11·37 2·3²·181 2²·5·163
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	2 ² ·3·251 23·131 2·11·137 3 ² ·5·67 2 ³ ·13·29 7·431 2·3·503	2·1531 3·1021 2³·383 5·613 2·3·7·73 	3·17·61 2³·389 11·283 2·3²·173 5·7·89 2²·19·41 3·1039 2·1559 	29·109 2·3·17·31 	13 ² ·19 2 ² ·11·73 3 ³ ·7·17 2·1607 5·643 2 ⁴ ·3·67 	3·1087 2·7·233 13·251 2 ⁶ ·3·17 5·653 2·23·71 3 ³ ·11 ² 2 ² ·19·43 7·467 2·3·5·109
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·19·53 2·1511 	37.83 210.3 7.439 2.29.53 3.5 ² .41 2 ² .769 17.181 2.3 ⁴ .19 	2·7·223 3 ² ·347 2 ² ·11·71 5 ⁵ 2·3·521 53·59 2 ³ ·17·23 3·7·149 2·5·313	3·7·151 2 ² ·13·61 19·167 2·3·23 ² 5 ² ·127 2 ³ ·397 3 ² ·353 2·7·227 11·17 ² 2 ² ·3·5·53	2·3 ² ·179 11·293 2 ³ ·13·31 3·5 ² ·43 2·1613 7·461 2 ² ·3·269 	2 ³ ·409 3·1091 2·1637 5 ² ·131 2 ² ·3 ² ·7·13 29·113 2·11·149 3·1093 2 ⁴ ·5·41
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	7·433 2³·379 3²·337 2·37·41 5·607 2²·3·11·23 2·7²·31 3·1013 2⁵·5·19	3·13·79 2·23·67 	31·101 2 ² ·3 ³ ·29 13·241 2·1567 3·5·11·19 2 ⁶ ·7 ² 	2·37·43 3·1061 2 ⁴ ·199 5·7 ² ·13 2·3 ⁸ ·59 	3 ² ·359 2 ⁵ ·101 53·61 2·3·7 ² ·11 5·647 2 ² ·809 3·13·83 2·1619 4 ¹ ·79 2 ³ ·3 ⁴ ·5	17·193 2·3·547 7²·67 2²·821 3²·5·73 2·31·53 19·173 2³·3·137 11·13·23 2·5·7·47
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3 ² ·13 ² 17·179 2 ² ·761 3·5·7·29 2·1523 11·277 2 ³ ·3·127	11·281 2 ² ·773 3·1031 2·7·13·17 5·619 2 ³ ·3 ² ·43 19·163 2·1549 3·1033 2 ² ·5 ² ·31	3 ² ·349 2·1571 7·449 2 ³ ·3·131 5·17·37 2·11 ² ·13 3·1049 2 ² ·787 47·67 2·3 ² ·5 ² ·7	2 ³ ·3·7·19 31·103 2·1597 3 ² ·5·71 2 ² ·17·47 23·139 2·3·13·41 7·457 2 ⁷ ·5 ²	7·463 2·1621 3·23·47 2²·811 5·11·59 2·3·541 17·191 2 ⁴ ·7·29 3 ² ·19 ² 2·5 ³ ·13	3·1097 2²·823 37·89 2·3³·61 5·659 2⁵·103 3·7·157 2·17·97

Prime Numbers and Factors, 3300-3600.

From	m	3300	3350	3400	3450	3500	3550
То		3350	3400	3450	3500	3550	3600
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3·5 ² ·11 ··································	2·5²·67 3·1117 2³·419 7·479 2·3·13·43 5·11·61 2²·839 3²·373 2·23·73 2·5°·3·5·7	2 ³ ·5 ² ·17 19·179 2·3 ⁵ ·7 41·83 2 ² ·23·37 3·5·227 2·13·131 	2·3·5 ² ·23 7·17·29 2²·863 3·1151 2·11·157 5·691 2 ⁷ ·3 ³ 2·7·13·19 3·1153 2²·5·173	2 ² ·5 ³ ·7 3 ² ·3 ⁸ 9 2·17·103 31·113 2 ⁴ ·3·73 5·701 2·1753 3·7·167 2 ² ·877 11 ² ·29 2·3 ³ ·5·13	2·5²·71 53·67 2³·3·37 11·17·19 2·1777 3²·5·79 2²·7·127
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	7·11·43 2 [‡] ·3 ² ·23 2·1657 3·5·13·17 2 ² ·829 31·107 2·3·7·79 2 ³ ·5·83	2.41 ² 3.19.59 2 ² .29 ² 5.673 2.3 ² .11.17 7.13.37 2 ³ .421 3.1123 2.5.337	3 ² ·379 2 ² ·853 	2·3·577 2³·433 3²·5·7·11 2·1733 2²·3·17² 2·5·347	2 ³ ·439 3·1171 2·7·251 5·19·37 2 ² ·3·293 	3·1187 2·13·137 7·509 2 ² ·3 ⁴ ·11 5·23·31 2·1783 3 ² 9·41 2 ⁴ ·223 43·83 2·3·5·7·17
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3 ⁴ ·4 ¹ 2·11·151 2 ² ·3·277 5 ² ·7·19 2·1663 3·1109 2 ⁸ ·13 2·3 ² ·5·37	2 ² ·3·281 2·7·241 3 ³ ·5 ³ 2 ⁴ ·211 11·307 2·3·563 31·109 2 ² ·5·13 ²	11·311 2·29·59 3·7·163 2 ⁵ ·107 5 ² ·137 2·3·571 2·3·149 2 ² ·857 3 ³ ·127 2·5·7 ³	3·13·89 2 ⁴ ·7·31 23·151 2·3 ² ·193 5 ² ·139 2 ² ·11·79 3·19·61 2·37·47 7 ² ·71 2 ³ ·3·5·29	7·503 2·3·587 13·271 2²·881 3·5²·47 2·41·43 	2 ² ·19·47 3 ² ·397 2·1787 5 ² ·11·13 2 ³ ·3·149 7 ² ·73 2·1789 3·1193 2 ² ·5·179
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ² ·7 ² ·17 3·11·101 2·1667 5·23·29 2 ³ ·3·139 47·71 2·1669 3 ² ·7·53 2 ² ·5·167	3·7 ² ·23 2·19·89 17·199 2 ³ ·3 ² ·47 5·677 2·1693 3·1129 2 ² ·7·11 ² 	47·73 2³·3·11·13 	59 ² 2·1741 3 ⁴ ·43 2 ² ·13·67 5·17·41 2·3·7·83 11·317 2 ⁵ ·109 3·1163 2·5·349	3·11·107 2²·883 	2·3²·199
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	13·257 2·3·557 	2 ⁶ ·53 3 ² ·13·29 2·1697 5·7·97 2 ² ·3·283 43·79 2·1699 3·11·103 2 ³ ·5 ² ·17	3·31·37 2·1721 11·313 2 ² ·3·7·41 5·13·53 2·1723 3 ² ·3 ⁸ 3 2·3·431 	2 ² ·3 ² ·97 7·499 2·1747 3·5·233 2 ³ ·19·23 13·269 2·3·11·53 	2·7·11·23 3·1181 2³·443 5·709 2·3²·197 2²·887 3·7·13² 2·5²·71	3 ³ ·7·19 2 ³ ·449 2·3·599 5·719 2 ² ·29·31 3·11·109 2·7·257 59·61 2 ⁴ ·3 ² ·5 ²

Prime Numbers and Factors, 3600-3900.

Fre	m	3600	3650	3700	3750	3800	3850
To)	3650	3700	3750	3800	3850	3900
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 57 59 60	2 ⁴ ·3 ² ·5 ² 13·277 2·1801 3·1201 2 ² ·17·53 5·7·103 2·3·601 	2·5²·73 3·1217 2²·11·83 13·281 2·3²·7·29 5·17·43 2³·457 3·23·53 2·31·59 	2 ² ·5 ² ·37 	2·3·5 ⁴ 11 ² ·31 2 ³ ·7·67 3 ³ ·139 2·1877 5·751 2 ² ·3·313 13·17 ² 2·1879 3·7·179 2 ⁴ ·5·47	2 ³ ·5 ² ·19 3·7·181 2·1901 	2·5²·7·11 2²·3²·107
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	23·157 2²·3·7·43 2·13·139 3·5·241 2 ⁵ ·113 2·3³·67 7·11·47 2²·5·181	7·523 2·1831 3²·11·37 2½·229 5·733 2·3·13·47 19·193 2²·7·131 3·1223 2·5·367	3·1237 2 ⁷ ·29 47·79 2·3·619 5·743 2 ² ·929 3 ² ·7·59 2·11·13 ² 	2·3 ² ·11·19 53·71 2 ² ·941 3·5·251 2·7·269 2 ³ ·3·157 2·5·13·29	37·103 2²·953 3·31·41 2·1907 5·7·109 2³·3²·53 11·347 2·23·83 3·19·67 2²·5·191	3 ³ ·11·13 2·1931
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·17·71 2·1811 	2 ³ ·3 ³ ·17 2·11·167 3·5 ² ·7 ² 2 ² ·919 2·3·613 13·283 2 ⁵ ·5·23	61 ² 2·1861 3·17·73 2 ² ·7 ² ·19 5 ² ·149 2·3 ⁴ ·23	$\begin{array}{c} 3^2 \cdot 419 \\ 2^2 \cdot 23 \cdot 41 \\ 7^3 \cdot 11 \\ 2 \cdot 3 \cdot 17 \cdot 37 \\ 5^2 \cdot 151 \\ 2^6 \cdot 59 \\ 3 \cdot 1259 \\ 2 \cdot 1889 \\ \dots \\ 2^2 \cdot 3^3 \cdot 5 \cdot 7 \end{array}$	2·3·7 ² ·13 	7 ² ·79 2 ⁵ ·11 ² 3·1291 2·13·149 5 ³ ·31 2 ² ·3·17·19 2·7·277 3 ² ·431 2 ³ ·5·97
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89	2 ⁴ ·277 3·7·173 2·23·79 5·727 2 ² ·3 ² ·101 	3 ² ·409 2·7·263 29·127 2 ² ·3·307 5·11·67 2·19·97 3·1229 2 ³ ·461 7·17·31 2·3 ² ·5·41	7·13·41 2²·3·311 2·1867 3²·5·83 2³·467 37·101 2·3·7·89 2²·5·11·17	19·199 2·31·61 3·13·97 2³·11·43 5·757 2·3·631 7·541 2²·947 3²·421 2·5·379	3·1277 2³·479 	2·3·647 11·353 2²·971 3·5·7·37 2·29·67 13²·23 2⁴·3⁵ 2·5·389
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	11·331 2·3·607 	2 ² ·13·71 3·1231 2·1847 5·739 2 ⁴ ·3·7·11 2·43 ² 3 ³ ·137 2 ² ·5 ² ·37	3·29·43 2·1871 19·197 2 ⁵ ·3 ² ·13 5·7·107 2·1873 3·1249 2 ² ·937 23·163 2·3·5 ⁴	17·223 2 ⁴ ·3·79 2·7·271 3·5·11·23 2 ² ·13·73 2·3 ² ·211 29·131 2 ³ ·5 ² ·19	23·167 2·17·113 3²·7·61 2²·31² 5·769 2·3·641 2³·13·37 3·1283 2·5²·7·11	3·1297 2²·7·139 17·229 2·3·11·59 5·19·41 2³·487 3²·433 2·1949 7·557 2²·3·5²·13

Prime Numbers and Factors, 3900-4200.

From	3900	3950	4000	4050	4100	4150
To	3950	4000	4050	4100	4150	4200
1 2 3 4 5 6 7 8 9	50 2 ² ·3·5 ² · 47·83 52 2·1951 53 3·1301 2 ⁶ ·61 55 5·11·71 56 2·3 ² ·7·3 57 2 ² ·977 59 3·1303 2·5·17·2	3 ² ·439 2 ⁴ ·13·19 59·67 2·3·659 5·7·113 2 ² ·23·43 · 3·1319 2·1979 37·107	2 ⁵ ·5 ³ 2·3·23·29 2 ² ·7·11·13 3 ² ·5·89 2·2003 	2·3 ⁴ ·5 ² 	2 ² ·5 ² ·41 3·1367 2·7·293 11·373 2 ³ ·3 ³ ·19 5·821 2·2053 3·37 ² 2 ² ·13·79 7·587 2·3·5·137	2·5²·83 7·593 2³·3·173 2·31·67 3·5·277 2²·1039 2·3³·7·11 2 ⁶ ·5·13
12 13 14 15 16 17 18	61 62 2 ³ ·3·163 63 7·13·43 64 2·19·103 65 3 ⁸ ·5·29 66 2 ² ·11···· 68 2·3·653 69 70 2 ⁴ ·5·7 ²	3·1321 2 ² ·991 5·13·61	3.7.191 2 ² ·17·59 	31·131 2·3·677 17·239 2 ⁵ ·127 3·5·271 2·19·107 7 ² ·83 2 ² ·3 ² ·113 13·313 2·5·11·37	2 ⁴ ·257 3 ² ·457 2·11 ² ·17 5·823 2 ² ·3·7 ³ 2 ₃ ·179 2·29·71 3·1373 2 ⁸ ·5·103	3·19·73 2·2081 23·181 2 ² ·3·347 5·7 ² ·17 2·2083 3 ² ·463 2 ³ ·521 11·379 2·3·5·139
23 24 25 26 27 28 29	71 3·1307 72 2·37·53 73 74 2 ² ·3 ² ·16 75 5 ² ·157 76 2·13·15; 77 3·7·11·1 78 2 ³ ·491 79 80 2·3·5·13	$ \begin{array}{c c} 3 \cdot 5^{2} \cdot 53 \\ 2^{3} \cdot 7 \cdot 71 \\ 41 \cdot 97 \\ 2 \cdot 3^{2} \cdot 13 \cdot 17 \\ 23 \cdot 173 \end{array} $	2·2011 3³·149 2³·503 5²·7·23 2·3·11·61 	3·23·59 2³·509 	13·317 2·3 ² ·229 7·19·31 2 ² ·1031 3·5 ⁸ ·11 2·2063 	43.97 2 ² .7·149 3·13·107 2·2087 5 ² ·167 2 ⁴ ·3 ² ·29
33 34 35 36 37 38 39	81 82 2 ² ·983 83 3 ² ·19·23 84 2·7·281 85 5·787 86 2 ⁵ ·3·41 87 31·127 88 31·127 89 3·13·100 90 2 ² ·5·197	2 ⁴ ·3·83 5·797 2·1993 3 ² ·443 2 ² ·997	29·139 26·3 ² ·7 37·109 2·2017 3·5·269 2 ² ·1009 11·367 2·3·673 7·577 2 ³ ·5·101	7·11·53 2·13·157 3·1361 2²·1021 5·19·43 2·3³·227 61·67 2³·7·73 3·29·47 2·5·409	3 ⁵ ·17 2 ² ·1033 	37·113 2·3·17·41 47·89 2³·523 3³·531 2·7·13·23 53·79 2²·3·349 59·71 2·5·419
41 42 43 44 45 46 47 48 49 50	91 7·563 92 2·3³·73 93 ····· 94 2³·17·20 95 3·5·263 96 2·1973 97 ···· 98 2²·3·7·4 99 11·359 00 2·5²·79	$\begin{array}{c} 5^{\cdot 1}7^{\cdot 47} \\ 2^{2} \cdot 3^{3} \cdot 37 \\ \cdots \\ 7^{\cdot 571} \end{array}$	3 ² ·449 2·43·47 13·311 2 ² ·3·337 5·809 2·7·17 ² 3·19·71 2 ⁴ ·11·23 	2 ² ·3·11·31 2·23·89 3 ² ·5·7·13 2 ¹² 17·241 2·3·683 	41·101 2·19·109 3·1381 2 ⁴ ·7·37 5·829 2·3·691 11·13·29 2 ² ·17·61 3 ² ·461 2·5 ² ·83	3·11·127 2 ⁵ ·131 7·599 2·3 ² ·233 5·839 2 ² ·1049 3·1399 2·2099 13·17·19 2 ³ ·3·5 ² ·7

Prime Numbers and Factors, 4200-4500.

Fro	m	4200	4250	4300	4350	4400	4450
To		4250	4300	4350	4400	4450	4500
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ³ ·3·5 ² ·7 	2·5³·17 3·13·109 2²·1063 2·3·709 5·23·37 2⁵·7·19 3²·11·43 2·2129 2²·3·5·71	2 ² ·5 ² ·43 11·17·23 2·3 ² ·239 13·331 2 ¹ ·269 3·5·7·41 2·2153 2 ² ·3·359 31·139 2·5·431	2·3·5²·29 19·229 2 ⁸ ·17 3·1451 2·7·311 5·13·67 2²·3²·11² 2·2179 3·1453 2³·5·109	2 ⁴ ·5 ² ·11 3 ³ ·163 2·31·71 7·17·37 2 ² ·3·367 5·881 2·2203 3·13·113 2 ³ ·19·29 	2·5²·89
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69	2 ² ·3 ⁴ ·13 11·383 2·7 ² ·43 3·5·281 2 ³ ·17·31 2·3·19·37 2 ² ·5·211	2·2131 3·7 ² ·29 2 ³ ·13·41 5·853 2·3 ³ ·79 17·251 2 ² ·11·97 3·1423 2·5·7·61	3 ² ·479 2 ³ ·7 ² ·11 19·227 2·3·719 5·863 2 ² ·13·83 3·1439 2·17·127 7·617 2 ⁵ ·3 ³ ·5	7 ² ·89 2·3·7 ² 7 	11:401 2 ² ·1103 3·1471 2·2207 5·883 2 ⁶ ·3·23 7·631 2·47 ² 3 ² ·491 2 ² ·5·13·17	3·1487 2·23·97
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3 ² ·7·67 2·2111 41·103 2 ⁷ ·3·11 5 ² ·13 ² 2·2113 3·1409 2 ² ·7·151 	2.4·3·89 2.2137 3 ² ·5 ² ·19 2 ² ·1069 7·13·47 2·3·23·31 11·389 2 ³ ·5·107	29·149 2·2161 3·11·131 2 ² ·23·47 5 ² ·173 2·3·7·103 	3·31·47 2²·1093 	2°3·11·67 	17·263 2³·13·43 3²·7·71 2·2237 5²·179 2°·3·373 11²·37 2·2239 3·1493 2 ⁷ ·5·7
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ³ ·23 ² 3·17·83 2·29·73 5·7·11 ² 2 ² ·3·353 19·223 2·13·163 3 ³ ·157 2 ⁴ ·5·53	3·1427 2·2141 2 ² ·3 ² ·7·17 5·857 2·2143 3·1429 2 ⁶ ·67 2·3·5·11·13	61·71 2 ² ·3·19 ² 7·619 2·11·197 3·5·17 ² 2 ⁴ ·271 	13·337 2·7·313 3²·487 2 ⁵ ·137 5·877 2·3·17·43 41·107 2²·1097 3·7·11·19 2·5·439	3·7·211 2 ⁴ ·277 11·13·31 2·3·739 5·887 2 ² ·1109 3 ² ·17·29 2·7·317 23·193 2 ³ ·3·5·37	2·3³·83
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3·7·101 2·1061 3·5·283 2·11·193 3i·137 2³·3²·59 7·607 2·5³·17	7.613 2 ² ·29·37 3 ⁴ ·53 2·19·113 5·859 2 ³ ·3·179 2·7·307 3·1433 2 ² ·5 ² ·43	3·1447 2·13·167 43·101 2³·3·181 5·11·79 2·41·53 3³·7·23 2²·1087 	2 ³ ·3 ² ·61 23·191 2·13 ³ 3·5·293 2 ² ·7·151 	2·2221 3·1481 2²·11·101 5·7·127 2·3²·13·19 2 ⁵ ·139 3·1483 2·5²·89	3 ² ·499 2 ² ·1123 2·3·7·107 5·29·31 2 ⁴ ·281 3·1499 2·13·173 11·409 2 ² ·3 ² ·5 ⁸

Prime Numbers and Factors, 4500-4800.

From	4500	4550	4600	4650	4700	4750
To	4550	4600	4650	4700	4750	4800
0 50 1 51 2 52 3 53 4 54 5 55 6 56 7 57 8 58 9 59 10 60	7.643 2.2251 3.19.79 2.3.563 5.17.53 2.3.751 	2·5²·7·13 3·37·41 2³·569 29·157 2·3²·11·23 5·911 2²·17·67 3·7²·31 2·43·53 47·97 2 ⁴ ·3·5·19	2 ³ ·5 ² ·23 43·107 2·3·13·59 2 ² ·1151 3·5·307 2·7 ² ·47 17·271 2 ⁹ ·3 ² 11·419 2·5·461	2·3·5 ² ·31 	2 ² ·5 ² ·47 3·1567 2·2351 2 ⁵ ·3·7 ² 5·941 2·13·181 3 ² ·5 ² 3 2 ² ·11·107 17·277 2·3·5·157	2·5³·19
11 61 12 62 13 63 14 64 15 65 16 66 17 67 18 68 19 69	2 ⁵ ·3·47 2·37·61 3·5·7·43 2 ² ·1129 2·3 ² ·251	2·2281 3³·13² 2²·7·163 5·11·83 2·3·761 	3·29·53 2²·1153 7·659 2·3·769 5·13·71 2³·577 3⁵·19 2·2309 31·149 2²·3·5·7·11	59·79 2·3 ² ·7·37 	7.673 2 ³ ·19·31 3·1571 2·2357 5·23·41 2 ² ·3 ² ·131 53·89 2·7·337 3·11 ² ·13 2 ⁴ ·5·59	3 ² ·23 ² 2·2381 11·433 2 ² ·3·397 5·953 2·2383 3·7·227 2 ⁵ ·149 19·251 2·3 ² ·5·53
21 71 22 72 23 73 24 74 25 75 26 76 27 77 28 78 29 79 30 86	2·7·17·19 	7.653 2 ² ·3 ² ·127 17·269 2·2287 3·5 ² ·61 2 ⁵ ·11·13 23·199 2·3·7·109 19·241 2 ² ·5·229	2·2311 3·23·67 2 ⁴ ·17 ² 5 ³ ·37 2·3 ² ·257 7·661 2 ² ·13·89 3·1543 2·5·463	3 ³ ·173 2 ⁶ ·73 2·3·19·41 5 ² ·11·17 2 ² ·7·167 3·1559 2·2339 2 ³ ·3 ² ·5·13	2·3·787 	13·367 2 ² ·1193 3·37·43 2·7·11·31 5 ² ·191 2 ³ ·3·199 17·281 2·281 2·289 3 ⁴ ·59 2 ² ·5·239
31 8: 32 82 33 83 34 82 35 85 36 86 37 82 38 88 39 86 40 96	2 2 ² ·11·103 3·1511 2·2267 5·907 2 ³ ·3 ⁴ ·7 13·349 2·2269 3·17·89	3 ² ·5 ⁰ 9 2·2 ⁹ ·79 	11·421 2³·3·193 41·113 2·7·331 3²·5·103 2²·19·61 	31·151 2·2341 3·7·223 2 ² ·1171 5·937 2·3·11·71 43·109 2 ⁴ ·293 3 ² ·521 2·5·7·67	3·19·83 2²·7·13² 	7.683 2·3·797
41 94 42 94 43 93 44 94 45 93 46 93 47 92 48 93 49 96 50 106	2 2·3·757 7·11·59 2 6·71 3 2·5·101 2·2273 	2 ⁴ ·7·4 ¹ 3·153 ¹ 2·2297 5·919 2 ² ·3·383 2·11 ² ·19 3 ² ·7·73 2 ³ ·5 ² ·23	3.7.13.17 2.11.211 	2 ² ·3·17·23 13·19 ² 2·2347 3·5·313 2 ³ ·587 7·11·61 2·3 ⁴ ·29 37·127 2 ² ·5 ² ·47	11.431 2.2371 3 ² .17.31 2 ³ .593 5.13.73 2.3.7.113 47.101 2 ² .1187 3.1583 2.5 ³ .19	3·1597 2³·599 2·3·17·47 5·7·137 2²·11·109 3²·13·41 2·2399 2 ⁶ ·3·5 ²

Prime Numbers and Factors, 4800-5100.

Fro	m	4800	4850	4900	4950	5000	5050	
Τo		4850	4900	4950	5000	5050	5100	
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ⁶ ·3·5 ² 2·7 ⁴ 3·1601 2 ² ·1201 5·31 ² 2·3 ³ ·89 11·19·23 2 ³ ·601 3·7·229 2·5·13·37	2·5 ² ·97 3 ² ·7 ² ·11 2 ² ·1213 2 ³ ·211 2·3·809 5·971 2 ³ ·607 3·1619 2·7·347 43·113 2 ² ·3 ⁵ ·5	2 ² ·5 ² ·7 ² 13 ² ·29 2·3·19·43 	2·3 ² ·5 ² ·11 	2 ³ ·5 ⁴ 3·1667 2·41·61 	2·5²·101 2²·3·421 31·163 2·7·19² 3·5·337 2 ⁶ ·79 13·389 2·3²·281 	
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	17·283 2 ² ·3·401 	2·11·13·17 3·1621 2 ⁸ ·19 5·7·139 2·3·811 3 ¹ ·157 2 ² ·1217 3 ² ·541 2·5·487	3·1637 2 ⁴ ·307 17 ³ 2·3 ³ ·7·13 5·983 2 ² ·1229 3·11·149 2·2459 	11 ² ·41 2·3·827 7·709 2 ² ·17·73 3·5·331 2·13·191 	2 ² ·7·179 3 ² ·557 2·23·109 5·17·59 2 ³ ·3·11·19 29·173 2·13·193 3·7·239 2 ² ·5·251	3·7·241 2·2531 61·83 2³·3·211 5·1013 2·17·149 3²·563 2²·7·181 37·137 2·3·5·13²	
21 22 23 24 25 26 27 28 29	71 72 73 74 75 76 77 78 79 80	3:1607 2:2411 7:13:53 2 ³ :3 ² :67 5 ² :193 2:19:127 3:1609 2 ² :17:71 11:439 2:3:5:7:23	2 ³ ·3·7·29 11·443 2·2437 3·5 ⁸ ·13 2 ² ·23·53 7·17·41 2 ⁴ ·5·61	7·19·37 2·23·107 3 ² ·547 2 ² ·1231 5 ² ·197 2·3·821 13·379 2 ⁶ ·7·11 3·31·53 2·5·17·29	3·1657 2²·11·113 	2·3 ⁴ ·31 	11·461 2 ⁴ ·317 3·19·89 2·43·59 5 ² ·7·29 2 ² ·3 ³ ·47 2·2539 3·1693 2 ³ ·5·127	
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ⁵ ·151 3 ³ ·179 2·2417 5·967 2 ² ·3·13·31 7·691 2·41·59 3·1613 2 ⁸ ·5·11 ²	3·1627 2·2441 19·257 2²·3·11·37 5·977 2·7·349 3³·181 2³·13·47 	2 ² ·3 ² ·137 	17·293 2·47·53 3·11·151 2³·7·89 5·997 2·3²·277 	3 ² ·13·43 2 ³ ·17·37 7·719 2·3·839 5·19·53 2 ² ·12·59 3·23·73 2·11·229 	2·3·7·11 ² 13·17·23 2 ² ·31·41 3 ² ·5·113 2·2543 2 ⁵ ·3·53 7·727 2·5·509	
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	47·103 2·3²·269 29·167 2²·7·173 3·5·17·19 2·2423 37·131 2⁴·3·101 13·373 2·5²·97	67·73 2 ² ·1223 3·7·233 2·2447 5·11·89 2 ⁵ ·3 ² ·17 59·83 2·31·79 3·23·71 2 ² ·5 ² ·7 ²	3 ⁴ ·61 2·7·353 	7·23·31 2 ⁷ ·3·13 	71 ² 2·2521 3·41 ² 2 ² ·13·97 5·1009 2·3·29 ² 7 ² ·103 2 ³ ·631 3 ³ ·21·17 2·5 ² ·101	3·1697 2²·19·67 11·463 2·3²·283 5·1019 2³·7²·13 3·1699 2·2549 	

Prime Numbers and Factors, 5100-5400.

From	5100	5150	5200	5250	5300	5350
То	5150	5200	5250	5300	5350	5400
1 2 3 4 5 6 7 8 9	2 ² ·3·5 ² ·17 51 2 ² ·2551 36·7 64 2 ⁴ ·11·29 55 5·1021 66 2·3·23·37 ······ 68 2 ² ·1277 69 3·13·131 2·5·7·73	2·5²·103 3·17·101 2 ⁵ ·7·23 	2 ⁴ ·5 ² ·13 7·743 2·3 ² ·17 ² 11 ² ·43 2 ² ·1301 3·5·347 2·19·137 41·127 2 ⁸ ·3·7·31 	2·3·5³·7 59·89 2²·13·101 3·17·103 2·37·71 5·1051 2³·3²·73 7·751 2·11·239 3·1753 2²·5·263	2 ² ·5 ² ·53 3 ² ·19·31 2·11·241 	2·5²·107
12 (13 (14 (15 (16 (17 (18 (19 (19 (19 (19 (19 (19 (19 (19 (19 (19	51 19·269 52 2 ³ ·3 ² ·71 53 54 2·2557 55 3·5·11·31 52 2·1279 57 7·17·43 58 2·3·853 70 2 ¹⁰ ·5	13·397 2·29·89 3·1721 2²·1291 5·1033 2·3²·7·41 2 ⁴ ·17·19 3·1723 2·5·11·47	3 ³ ·193 2 ² ·1303 13·401 2·3·11·79 5·7·149 2 ⁵ ·163 3·37·47 2·2609 17·307 2 ² ·3 ² ·5·29	2·3·877 19·277 2 ⁴ ·7·47 3 ⁴ ·5·13 2·2633 23·229 2 ² ·3·439 11·479 2·5·17·31	47·113 26·83 3·7·11·23 2·2657 5·1063 2²·3·443 13·409 2·2659 3³·197 2³·5·7·19	3·1787 2·7·383 31·173 2 ² ·3 ² ·149 5·29·37 2·2683 3·1789 2 ³ ·11·61 7·13·59 2·3·5·179
22 23 24 25 26 27 28 29	71 3 ² ·569 72 2·13·197 73 47·109 74 2 ² ·3·7·61 75 5 ³ ·41 2·11·233 77 3·1709 78 2 ³ ·641 79 23·223 30 2·3 ³ ·5·19	2 ² ·3·43 ¹ 7·739 2·13·199 3 ² ·5 ² ·23 2 ³ ·647 31·167 2·3·863	23·227 2·7·373 3·1741 2³·653 5²·11·19 2·3·13·67 	3.7.251 23.659 	17·313 2·3·887 	41·131 2 ² ·17·79 3 ³ ·199 2·2687 5 ³ ·43 2 ⁸ ·3·7 19·283 2·2689 3·11·163 2 ² ·5·269
32 8 33 8 34 8 35 8 36 8 37 8 38 8 39 8	81 7.733 32 2 ² ·1283 33 3·29·59 34 2·17·151 35 5·13·79 36 2 ⁴ ·3·107 37 11·467 38 2·7·367 39 3 ² ·571 20 2 ² ·5·257	3·11·157 2·2591 71·73 2 ⁶ ·3 ⁴ 5·17·61 2·2593 3·7·13·19 2 ² ·1297 	2 ⁴ ·3·109 	2·19·139 3 ² ·587 2 ² ·1321 5·7·151 2·3·881 17·311 2 ³ ·661 3·41·43 2·5·23 ²	3·1777 2²·31·43 2·3·7·127 5·11·97 2³·23·29 3²·593 2·17·157 19·281 2²·3·5·89	2·3 ² ·13·23 7·769 2 ³ ·673 3·5·359 2·2693
43 44 45 46 47 48 49	91 53.97 92 2.3.857 93 37.139 94 23.643 95 3.5.73 96 2.31.83 97 98 2 ² .3 ² .11.13 99 19.271 90 2.5 ² .103	29·179 2³·11·59 3°·577 2·7²·53 5·1039 2°·3·433 2·23·113 3·1733 2 ⁴ ·5²·13	3·1747 2·2621 7²·107 2²·3·19·23 5·1049 2·43·61 3²·11·53 2'·41 29·181 2·3·5³·7	11·13·37 2 ² ·3 ³ ·7 ² 67·79 2·2647 3·5·353 2 ⁴ ·331 	$7^{2} \cdot 109$ $2 \cdot 2671$ $3 \cdot 13 \cdot 137$ $2^{5} \cdot 167$ $5 \cdot 1069$ $2 \cdot 3^{5} \cdot 11$ $2^{2} \cdot 7 \cdot 191$ $3 \cdot 1783$ $2 \cdot 5^{2} \cdot 107$	3 ² ·599 2 ⁴ ·337

Prime Numbers and Factors, 5400-5700.

From	n	5400	5450	5500	5550	5600	5650
То		5450	5500	5550	5600	5650	5700
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ³ ·3 ³ ·5 ² 11·491 2·37·73 3·1801 2 ² ·7·193 5·23·47 2·3·17·53 2 ⁵ ·13 ² 3 ² ·601 2·5·541	2·5²·109 3·23·79 2²·29·47 7·19·41 2·3³·101 5·1091 2⁴·11·31 3·17·107 2·2729 53·103 2²·3·5·7·13	2 ² ·5 ³ ·11 2·3·7·131 2·3·5·367 2·2·7·53 2·2·3 ⁴ ·17 7·787 2·5·19·29	2·3·5²·37 7·13·61 2 ⁴ ·347 3²·617 2·2777 5·11·101 2²·3·463 	2 ⁵ ·5 ² ·7 3·1867 2·2801 13·431 2 ² ·3·467 5·19·59 2·2803 3 ² ·7·89 2 ³ ·701 71·79 2·3·5·11·17	2·5²·113 2²·3²·157 2·11·257 3·5·13·29 2³·7·101 2·3·23·41 2²·5·283
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69	7·773 2²·3·11·41 2·2707 3·5·19² 2³·677 2·3²·7·43 2²·5·271	43·127 2·2731 3²·607 2³·683 5·1093 2·3·911 7·11·71 2²·1367 3·1823 2·5·547	3·11·167 2³·13·53 37·149 2·3·919 5·1103 2²·7·197 3²·613 2·31·89 	67.83 2.3*.103 	31·181 2 ² ·23·61 3·1871 2·7·401 5·1123 2 ⁴ ·3 ⁸ ·13 41·137 2·53 ² 3·1873 2 ² ·5·281	3 ² ·17·37 2·19·149 7·809 2 ⁵ ·3·59 5·11·103 2·2833 3·1889 2 ² ·13·109
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3.13.139 2.2711 11.17.29 24.3.113 52.7.31 2.2713 34.67 2 ² .23.59 61.89 2.3.5.181	2 ⁵ ·3 ² ·19 13·421 2·7·17·23 3·5 ² ·73 2 ² ·37 ² 2 ³ ·5·137	2·11·251 3·7·263 2²·1381 5²·13·17 2·3²·307 2³·691 3·19·97 2·5·7·79	3 ² ·619 2 ² ·7·199 2·3·929 5 ² ·223 2 ³ ·17·41 3·11·13 ² 2·2789 7·797 2 ² ·3 ² ·5·31	7·11·73 2·3·937 	53·107 2³·709 3·31·61 2·2837 5²·227 2²·3·11·43 7·811 2·17·167 3²·631 2⁴·5·71
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ³ ·7·97 3·1811 2·11·13·19 5·1087 2 ² ·3 ² ·151 	3 ⁸ ·7·29 2·2741 	2 ² ·3·461 11·503 2·2767 3 ³ ·5·41 2 ⁵ ·173 7 ² ·113 2·3·13·71 29·191 2 ² ·5·277	2.2791 3.1861 2 ⁴ ·349 5.1117 2·3·7 ² ·19 37·151 2 ² ·11·127 3 ⁵ ·23 2·5·13·43	3·1877 2 ⁹ ·11 43·131 2·3 ² ·313 5·7 ² ·23 2 ² ·1409 3·1879 2·2819 	13·19·23 2·3·947
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2°·3°907 2°·1361 3°·5°·11° 2°·7°389 13°·419 2°·3°·3°227 2°·5°2°·109	17 ² ·19 2 ² ·1373 3·1831 2·41·67 5·7·157 2 ³ ·3·229 2·3·239 2·2749 3 ² ·13·47 2 ² ·5 ³ ·11	3·1847 2·17·163 23·241 2³·3·2·7·11 5·1109 2·47·59 3·43 ² 2²·19·73 31·179 2·3·5²·37	2 ³ ·3·233 7·17·47 2·2797 3·5·373 2 ² ·1399 29·193 2·3 ² ·311 11·509 2 ⁵ ·5 ² ·7	2·7·13·31 3³·11·19 2²·17·83 5·1129 2·3·941 	3·7·271 2²·1423 2·3·13·73 5·17·67 2 ⁶ ·89 3 ⁸ ·211 2·7·11·37 41·139 2²·3·5²·19

Prime Numbers and Factors, 5700-6000.

From	5700	5750	5800	5850	5900	5950
То	5750	5800	5850	5900	5950	6000
1 2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	2 ² ·3·5 ² ·19 	2·5³·23 3 ⁴ ·71 2³·719 11·523 2·3·7·137 5·1151 2²·1439 3·19·101 2·2879 13·443 2 ⁷ ·3²·5	2 ³ ·5 ² ·29 , 2·3·967 7·829 2 ² ·1451 3 ³ ·5·43 2·2903 , 2 ⁴ ·3·11 ² 37·157 2·5·7·83	2·3 ² ·5 ² ·13 ···································	2 ² ·5 ² ·59 3·7·281 2·13·227 	2·5²·7·17 11·541 2 ⁶ ·3·31
12 6 13 6 14 6 15 6 16 6 17 6 18 6 19 6	61	7.823 2.43.67 3.17.113 2 ² .11.131 5.1153 2.3.31 ² 73.79 2 ³ .7.103 3 ² .641 2.5.577	3·13·149 2²·1453 2·3²·17·19 5·1163 2³·727 3·7·277 2·2909 11·23² 2²·3·5·97	2·3·977 11·13·41 2³·733 3·5·17·23 2·7·419 2²·3²·163 2·5·587	23·257 2³·739 3⁴·73 2·2957 5·7·13² 2²·3·17·29 61·97 2·11·269 3·1973 2⁵·5·37	3·1987 2·11·271 67·89 2 ² ·3·7·71 5·1193 2·19·157 3 ³ ·13·17 2 ⁴ ·373 47·127 2·3·5·199
22 23 24 25 26 27 28 29	71 3.1907 72 2.2861 73 59.97 74 2 ² ·3 ³ ·53 75 5 ² ·229 2·7·409 77 3.23·83 2 ⁵ ·179 17·337 80 2·3·5·191	29·199 2²·3·13·37 23·251 2·2887 3·5²·7·11 2⁴·19² 53·109 2·3³·107 	2·41·71 3 ² ·647 2 ⁶ ·7·13 5 ² ·233 2·3971 	3·19·103 2 ⁴ ·367 7·839 2·3·11·89 5 ³ ·47 2 ² ·13·113 3 ² ·653 2·2939 	31·191 2·3 ² ·7·47 	7·853 2 ² ·1493 3·11·181 2·29·103 5 ² ·239 2 ³ ·3 ² ·83 43·139 2·7 ² ·61 3·1993 2 ² ·5·13·23
32 33 34 35 36 37 38 39	81 11·521 82 2 ² ·1433 83 3 ² ·7 ² ·13 2·47·61 5·31·37 2 ⁸ ·3·239 88 2·19·151 89 3·1913 2 ² ·5·7·41	3·4 ¹ ·47 2·7 ² ·59 	7 ³ ·17 2 ³ ·3 ⁶ 19·307 2·2917 3·5·389 2 ² ·1459 13·449 2·3·7·139 	2.17·173 3·37·53 2²·1471 5·11·107 2·3³·109 7·29² 2³·23 3·13·151 2·5·19·31	3 ² ·659 2 ² ·1483 17·349 2·3·23·43 5·1187 2 ⁴ ·7·53 3·1979 2·2969 	2·3·997 31·193 2 ⁵ ·11·17 3 ² ·5·7·19 2·41·73
42 43 44 45 46 47 48 49	91 92 2·3²·11·29 93 94 2 ⁴ ·359 95 3·5·383 96 2·13²·17 97 7·821 98 2²·3·479 99 00 2·5³·23	2 ⁵ ·181 3·1931 2·2897 5·19·61 2 ² ·3 ² ·7·23 11·17·31 2·13·223 3·1933 2 ⁸ ·5 ² ·29	3 ² ·11·59 2·23·127 	43·137 2 ² ·3·491 71·83 2·7·421 3 ² ·5·131 2 ³ ·11·67 2·3·983 17·347 2 ² ·5 ² ·59	13.457 2.2971 3.7.283 28.743 5.29.41 2.3.991 19.313 22.1487 32.661 2.52.7.17	3·1997 2³·7·107 13·461 2·3 ⁴ ·37 5·11·109 2 ² ·1499 3·1999 2·2999 7·857 2 ⁴ ·3·5 ⁸

Prime Numbers and Factors, 6000-6300.

Fre	om	6000	6050	6100	6150	6200	6250
To	,	6050	6100	6150	6200	6250	6300
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59	2 ⁴ ·3·5 ³ 17·353 2·3001 3 ² ·23·29 2 ² ·19·79 5·1201 2·3·7·11·13 	2·5²·11² 3·2017 2²·17·89 2·3·1009 5·7·173 2³·757 3²·673 2·13·233 73·83 2²·3·5·101	2 ² ·5 ² ·61 	2·3·5 ² ·4 ¹ 2 ³ ·769 3·7·293 2·17·181 5·1231 2 ² ·3 ⁴ ·19 47·131 2·3079 3·2053 2 ⁴ ·5·7·11	2 ³ ·5 ² ·3 ¹ 3 ² ·13·53 2·7·443 	2·5 ⁵ 7·19·47 2²·3·5 ² 1 13²·37 2·53·59 3²·5·139 2⁴·17·23
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69	2 ² ·3 ² ·167 7·859 2·31·97 3·5·401 2 ⁷ ·47 11·547 2·3·17·59 13·463 2 ² ·5·7·43	11·19·29 2·7·433 3·43·47 2 ⁴ ·379 5·1213 2·3 ² ·337 2 ² ·37·41 3·7·17 ² 2·5·607	3 ² ·7·97 2 ⁵ ·191 	61·101 2·3·13·79 	2 ² ·1553 3·19·109 2·13·239 5·11·113 2 ⁸ ·3·7·37 2·3109 3 ² ·691 2 ² ·5·311	3·2087 2·31·101
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3 ³ ·223 2·3011 19·317 2 ³ ·3·251 5 ² ·241 2·23·131 3·7 ² ·41 2 ² ·11·137 	13·467 2³·3·11·23 2·3037 3 ⁵ ·5 ² 2²·7²·31 59·103 2·3·1013 2 ⁶ ·5·19	2·3061 3·13·157 2²·1531 5³·7² 2·3·1021 11·557 2⁴·383 3³·227 2·5·613	3·11 ² ·17 2 ² ·1543 	2·3·17·61 7 ² ·127 2 ⁴ ·389 3·5 ² ·83 2·11·283 13·479 2 ² ·3 ² ·173 2·5·7·89	2 ⁷ ·7 ² 3 ² ·17·41 2·3137 5 ² ·251 2 ² ·3·5 ² 3 2·43·73 3·7·13·23 2 ⁸ ·5·157
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89	37·163 2 ⁴ ·13·29 3·2011 2·7·431 5·17·71 2 ² ·3·503 2·3019 3 ² ·11·61 2 ⁸ ·5·151	3·2027 2·3041 7·11·79 2²·3²·13² 5·1217 2·17·179 3·2029 2³·761 	2 ² ·3·7·73 2·3067 3·5·409 2 ³ ·13·59 17·19 ² 2·3 ² ·11·31 7·877 2 ² ·5·307	7.883 2.11.281 3 ³ .229 2 ³ .773 5.1237 2.3.1031 23.269 2 ² .7.13.17 3.2063 2.5.619	3·31·67 2 ⁸ ·19·41 23·271 2·3·1039 5·29·43 2 ² ·1559 3 ⁴ ·7·11 2·3119 17·367 2 ⁵ ·3·5·13	11·571 2·3²·349 61·103 2²·1571 3·5·419 2·7·449
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	7.863 2.3.19.53 2 ² .1511 3.5.13.31 2.3023 2 ⁵ .3 ⁸ .7 23.263 2.5 ² .11 ²	2 ² ·15 ² 3 3 ² ·677 2·11·277 5·23·53 2 ⁴ ·3·127 7·13·67 2·3049 3·19·107 2 ² ·5 ² ·61	3·23·89 2·37·83 	41·151 2 ⁴ ·3 ² ·43 11·563 2·19·163 3·5·7·59 2 ² ·1549 2·3·1033 2 ³ ·5 ² ·31	79 ² 2·3121 3·2081 2 ² ·7·223 5·1249 2·3 ² ·347	3 ³ ·233 2 ² ·11 ² ·13 7·29·31 2·3·1049 5·1259 2 ³ ·787 3·2099 2·47·67

Prime Numbers and Factors, 6300-6600.

From	m	6300	6350	6400	6450	6500	6550
То		6350	6400	6450	6500	6550	6600
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3 ² ·5 ² ·7 	2·5²·127 3·29·73 2 ⁴ ·397 2·3²·353 5·31·41 2²·7·227 3-13·163 2·11·17² 2³·3·5·53	28·5² 37·173 2·3·11·97 19·337 2²·1601 3·5·7·61 2·3203 43·149 2³·3²·89 13·17·29 2·5·641	2·3·5 ² ·43 	2 ² ·5 ³ ·13 3·11·197 2·3251 7·929 2 ³ ·3·271 5·1301 2·3253 3 ³ ·241 2 ² ·1627 23·283 2·3·5·7·31	2·5²·131
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	2 ³ ·3·263 59·107 2·7·11·41 3·5·421 2 ² ·1579 	2·3181 3 ² ·7·101 2 ² ·37·43 5·19·67 2·3·1061 	3·2137 2²·7·229 11²·53 2·3·1069 5·1283 2⁴·401 3²·23·31 2·3209 7²·131 2²·3·5·107	7·13·71 2·3 ² ·359 23·281 2 ⁶ ·101 3·5·431 2·53·61 29·223 2 ² ·3·7 ² ·11 	17·383 2 ⁴ ·11·37 3·13·167 2·3257 5·1303 2 ² ·3 ² ·181 7 ³ ·19 2·3259 3·41·53 2 ³ ·5·163	3 ⁸ 2·17·193 2 ² ·3·547 5·13·101 2·7 ² ·67 3·11·199 2 ³ ·821 2·3 ² ·5·73
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·7²·43 2·29·109 	23·277 2²·3³·59 2·3187 3·5³·17 2³·797 7·911 2·3·1063 2²·5·11·29	2·13 ² ·19 3·2141 2 ³ ·11·73 5 ² ·257 2·3 ³ ·7·17 2 ² ·1607 3·2143 2·5·643	3 ² ·719 2 ³ ·809 	2·3·1087 11·593 2 ² ·7·233 3 ² ·5 ² ·29 2·13·251 61·107 2 ⁷ ·3·17 	2 ² ·31·53 3·7·313 2·19·173 5 ² ·263 2 ⁴ ·3·137
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	13·487 2²·1583 3·2111 2·3167 5·7·181 2 ⁶ ·3²·11 	3 ² ·709 2·3191 13·491 2 ⁴ ·3·7·19 5·1277 2·31·103 3·2129 2 ² ·1597 	59·109 2 ⁵ ·3·67 7·919 2·3217 3 ² ·5·11·13 2 ² ·1609 41·157 2·3·29·37 47·137 2 ³ ·5·7·23	2·7·463 3·2161 2²·1621 5·1297 2·3·23·47 13·499 2³·811 3²·7·103 2·5·11·59	3.7.311 2 ² ·23.71 47·139 2·3 ³ ·11 ² 5·1307 2 ³ ·19·43 3·2179 2·7·467 13·503 2 ² ·3·5·109	2·3·1097 29·227 28·823 3·5·439 2·37·89 7·941 2 ² ·3 ³ ·61 11·599 2·5·659
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	17·373 2·3·7·151 	7·11·83 2³·17·47 3·2131 2·23·139 5·1279 2²·3·13·41 2·7·457 3⁴·79 2²·5²	3·19·113 2·3221 17·379 2²·3²·179 5·1289 2·11·293 3·7·307 2⁴·13·31 	2 ² ·3·54 ¹ 43·15 ¹ 2·17·19 ¹ 3·5·433 2 ⁵ ·7·29 73·89 2·3 ² ·19 ² 67·97 2 ² ·5 ³ ·13	31·211 2·3271 3 ² ·727 2 ⁴ ·409 5·7·11·17 2·3·1091 2 ² ·1637 3·37·59 2·5 ² ·131	3·13 ³ 2 ⁶ ·103 19·347 2·3·7·157 5·1319 2 ² ·17·97 3 ² ·733 2·3299

Prime Numbers and Factors, 6600-6900.

From	n	6600	6650	6700	6750	6800	6850
To		6650	6700	6750	6800	6850	6900
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ³ ·3·5 ² ·11 7·23·41 2·3301 3·31·71 2 ² ·13·127 5·1321 2·3 ² ·367 	2·5²·7·19 3²·739 2²·1663 2·3·1109 5·11³ 2³·13 3·7·317 2·3329 2²·3²·5·37	2 ² ·5 ² ·67 2·3·1117 2 ⁴ ·419 3 ² ·5·149 2·7·479 19·353 2 ² ·3·13·43 2·5·11·61	2·3 ⁸ ·5 ⁸ 43·157 2 ⁵ ·211 3·2251 2·11·307 5·7·193 2 ² ·3·563 29·233 2·31·109 3 ² ·751 2 ³ ·5·13 ²	2 ⁴ ·5 ² ·17 3·2267 2·19·179 2 ² ·3 ⁵ ·7 5·1361 2·41·83 3·2269 2 ³ ·23·37 11·619 2·3·5·227	2·5²·137 13·17·31 2²·3·571 7·11·89 2·23·149 3·5·457 ·2³·857
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	11·601 2 ² ·3·19·29 17·389 2·3307 3 ³ ·5·7 ² 2 ³ ·827 13·509 2·3·1103 	2·3331 3·2221 2³·7²·17 5·31·43 2·3·11·101 59·113 2²·1667 3³·13·19 2·5·23·29	3·2237 2³.839 7²·137 2·3²·373 5·17·79 2²·23° 3·2239 2·3359 	2·3·7 ² ·23 2·2·19·89 3·5·11·41 2·17·199 67·101 2 ⁴ ·3 ² ·47 7·967 2·5·677	7 ² ·139 2 ² ·13·131 3 ² ·757 2·3407 5·29·47 2 ⁵ ·3·71 17·401 2·7·487 3·2273 2 ² ·5·11·31	3·2287 2·47·73
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·2207 2·7·11·43 37·179 2 ⁵ ·3 ² ·23 5 ³ ·53 2·3313 3·47 ² 2 ² ·1657 7·947 2·3·5·13·17	7.953 2 ⁴ ·3·139 2·47·71 3·5 ² ·89 2 ² ·1669 11·607 2·3 ² ·7·53 2 ⁸ ·5·167	11·13·47 2·3361 3 ⁴ ·83 2 ² ·41 ² 5 ² ·269 2·3·19·59 7·31 ² 2 ⁸ ·29 ² 3·2243 2·5·673	3·37·61 2²·1693 13·521 2·3·1129 5²·271 2³·7·11² 3³·251 2·3389 	19·359 2·3 ² ·379 2 ³ ·853 3·5 ² ·7·13 2·3413 2 ² ·3·569 2·5·683	2 ³ ·859 3·29·79 2·7·491 5 ⁴ ·11 2 ² ·3 ² ·191 13·23 ² 2·19·181 3·2293 2 ⁵ ·5·43
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 90	19·349 2 ³ ·829 3 ² ·11·67 2·31·107 5·1327 2 ² ·3·7·79 	3·17·131 2·13·257 41·163 2 ² ·3·557 5·7·191 2·3343 3 ² ·743 2 ⁵ ·11·19 	53·127 2²·3²·11·17 	2·3391 3·7·17·19 2 ⁷ ·53 5·23·59 2·3 ² ·13·29 11·617 2 ² ·1697 3·31·73 2·5·7·97	3 ³ ·11·23 2 ⁴ ·7·61 	7·983 2·3·31·37
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	29·229 2·3 ¹ ·41 7·13·73 2 ² ·11·151 3·5·443 2·33 ²³ 17 ² ·23 2 ³ ·3·277 61·109 2·5 ² ·7·19	2 ² ·7·239 3·23·97 2·3347 5·13·103 2 ³ ·3 ³ ·31 37·181 2·17·197 3·7·11·29 2 ² ·5 ² ·67	3 ² ·7·107 2·3371 11·613 2 ³ ·3·281 5·19·71 2·3373 3·13·173 2 ² ·7·241 17·397 2·3 ³ ·5 ³	2 ³ ·3·2 ⁸ 3 2·43·79 3 ² ·5·151 2 ² ·1699 7·971 2·3·11·103 13·5 ² 3 2 ⁴ ·5 ² ·17	2·11·311 3·2281 2²·29·59 5·37² 2·3·7·163 41·167 2 ⁶ ·107 3²·761 2·5²·137	3·2297 2²·1723 61·113 2·3²·383 5·7·197 2⁴·431 3·11²·19 2·3449

Prime Numbers and Factors, 6900-7200.

From	m	6900	6950	7000	7050	7100	7150
To		6950	7000	7050	7100	7150	7200
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3·5 ² ·23 67·103 2·7·17·29 3 ² ·13·59 2 ³ ·863 5·1381 2·3·1151 	2·5²·139 3·7·331 2³·11·79 17·409 2·3·19·61 5·13·107 2²·37·47 3²·773 2·7²·71 	2 ³ ·5 ³ ·7 	2·3·5²·47 11·641 2²:41·43 3·2351 2·3527 5·17·83 2 ⁴ ·3²·7² 	2 ² ·5 ² ·71 3 ³ ·263 2·53·67 2 ⁶ ·3·37 5·7 ² ·29 2·11·17·19 3·23·103 2 ² ·1777 2·3 ² ·5·79	2·5²·11·13
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	28·3 ³ 31·223 2·3457 3·5·461 2 ² ·7·13·19 2·3·1153 11·17·37 2 ³ ·5·173	2·59 ² 3·11·211 2 ² ·1741 5·7·199 2·3 ⁴ ·43	3·19·41 2·1753 	23·307 2·3·11·107 7·1009 2³·883 3²·5·157 2·3533 37·191 2²·3·19·31 	13·547 2³·7·127 3·2371 2·3557 5·1423 2²·3·593 11·647 2·3559 3²·7·113 2⁴·5·89	3·7·11·31 2·3581 13·19·29 2²·3²·199 5·1433 2·3583 3·2389 2¹0·7 67·107 2·3·5·239
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3 ² ·769 2·3461 7·23·43 2 ² ·3·577 5 ² ·277 2·3463 3·2309 2 ⁴ ·433 13 ² ·41 2·3 ² ·5·7·11	2 ² ·3·7·83 19·367 2·11·317 3 ² ·5 ² ·31 2 ⁶ ·109 2·3·1163 7·997 2 ² ·5·349	7·17·59 2·3511 3·2341 2 ⁴ ·439 5 ² ·281 2·3·1171 	3·2357 2·13·17 11·643 2·3·131 5²·283 2²·29·61 3·7·337 2·3539 	2·3·1187 17·419 2²·13·137 3·5³·19 2·7·509 2³·3⁴·11 	71·101 2 ² ·11·163 3 ² ·797 2·17·211 5 ² ·7·41 2 ³ ·3·13·23
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	29·239 2²·1733 3·2311 2·3467 5·19·73 2³·3·17² 7·991 2·3469 3³·257 2²·5·347	3·13·179 2·3491 	79·89 2³·3·293 13·541 2·3517 3·5·7·67 2²·1759 31·227 2·3²·17·23	73:97 2:3541 3 ² :787 2 ² :7:11:23 5:13:109 2:3:1181 19:373 2 ⁴ :443 3:17:139 2:5:709	3·2377 2²·1783 7·1019 2·3·29·41 5·1427 2⁵·223 3²·13·61 2·43·83 11²·59 2²·3·5·7·17	43·167 2·3³·7·19 11·653 2 ⁴ ·449 3·5·479 2·3593
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	11.631 2.3.13.89 53.131 2 ⁵ .7.31 3.5.463 2.23.151 	2 ⁴ ·19·23 3 ³ ·7·37 2·13·269 5·1399 2 ² ·3·11·53 	3·23+7 2·7·503 2²·3·587 5·1409 2·13·271 3 ⁵ ·29 2³·881 7·19·53 2·3·5²·47	7·1013 2 ² ·3 ² ·197 41·173 2·3547 3·5·11·43 2 ³ ·887 47·151 2·3·7·13 ² 31·229 2 ² ·5 ² ·71	37·193 2·3571 3·2381 2 ³ ·19·47 5·1429 2·3 ² ·397 7·1021 2 ² ·1787 3·2383 2·5 ² ·11·13	3 ² ·17·47 2 ³ ·29·31 2·3·11·109 5·1439 2 ² ·7·257 3·2399 2·59·61 23·313 2 ⁵ ·3 ² ·5 ²

Prime Numbers and Factors, 7200-7500.

Fro	m	7200	7250	7300	7350	7400	7450
То		7250	7300	7350	7400	7450	7500
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59	2 ⁵ ·3 ² ·5 ² 19·379 2·13·277 3·7 ⁴ 2 ² ·1801 5·11·131 2·3·1201 	2·5³·29 3·2417 2²·7²·37 2·3²·13·31 5·1451 2³·907 3·41·59 2·19·191 7·17·61 2²·3·5·11²	2 ² ·5 ² ·73 7 ² ·149 2·3·12·17 67·109 2 ³ ·11·83 3·5·4 ⁸ 7 2·13·2 ⁸ 1 	2·3·5 ² ·7 ² 	2 ³ ·5 ² ·37 3·2467 2·3701 11·673 2 ² ·3·617 5·1481 2·7·23 ² 3 ² ·823 2 ⁴ ·463 31·239 2·3·5·13·19	2·5·149 2²·3 ⁴ ·23 29·257 2·3727 3·5·7·71 2 ⁵ ·233 2·3·11·113 2²·5·373
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	2·3·601 	53·137 2·3631 3³·269 2⁵·277 5·1453 2·3·7·173 13²·43 2²·23·79 3·2423 2·5·727	3·2437 2 ⁴ ·457 71·103 2·3·23·53 5·7·11·19 2 ² ·31·59 3 ³ ·271 2·3659 13·563 2 ³ ·3·5·61	17·433 2·3 ² ·409 37·199 2 ² ·7·263 3·5·491 2·29·127 53·139 2 ³ ·3·307 	2 ² ·17·109 3·7·353 2·11·337 5·1483 2 ³ ·3 ² ·103 2·3709 3·2473 2 ² ·5·7·53	3 ² ·829 2·7·13·41 17·439 2 ³ ·3·311 5·1493 2·3733 3·19·131 2 ² ·1867 7·11·97 2·3 ² ·5·83
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79	3·29·83 2·23·157 31·233 2³·3·7·43 5²·17² 2·3613 3²·11·73 2²·13·139 	11.661 2 ³ ·3 ² ·101 7·1039 2·3637 3·5 ² ·97 2 ² ·17·107 19·383 2·3·1213 29·251 2 ⁴ ·5·7·13	2·7·5²3 3·2441 2²·1831 5²·293 2·3²·11·37 17·431 2⁵·229 3·7·349 2·5·733	3 ⁴ ·7·13 2 ² ·19·97 73·101 2·3·1229 5 ⁸ ·59 2 ⁴ ·461 3·2459 2·7·17·31 47·157 2 ² ·3 ² ·5·41	41·181 2·3·1237 13·571 2 ⁸ ·29 3 ⁸ ·5 ² ·11 2·47·79 7·1061 2 ² ·3·619 17·19·23 2·5·743	31·241 2 ⁴ ·467 3·47·53 2·37·101 5 ² ·13·23 2 ² ·3·7·89 2·3739 3 ⁸ ·277 2 ⁸ ·5·11·17
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	7·1033 2 ⁶ ·113 3·2411 2·3617 5·1447 2 ² ·3 ⁸ ·67 	3 ² ·809 2·11·331 2 ² ·3·607 5·31·47 2·3643 3·7·347 2 ³ ·911 37·197 2·3 ⁶ ·5	2 ² ·3·13·47 	112.61 2.3691 3.23.107 23.13.71 5.7.211 2.3.1231 83.89 22.1847 32.821 2.5.739	3·2477 2³·929 2·3²·7·59 5·1487 2²·11·13² 3·37·67 2·3719 43·173 2⁴·3·5·31	2·3·29·43 7·1069 2²·1871 3·5·499 2·19·197
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	13·557 2·3·17·71 	23·317 22·1823 3·11·13·17 2·7·521 5·1459 2 ⁷ ·3·19 2·41·89 3 ² ·811 2 ² ·5 ² ·73	3·2447 2·3671 7·1049 2 ⁴ ·3 ³ ·17 5·13·113 2·3673 3·31·79 2 ² ·11·167 	19·389 2 ⁵ ·3·7·11 	7·1063 2·61 ² 3 ² ·827 2 ² ·1861 5·1489 2·3·17·73 11·677 2 ³ ·7 ² ·19 3·13·191 2·5 ² ·149	3·11·227 2²·1873 59·127 2·3·1249 5·1499 2³·937 3²·7²·17 2·23·163

Prime Numbers and Factors, 7500-7800.

Fro	m	7500	7550	7600	7650	7700	7750
То		7550	7600	7650	7700	7750	7800
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3·5 ⁴ 13·577 2·11 ² ·31 3·4·61 2 ⁴ ·7·67 5·19·79 2·3 ⁸ ·139 	2·5²·151 3²·839 2 ⁷ ·59 7·13·83 2·3·1259 5·1511 2²·1889 3·11·229 2·3779 	2 ⁴ ·5 ² ·19 11·691 2·3·7·181 	2·3 ² ·5 ² ·17 7·1093 2 ² ·1913 3·2551 2·43·89 5·1531 2 ³ ·3·11·29 13·19·31 2·7·547 3 ² ·23·37 2 ² ·5·383	2 ² ·5 ² ·7·11 3·17·151 2·3851 	2·5 ^c ·31 23·337 2 ³ ·3·17·19 2·3 ⁸ 77 3·5·11·47 2 ² ·7·277 2·3 ² ·431 2 ⁴ ·5·97
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	7·29·37 2³·3·313 11·683 2·13·17² 3²·5·167 2²·1879 	2·19·199 3·2521 2²·31·61 5·17·89 2·3·13·97 7·23·47 2 ⁴ ·11·43 3²·29² 2·5·757	3.43.59 2 ² ·11·173 23.331 2·3 ⁴ ·47 5·15 ² 3 2 ⁶ ·7·17 3·2539 2·13·293 19·401 2 ² ·3·5·127	47·163 2·3·1277 79·97 2 ⁴ ·479 3·5·7·73 2·3833 11·17·41 2 ² ·3 ³ ·71 	11·701 2 ⁵ ·2 ⁴ 1 3 ² ·857 2·7·19·29 5·1543 2 ² ·3·643 	3·13·199 2·3881 7·1109 2²·3·647 5·1553 2·11·353 3²·863 2³·971 17·457 2·3·5·7·37
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79	3·23·109 2·3761 	67·113 2²·3·631 	2·37·103 3 ² ·7·11 ² 2 ³ ·953 5 ⁸ ·61 2·3·31·41 29·263 2 ² ·1907 3·2543 2·5·7·109	3·2557 2³·7·137 	7·1103 2·3 ³ ·11·13 2 ² ·1931 3·5 ² ·103 2·3863 2 ⁴ ·3·7·23 59·131 2·5·773	19.409 2 ² ·29·67 3·2591 2·13 ² ·23 5 ² ·311 2 ⁵ ·3 ⁵ 7·11·101 2·3889 3·2593 2 ² ·5·389
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	17·443 2 ² ·7·269 3 ⁵ ·31 2·3767 5·11·137 2 ⁴ ·3·157 	3·7·19 ² 2·17·223 	13·587 2 ⁴ ·3 ² ·53 17·449 2·11·347 3·5·509 2 ² ·23·83 7·1091 2·3·19·67	2·23·167 3·13·197 2²·17·113 5·29·53 2·3²·7·61 	3 ² ·859 2 ² ·1933 11·19·37 2·3·1289 5·7·13·17 2 ³ ·967 3· ² 579 2·53·73 71·109 2 ² ·3 ² ·5·43	31·251 2·3·1297 43·181 2 ³ ·7·139 3 ² ·5·173 2·17·229 13·599 2 ² ·3·11·59
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3²·419 19·397 2³·23·41 3·5·5°3 2·7³·11 	2 ³ ·13·73 3·2531 2·3797 5·7 ² ·31 2 ² ·3 ² ·211 71·107 2·29·131 3·17·149 2 ⁴ ·5 ² ·19	3 ³ ·283 2·3821 	2 ² ·3·641 7 ² ·157 2·3847 3 ⁴ ·5·19 2 ⁴ ·13·37 43·179 2·3·1283 	2·7 ² ·79 3·29·89 2 ⁶ ·11 ² 5·1549 2·3·1291 61·127 2 ² ·13·149 3 ³ ·7·41 2·5 ³ ·31	3·7 ² ·53 2 ⁴ ·487

Prime Numbers and Factors, 7800-8100.

Fr	om	7800	7850	7900	7950	8000	8050
To		7850	7900	7950	8000	8050	8100
0 1 2 3 4 5 6 7 8 9 10	50 51 52 53 54 55 56 57 58 59 60	2 ⁸ ·3·5 ² ·13 29·269 2·47·83 3 ⁸ ·17 ² 2 ² ·1951 5·7·223 2·3·1301 37·211 2 ⁷ ·61 3·19·137 2·5·11·71	2·5²·157 3·2617 2²·13·151 2·3·7·11·17 5·1571 2⁴·491 3⁴·97 2·3929 29·271 2²·3·5·131	2 ² ·5 ² ·79 	2·3·5 ² ·53 	2 ⁶ ·5 ⁸ 3 ² ·7·127 2·4001 53·151 2 ² ·3·23·29 5·1601 2·4003 3·17·157 2 ³ ·7·11·13 	2·5²·7·23 83·97 2²·3·11·61
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69	73·107 2²·3²·7·31 13·601 2·3907 3·5·5²1 2³·977 	7·1123 2·3931 3·2621 2³·983 5·11²·13 2·3²·19·23 	3 ³ ·293 2 ³ ·23·43 41·193 2·3·1319 5·1583 2 ² ·1979 3·7·13·29 2·37·107 	19·419 2·3·1327 	2 ² ·2003 3·2671 2·4007 5·7·229 2 ⁴ ·3·167 	3·2687 2·29·139 11·733 2 ⁷ ·3 ² ·7 5·1613 2·37·109 3·2689 2 ² ·2017
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3 ² ·11·79 2·3911 	17·463 2 ⁶ ·3·41 2·31·127 3 ² ·5 ³ ·7 2 ² ·11·179 2·3·13·101 2 ³ ·5·197	89 ² 2·17·233 3·19·139 2 ² ·7·283 5 ² ·317 2·3·1321	3.2657 2 ² ·1993 7·17·67 2·3 ² ·443 5 ² ·11·29 2 ³ ·997 3·2659 2·3989 79·101 2 ² ·3·5·7·19	13.617 2.3.7.191 71.113 2.3.17.59 3.5.2.107 2.4013 2.3.349 2.3.349 2.3.349 2.3.31.37 2.5.11.73	7·1153 2³·1009 3³·13·23 2·11·367 5²·17·19 2²·3·673 41·197 2·7·577 3·2693 2⁴·5·101
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	41·191 2 ³ ·11·89 3·7·373 2·3917 5·1567 2 ² ·3·653 17·461 2·3919 3 ² ·13·67 2 ⁵ ·5·7 ²	3·37·71 2·7·563 	7·11·103 2²·3·661 	23·347 2·13·307 3 ² ·887 2 ⁴ ·499 5·1597 2·3·11 ³ 7 ² ·163 2 ² ·1997 3·2663 2·5·17·47	3·2677 2·5·251 29·277 2·3·13·103 5·1607 2²-7²-41 3²-19·47 2·4019 	2·3 ² ·449 59·137 2 ² ·43·47 3·5·7 ² ·11 2·13·311
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3·1307 11·23·31 2²·37·53 3·5·5²3 2·39²3 7·19·59 2³·3²·109 47·167 2·5²·157	13·607 2 ² ·1973 3 ² ·877 2·3947 5·1579 2 ³ ·3·7·47 53·149 2·11·359 3·2633 2 ² ·5 ² ·79	3·2647 2·11·19² 13²·47 2³·3·331 5·7·227 2·29·137 3²·883 2²·1987 2·3·5²·53	61·131 2³·3³·37 2·7·571 3·5·13·41 2²·1999 11·727 2·3·31·43 19·421 2 ⁶ ·5³	11·17·43 2·4021 3·7·383 2²·2011 5·1609 2·3³·149 13·619 2⁴·503 3·2683 2·5²·7·23	3 ² ·29·31 2 ² ·7·17 ² 2·3·19·71 5·1619 2 ⁵ ·11·23 3·2699 2·4049 7·13·89 2 ² ·3 ⁴ ·5 ²

Prime Numbers and Factors, 8100-8400.

Fre	om	8100	8150	8200	8250	8300	8350
To	,	8150	8200	8250	8300	8350	8400
0 1 2 3 4 5 6 7 8 9 10	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3 ⁴ ·5 ² 	2·5²·163 3·11·13·19 2³·1019 31·263 2·3³·151 5·7·233 2²·2039 3·2719 2·4079 41·199 2 ⁵ ·3·5·17	2 ³ ·5 ² ·41 59·139 2·3·1367 13·631 2 ² ·7·293 3·5·547 2·11·373 29·283 2 ⁴ ·3 ³ ·19 	2·3·5³·11 37·223 2²·2063 3²·7·131 2·4127 5·13·127 2 ⁶ ·3·43 2³·359 2·4129 3·2753 2²·5·7·59	2 ² ·5 ² ·83 3·2767 2·7·593 19 ² ·23 2 ⁴ ·3·173 5·11·151 2·4153 3 ² ·13·71 2 ² ·31·67 7·1187 2·3·5·277	2·5²·167 7·1193 2⁵·3²·29
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	2 ⁴ ·3·13 ² 7·19·61 2·4057 3·5·541 2 ² ·2029 2·3 ² ·11·41 23·353 2 ³ ·5·7·29	2·7·11·53 3²·907 2²·13·157 5·23·71 2·3·1361 	3.7.17.23 2 ² ·2053 43·191 2·3·37 ² 5·31·53 2 ³ ·13·79 3 ² ·11·83 2·7·587 	11·751 2·3 ⁵ ·17 	2 ³ ·1039 3·17·163 2·4157 5·1663 2 ² ·3 ³ ·7·11 	3 ² ·929 2·37·113
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·2707 2·31·131 	2 ² ·3 ³ ·227 11·743 2·61·67 3·5 ² ·109 2 ⁴ ·7·73 13·17·37 2·3·29·47 	2·4111 3·2741 2·5·257 5·7·47 2·3·457 19·433 2·112·17 3·13·211 2·5·823	3 ² ·919 2 ⁴ ·11·47 	53·157 2·3·19·73 7·29·41 2²·2081 3²·5²·37 2·23·181 11·757 2³·3·347 	11·761 2 ² ·7·13·23 3·2791 2·53·79 5 ³ ·67 2 ³ ·3·349
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	47·173 2²·19·107 3·2711 2·7²·83 5·1627 2³·3²·113 79·103 2·13·313 3·2713 2²·5·11·37	3 ⁴ ·101 2·4091 7 ² ·167 2 ³ ·3·11·31 5·1637 2·4093 3·2729 2 ² ·23·89 19·431 2·3 ² ·5·7·13	2 ³ ·3·7 ³ 2·23·179 3 ³ ·5·61 2 ² ·29·71 2·3·1373 7·11·107 2 ⁴ ·5·103	7 ² ·13 ² 2·41·101 3·11·251 2 ² ·19·109 5 ² ·331 2·3·1381	3·2777 2²·2083 13·641 2·3²·463 5·1667 2⁴·521 3·7·397 2·11·379 31·269 2²·3·5·139	17 ² ·29 2·3·11·127 83·101 2 ⁶ ·131 3·5·13·43 2·7·599
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	7·1163 2·3·23·59 17·479 2 ⁴ ·509 3 ² ·5·181 2·4073 	213 3.2731 2.17.241 5.11.149 22.3.683 7.1171 2.4099 32.911 23.52.41	3.41.67 2.13.317 	2 ² ·3·691 	19·439 2·43·97 3 ⁴ ·103 2 ³ ·7·149 5·1669 2·3·13·107 17·491 2 ² ·2087 3·11 ² ·23 2·5 ² ·167	3·2797 2³·1049 7·11·109 2·3·1399 5·23·73 2²·2099 3³·311 2·13·17·19 37·227 2⁴·3·5²·7

Prime Numbers and Factors, 8400-8700.

From	m	8400	8450	8500	8550	8600	8650
To		8450	8500	8550	8600	8650	8700
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ⁴ ·3·5 ² ·7 31·2 ⁷ 1 2·4201 3·2 ⁸ 01 2 ² ·11·191 5·41 ² 2·3 ² ·467 7·1201 2 ³ ·1051 3·2 ⁸ 03 2·5·29 ²	2·5²·13² 3³·313 2²·2113 79·107 2·3·1409 5·19·89 2³·7·151 3·2819 2·4229 11·769 2²·3²·5·47	2 ² ·5 ³ ·17 	2·3²·5²·19 17·503 2³·1069 3·2851 2·7·13·47 5·29·59 2²·3·23·31 43·199 2·11·389 3³·317 2⁴·5·107	2 ³ ·5 ² ·43 3·47·61 2·11·17·23 7·1229 2 ² ·3 ² ·239 5·1721 2·13·331 3·19·151 2 ⁵ ·269 	2·5²·173 41·211 2²·3·7·103 17·509 2·4327 3·5·577 2⁴·541 11·787 2·3²·13·37 7·1237 2²·5·433
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	13.647 2 ² ·3.701 47·179 2·7·601 3 ² ·5·11·17 2 ⁵ ·263 19·443 2·3·23·61 	2·4231 3·7·13·31 2 ⁴ ·23 ² 5·1693 2·3·17·83 	3·2837 2·6·7·19 	7·1223 2·3·1427 2²·2141 3·5·571 2·4283 13·659 2³·3²·7·17 11·19·41 2·5·857	79·109 2 ² ·2153 3 ³ ·11·29 2·59·73 5·1723 2 ³ ·3:359 7·1231 2·31·139 3·13 ² ·17 2 ² ·5·431	3·2887 2·61·71 2³·3·19² 5·1733 2·7·619 3⁴·107 2²·11·197 2·3·5·17²
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·7·401 2·4211 2³·3⁴·13 5²·337 2·11·383 3·53² 2²·7²·43 2·3·5·281	43·197 2³·3·353 37·229 2·19·223 3·5²·113 2²·13·163 7²·173 2·3³·157 61·139 2⁵·5·53	2.4261 3 ² ·947 2 ² ·2131 5 ² ·11·31 2·3·7 ² ·29 2 ⁴ ·13·41 3·2843 2·5·853	3·2857 2²·2143 2·3·1429 5²·7³ 2 ⁷ ·67 3²·953 2·4289 23·373 2²·3·5·11·13	37·233 2·3 ² ·479 2 ⁴ ·7 ² ·11 3·5 ³ ·23 2·19·227 2 ² ·3·719 2·5·863	13·23·29 2 ⁵ ·271 3·7 ² ·59 2·4337 5 ² ·347 2 ² ·3 ² ·241
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ⁴ ·17·31 3 ² ·937 2·4217 5·7·241 2 ² ·3·19·37 11·13·59 2·4219 3·29·97 2 ³ ·5·211	3·11·257 2·4241 17·499 2²·3·7·101 5·1697 2·4243 3²·23·41 2³·1061 13·653 2·3·5·283	19·449 2 ² ·3 ³ ·79 7·23·53 2·17·251 3·5·569 2 ³ ·11·97	2·7·613 3·2861 2³·29·37 5·17·101 2·3 ⁴ ·53 31·277 2²·19·113 3·7·409 2·5·859	3 ² ·7·137 2 ³ ·13·83 89·97 2·3·1439 5·11·157 2 ² ·17·127 3·2879 2·7·617 53·163 2 ⁶ ·3 ³ ·5	2·3·1447 19·457 2²·13·167 3²·5·193 2·43·101 7·17·73 2 ⁴ ·3·181
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	23·367 2·3 ² ·7·67 	7·1213 2 ² ·11·193 3·19·149 2·31·137 5·1699 2 ⁴ ·3 ² ·59 29·293 2·7·607 3·2833 2 ² ·5 ³ ·17	3 ² ·13·73 2·4271 	11 ² ·71 2 ⁴ ·3·179 13·661 2·4297 3 ² ·5·191 2 ² ·7·307 	2·29·149 3·43·67 2²·2161 5·7·13·19 2·3·11·131 2³·23·47 3²·31² 2·5²·173	3·2897 2·4·53 2·3·7·23 5·37·47 2³·1087 3·13·223 2·4349 2²·3·5²·29

Prime Numbers and Factors, 8700-9000.

Fron	n	8700	8750	8800	8850	8900	8950
То		8750	8800	8850	8900	8950	9000
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3·5 ² ·29 7·11·113 2·19·229 3 ² ·967 2 ⁹ ·17 5·1/41 2·3·1451 	2·5 ⁴ ·7 3·2917 2 ⁴ ·547 2·3·1459 5·17·103 2 ² ·11·199 3 ² ·7·139 2·29·151 19·461 2 ³ ·3·5·73	2 ⁵ ·5 ² ·11 13·677 2·3 ³ ·163 2 ² ·31·71 3·5·5 ⁸ 7 2·7·17·37 2 ⁵ ·3·3 ⁶ 7 2 ³ ·3 ⁸ 3 2·5·881	2·3·5 ² ·59 53·167 2 ² ·2213 3·13·227 2·19·233 5·7·11·23 2 ³ ·3 ³ ·41 17·521 2·43·103 3·2953 2 ² ·5·443	2 ² ·5 ² ·89 3 ³ ·23·43 2·4451 29·307 2 ³ ·3·7·53 5·13·137 2·61·73 3·2969 2 ² ·17·131 59·151 2·3 ⁴ ·5·11	2·5²·179
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	31·281 2³·3²·11² 2·4357 3·5·7·83 2²·2179 2³·379 2·3·1453 2⁴·5·109	2·13·337 3·23·127 2²·7·313 5·1753 2·3²·487 11·797 2 ⁶ ·137 3·37·79 2·5·877	3 ² ·11·89 2 ² ·2203 7·1259 2·3·13·113 5·43·41 2 ⁴ ·19·29 3·2939 2·4409 	2·3·7·211 2·5·277 3 ² ·5·197 2·11·13·31 	7·19·67 2 ⁴ ·557 3·2971 2·4457 5·1783 2 ² ·3·743 37·241 2·7 ³ ·13 3 ² ·991 2 ³ ·5·223	3·29·103 2·4481
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3 ³ ·17·19 2·7 ² ·89 11·13·61 2 ² ·3·727 5 ² ·349 2·4363 3 ² ·2909 2 ³ ·1091 7·29·43 2·3 ² ·5·97	7 ² ·179 2 ² ·3·17·43 31·283 2·41·107 3 ³ ·5 ² ·13 2 ³ ·1097 67·131 2·3·7·11·19 	2·11·401 3·17·173 2 ⁸ ·1103 5 ² ·353 2·3·1471 7·13·97 2 ² ·2207 3 ⁴ ·109 2·5·883	3·2957 2³·1109 19·467 2·3²·17·29 5³·71 2²·7·317 3·11·269 2·23·193 13·683 2⁴·3·5·37	11-811 2·3·1487 2²·23·97 3·5²·7·17 2·4463 79·113 2⁵·3²·31 2·5·19·47	2 ² ·2 ² 43 3 ² ·997 2·7·641 5 ² ·359 2 ⁴ ·3·11·17 47·191 2·67 ² 3·41·73 2 ² ·5·449
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 90	2 ² ·37·59 3·41·71 2·11·397 5·1747 2 ⁵ ·3·7·13 2·17·257 3 ² ·971 2 ² ·5·19·23	3·2927 2·4391 	2 ⁷ ·3·23 11 ² ·73 2·7·631 3·5·19·31 2 ² ·47 ² 2·3 ² ·491 2 ³ ·5·13·17	83·107 2·4441 3³·7·47 2²·2·221 5·1777 2·3·1481 	3·13·229 2²·7·11·29 2·3·1489 5·1787 2³·1117 3³·331 2·41·109 7·1277 2²·3·5·149	7·1283 2·3 ² ·499 13·691 2 ³ ·1123 3·5·599 2·4493 11·19·43 2 ² ·3·7·107 89·101 2·5·29·31
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3·31·47 7·1249 2³·1093 3·5·11·53 2·4373 	59·149 2³·7·151 3²·977 2·4397 5·1759 2²·3·733 19·463 2·53·83 3·7·419 2⁵·5²·11	3.7.421 2.4421 37.239 2.3.3.11.67 5.29.61 2.4423 3.2.983 2.4.7.79 	17·523 2 ² ·3 ² ·13·19 2·4447 3·5·593 2 ⁶ ·139 7·31·41 2·3·1483 11·809 2 ² ·5 ² ·89	2·17·263 3·11·271 2 ⁴ ·13·43 5·1789 2·3 ² ·7·71 23·389 2 ² ·2237 3·19·157 2·5 ² ·179	3 ⁵ ·37 2 ⁵ ·281 17·23 ² 2·3·1499 5·7·257 2 ² ·13·173 3 ² ·2999 2·11·409

Prime Numbers and Factors, 9000-9300.

Fro	m	9000	9050	9100	9150	9200	9250
То		9050	9100	9150	9200	9250	9300
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ³ ·3 ² ·5 ³ 2·7·643 3·3001 2 ² ·2251 5·1801 2·3·19·79 	2·5²·181 3·7·431 2²·31·73 11·823 2·3²·503 5·1811 2⁵·283 3·3019 2·7·647 	2 ² ·5 ² ·7·13 19·479 2·3·37·41 	2·3·5 ² ·61 ···································	2 ⁴ ·5 ² ·23 3·3067 2·43·107 	2·5³·37 11·29² 2²·3²·257 19·487 2·7·661 3·5·617 2³·13·89 2·3·1543 47·197 2²·5·463
11 12 13 14 15 16 17 18 19	61 62 63 64 65 66 67 68 69	2 ² ·3·751 	13·17·41 2·23·197 3²·19·53 2³·11·103 5·7²·37 2·3·15·11 	3·3037 2³·17·67 13·701 2·3·7²·31 5·1823 2²·43·53 3²·1013 2·47·97 11·829 2 ⁵ ·3·5·19	2·3 ² ·509 7 ² ·11·17 2 ² ·29·79 3·5·13·47 2·4·583 89·103 2 ⁴ ·3·191 53·173 2·5·7·131	61·151 2 ² ·7 ² ·47 3·37·83 2·17·271 5·19·97 2 ¹⁰ ·3 ² 13·709 2·11·419 3·7·439 2 ² ·5·461	3 ³ ·7 ³ 2·11·421 59·157 2 ⁴ ·3·193 5·17·109 2·41·113 3·3089 2 ² ·7·331 13·23·31 2·3 ² ·5·103
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·31·97 2·13·347 7·1289 2 ⁶ ·3·47 5 ² ·19 ² 2·4513 3 ² ·17·59 2 ² ·37·61 	47·193 2 ⁴ ·3 ⁴ ·7 43·211 2·13·349 3·5 ² ·11 ² 2 ² ·2269 29·313 2·3·17·89 7·1297 2 ⁸ ·5·227	7·1303 2·4561 3·3041 2²·2281 5³·73 2·3³·13² 2³·7·163 3·17·179 2·5·11·83	3 ² ·1019 2 ² ·2293 	2·3·29·53 23·401 2³·11·53 3²·5²·41 2·7·659 	73·127 2³·19·61 3·11·281 2·4637 5²·7·53 2²·3·773
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	11·821 2³·1129 3·3011 2·4517 5·13·139 2²·2²·251 7·1291 2·4519 3·23·131 2⁴·5·113	3 ² ·1009 2·19·239 31·293 2 ² ·3·757 5·23·79 2·7·11·59 3·13·233 2 ⁷ ·71 61·149 2·3 ² ·5·101	23·397 2²·3·761 	2·4591 3·3061 2 ⁵ ·7·41 5·11·167 2·3·1531 	3·17·181 2 ⁴ ·577 7·1319 2·3 ⁵ ·19 5·1847 2 ² ·2309 3·3079 2·31·149 	2·3·7·13·17 2·11·211 3·5·619 2·4643 37·251 2³·3³·43 7·1327' 2·5·929
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3·11·137 	2 ² ·2273 3·7·433 2·4547 5·17·107 2 ³ ·3·379 11·827 2·4549 3 ³ ·337 2 ² ·5 ² ·7·13	3.11.277 2.7.653 41.223 23.32.127 5.31.59 2.17.269 3.3049 22.2287 7.1307 2.3.52.61	7·13·101 2³·3·383 29·317 2·4597 3·5·613 2²·11²·19 17·541 2·3²·7·73 	2·4621 3 ² ·13·79 2 ² ·2311 5·43 ² 2·3·23·67 7·1321 2 ⁵ ·17 ² 3·3083 2·5 ³ ·37	3·19·163 2·2·23·101

Prime Numbers and Factors, 9300-9600.

Fre	om	9300	9350	9400	9450	9500	9550
To)	9350	9400	9450	9500	9550	9600
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59	2 ² ·3·5 ² ·31 71·131 2·4651 3·7·443 2 ³ ·1163 5·1861 2·3 ² ·11·47 41·227 2 ² ·13·179 3·29·107 2·5·7 ² ·19	2·5²·11·17 3²·1039 2³·7·167 47·199 2·3·1559 5·1871 2²·2339 3·3119 2·4679 7²·191 2⁴·3²·5·13	2 ³ ·5 ² ·47 7·17·79 2·3·15 ⁶ 7 	2·3 ³ ·5 ² ·7 13·727 2 ² ·17·139 3·23·137 2·29·163 5·31·61 2 ⁴ ·3·197 7 ² ·193 2·4729 3 ² ·1051 2 ² ·5·11·43	2 ² ·5 ³ ·19 3·3167 2·4751 13·17·43 2 ⁵ ·3 ³ ·11 5·1901 2·7 ² ·97 3·3169 2 ² ·2377 37·257 2·3·5·317	2·5²·191
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69	2 ⁵ ·3·97 67·139 2·4657 3 ⁴ ·5·23 2 ² ·17·137 7·11 ³ 2·3·1553	11-23·37 2·31·151 3·3121 2²·2341 5·1873 2·3·7·223 17·19·29 2³·1171 3³·347 2·5·937	3·3137 2 ² ·13·181 	2·3·19·83 2³·7·13² 3·5·631 2·4733 	2 ³ ·29·41 3 ² ·7·151 2·67·71 5·11·173 2 ² ·3·13·61 31·307 2·4759 3·19·167 2 ⁴ ·5·7·17	3·3187 2·7·683 73·131 2 ² ·3·797 5·1913 2·4783 3 ² ·1063 2 ⁵ ·13·23 7·1367 2·3·5·11·29
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79	3·13·239 2·59·79 	2 ² ·3·11·71 ³ 7·13·103 2·43·109 3·5 ⁸ 2 ⁵ ·293 2·3 ² ·5 ² 1 83·113 2 ² ·5·7·67	2·7·673 3³·349 2⁴·19·31 5²·13·29 2·3·1571 11·857 2²·2357 3·7·449 2·5·23·41	3.7.11.41 28.37 	2·3 ² ·23 ² 89·107 2 ² ·2381 3·5 ² ·127 2·11·433 7·1361 2 ³ ·3·397 13·733 2·5·953	17·563 2²·2393 3·3191 2·4787 5²·383 2³·3²·7·19 61·157 2·4789 3·31·103 2²·5·479
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 90	7·31·43 2²·2333 3²·17·61 2·13·359 5·1867 2³·3·389 	3·53·59 2·4691 11·853 2³·3·17·23 5·1877 2·13·19 ² 3²·7·149 2²·2347 41·229 2·3·5·313	2 ³ ·3 ² ·131 2·53·89 3·5·17·37 2 ² ·7·337 2·3·11 ² ·13 2 ⁵ ·5·59	19·499 2·11·431 3·29·109 2²·2371 5·7·271 2·3²·17·31 53·179 2⁴·593 3·3163 2·5·13·73	3 ³ ·353 2 ² ·2383 	11·13·67 2·3·1597 7·37 ² 2 ⁴ ·599 3 ³ ·5·71 2·4793
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3 ³ ·173 2 ⁷ ·73 3·5·7·89 2·4673 13·719 2 ² ·3·19·41 2·5 ² ·11·17	2 ⁴ ·5 ⁸ 7 3·31·101 2·7·11·61 5·1879 2 ² ·3 ⁴ ·29 2·37·127 3·13·241 2 ³ ·5 ² ·47	3 ² ·1049 2·4721 7·19·71 2 ² ·3·787 5·1889 2·4723 3·47·67 2 ³ ·1181 11·859 2·3 ³ ·5 ² ·7	2 ² ·3·7·113 11·863 2·47·101 3 ² ·5·211 2 ³ ·1187 	7·29·47 2·13·369 3·31·81 2³·1193 5·23·83 2·3·37·43 	3·23·139 2³·11·109 53·181 2·3²·13·41 5·19·101 2²·2399 3·7·457 2·4799 29·331 2 ⁷ ·3·5²

Prime Numbers and Factors, 9600-9900.

From	9600	9650	9700	9750	9800	9850
То	9650	9700	9750	9800	9850	9900
0 5 1 5 2 5 3 5 4 5 5 5 6 5 7 5 8 5 9 5	1 2 · 4801 3 · 11·97 4 · 2 · 74 5 · 5·17·113 6 · 2·3·1601 7 · 13·739 8 · 2³·1201 9 · 3·3203	2·5²·193 3·3²17 2²·19·127 7²·197 2·3·1609 5·1931 2³·17·71 3²·29·37 2·11·439 13·743 2²·3·5·7·23	2 ² ·5 ² ·97 89·109 2·3 ² ·7 ² ·11 31·313 2 ³ ·1213 3·5·647 2·23·211 17·571 2 ² ·3·809 7·19·73 2·5·971	2·3·5³·13 7²·199 2³·23·53 3·3251 2·4877 5·1951 2²·3²·271 11·887 2·7·17·41 3·3253 2⁵·5·61	2 ³ ·5 ² ·7 ² 3 ⁴ ·11 ² 2·13 ² ·29 2 ² ·3·19·43 5·37·53 2·4903 3·7·467 2 ⁴ ·613 17·577 2·3 ³ ·5·109	2·5²·197 2²·3·821 59·167 2·13·379 3³·5·73 2 ⁷ ·7·11 2·3·31·53 2²·5·17·29
11 6 12 6 13 6 14 6 15 6 16 6 17 6 18 6 19 6 20 7	3 ······· 4 ······ 5 ······ 6 ····· 7 ····· 8 ····· 9 ·····	2·4831 3·3221 26·151 5·1933 2·3 ³ ·179 7·1381 2 ² ·2417 3·11·293 2·5·967	3 ² ·13·83 2 ⁴ ·607 11·883 2·3·1619 5·29·67 2 ² ·7·347 3·41·79 2·43·113 	43·227 2·3·1627 13·751 2²·2441 3²·5·7·31 2·19·257 	2 ² ·11·223 3·3271 2·7·701 5·13·151 2 ³ ·3·409 	3·19·173 2·4931 7·1409 2³·3²·137 5·1973 2·4933 3·11·13·23 2²·2467 71·139 2·3·5·7·47
21 7 22 7 23 7 24 7 25 7 26 7 27 7 28 7 29 7 30 8	3	19·509 2³·3·13·31 17·569 2·7·691 3²·5²·43 2²·41·59 2⁴·5·11²	2·4861 3·7·463 2²·11·13·17 5²·389 2·3·1621 71·137 2°·19 3²·23·47 2·5·7·139	3·3257 2²·7·349 29·337 2·3³·181 5²·17·23 2⁴·13·47 3·3259 2·4889 7·11·127 2²·3·5·163	7.23.61 2.3.1637 11.19.47 2.5.207 3.52.131 2.178 31.317 2.2.33.7.13 	2 ⁴ ·617 3 ² ·1097 2·4937 5 ⁸ ·79 2 ² ·3·823 7·17·83 2·11·449 3·37·89 2 ⁸ ·5·13·19
31 8 32 8 33 8 34 8 35 8 36 8 37 8 38 8 39 8	3 3·13 ² ·19 4 2·4817 5 5·41·47 6 2 ² ·3·11·73 7 23·419 8 2·61·79 9 3 ⁴ ·7·17	3.7.461 2.47.103 23.421 2 ² .3 ² .269 5.13.149 2.29.167 3.3229 2 ³ .7.173 	37-263 2 ² -3-811 	2.67.73 3 ² ·1087 2 ³ ·1223 5·19·103 2·3·7·233 	3·29·113 2³·1229 	41·241 2·3 ⁴ ·61 2 ² ·7·353 3·5·659 2·4943 2 ⁵ ·3·103 11·29·31 2·5·23·43
42 9 43 9 44 9 45 9 46 9 47 9 48 9	1 31·311 2 · 3·1607 3 · 4 2·2411 2 · 2·2411 3 · 643 6 2·7·13·53 7 11·877 2 · 4·3²·67 	11.881 2 ² .2423 3 ³ .359 2.37.131 5.7.277 2 ⁴ .3.101 	3·17·191 2·4871 2 ⁴ ·3·7·29 5·1949 2·11·443 3 ³ ·19 ² 2 ² ·2437 2·3·5 ³ ·13	2 ⁶ ·3 ² ·17 7·1399 2·59·83 3·5·653 2 ² ·31·79 97·101 2·3·23·71 41·239 2 ³ ·5 ² ·7 ²	13·757 2·7·19·37 3·17·193 2²·23·107 5·11·179 2·3²·547 43·229 2³·1231 3·7²·67 2·5²·197	3 ² ·7·157 2 ² ·2473 13·761 2·3·17·97 5·1979 2 ³ ·1237 3·3299 2·7 ² ·101 19·521 2 ² ·3 ² ·5 ² ·11

Prime Numbers and Factors, 9900-10200.

		1	1		1		
	om	9900	9950	10000	10050	10100	10150
T	0	9950	10000	10050	10100	10150	10200
0 1 2 3 4 5 6 7 8 9	50 51 52 53 54 55 56 57 58 59 60	2 ² ·3 ² ·5 ² ·11 2·4951 3·3301 2 ⁴ ·619 5·7·283 2·3·13·127 2 ² ·2477 3 ³ ·367 2·5·991	2·5²·199 3·31·107 2 ⁵ ·311 37·269 2·3²·7·79 5·11·181 2²·19·131 3·3319 2·13·383 2³·433 2³·433 2³·3·5·83	2 ⁴ ·5 ⁴ 73·137 2·3·1667 7·1429 2°·41·61 3·5·23·29 2·5003	2·3·5²·67 19·23² 2²·7·359 3²·1117 2·11·457 5·2011 2³·3·419 89·113 2·47·107 3·7·479 2²·5·503	2 ² ·5 ² ·101 3·7·13·37 2·5051 2 ³ ·3·421 5·43·47 2·31·163 3 ² ·1123 2 ² ·7·19 ² 11·919 2·3·5·337	2·5²·7·29 ···································
11 12 13 14 15 16 17 18 19 20	61 62 63 64 65 66 67 68 69 70	11·17·53 2³·3·7·59 23·431 2·4957 3·5·661 2²·37·67 47·211 2·3²·19·29 7·13·109 2 ⁶ ·5·31	7·1423 2·17·293 3 ⁵ ·41 2 ² ·47·53 5·1993 2·3·11·151 	3.47.71 22.2503 17.19.31 2.3.1669 5.2003 25.313 33.7.53 2.5009 43.233 22.3.5.167	2·3²·13·43 29·347 2 ⁴ ·17·37 3·5·11·61 2·7·719 2²·3·839 2·5·19·53	2 ⁷ ·79 3·3371 2·13·389 5·7·17 ² 2 ² ·3 ² ·281 67·151 2·5059 3·3373 2 ³ ·5·11·23	3 ² ·1129 2·5081
21 22 23 24 25 26 27 28 29 30	71 72 73 74 75 76 77 78 79 80	3·3307 2·11 ² ·41 2 ² ·3·827 5 ² ·397 2·7·709 3 ² ·1103 2 ³ ·17·73 	13 ² ·59 2 ² ·3 ² ·277 	11.911 2.5011 3.13.257 23.7.179 52.401 2.32.557 37.271 22.23.109 3.3343 2.5.17.59	3 ³ ·373 2 ³ ·1259 7·1439 2·3·23·73 5 ² ·13·31 2 ² ·11·229 3·3359 2·5039 	29·349 2·3·7·241 53·191 2²·2531 3 ⁴ ·5 ³ 2·61·83 13·19·41 2 ⁴ ·3·211 7·1447 2·5·1013	7·1453 2·2·2543 3·3391 2·5087 5 ² ·11·37 2 ⁶ ·3·53
31 32 33 34 35 36 37 38 39 40	81 82 83 84 85 86 87 88 89 90	2 ² ·13·191 3·7·11·43 2·4967 5·1987 2 ⁴ ·3 ³ ·23 19·5 ² 3 2·4969 3·3313 2 ² ·5·7·71	3 ² ·1109 2·7·23·31 67·149 2 ⁸ ·3·13 5·1997 2·4993 3·33 ² 9 2 ² ·11·227 7·1427 2·3 ⁸ ·5·37	7·1433 2 ⁴ ·3·11·19 79·127 2·29·173 3 ² ·5·223 2 ² ·13·193 	17·593 2·71 ² 3·3361 2 ² ·2521 5·2017 2·3·41 ² 7·11·131 2 ⁸ ·13·97 3 ² ·19·59 2·5·1009	3·11·307 2²·17·149 	2·3·1697 17·599 2³·19·67 3·5·7·97 2·11·463 61·167 2²·3²·283 23·443 2·5·1019
41 42 43 44 45 46 47 48 49 50	91 92 93 94 95 96 97 98 99	2·3·1657 61·163 2*·11·113 3 ^{2·5} ·13·17 2·4973 7 ⁸ ·29 2 ² ·3·829 	97·103 2³·1249 3·3331 2·19·263 5·1999 2²·3·7² 17 13·769 2·4999 3²·11·101 2⁴·5⁴	3·3347 2·5021 11 ² ·83 2 ² ·3 ⁴ ·31 5·7 ² ·41 2·5023 3·17·197 2 ⁶ ·157 13·773 2·3·5 ² ·67	2 ² ·3·29 ² 	2·11·461 3 ² ·7 ² ·23 2 ⁵ ·317 5·2029 2·3·19·89 73·139 2 ² ·43·59 3·17·199 2·5 ² ·7·29	3·43·79 2·4·7²·13



Table of Leads.

Table of Leads.

This table contains all the leads that can be obtained with any possible combination of the change gears furnished with Universal Milling Machines made by Brown & Sharpe Mfg. Co., even though some of the leads are not available for use on account of the gears interfering or not reaching. Combinations of gears that are too small in diameter to reach for right-hand spirals can generally be used for left-hand spirals, as the reverse gear is then required and will enable the gears to reach.

The two driving gears or the two driven gears of any combination can be transposed, but a driver must not be substituted for a driven or vice versa. Four different arrangements of the gears of any combination are thus possible without changing the ratio, and when one arrangement interferes or will not reach, the others should be tried. Thus, the gears to give a lead of 3.60" are: drivers, 100 teeth and 32 teeth; driven 24 teeth and 48 teeth. By transposing the gears, the following four arrangements may be obtained.

	ıst.	2d.	3d.	4th.		
Gear on screw	100	32	100	32	}	Drivers.
1st gear on stud	32	100	32	100	5	Directs.
2d gear on Stud	24	24	48	48	Į	Driven.
Gear on Worm	48	48	24	24	}	Directi.

The first arrangement, however, is the only one available, owing to the interference of the gears in the others preventing their meshing properly.

When very short leads are required, it is preferable to disengage the worm wheel and connect the gearing directly to the spiral head spindle (using the differential indexing centre) instead of to the worm shaft. This method gives leads one fortieth of the leads given in the table for the same combinations of gears. Thus, for a lead of 6.160" the table calls for gear on worm 56 teeth, 1st gear on stud 40 teeth, 2d gear on stud 44 teeth and

gear on screw 100 teeth. Putting the 56 tooth gear on the spindle instead of on the worm, gives a lead of $\frac{6.160}{40} = .154''$.

With this method very short leads may be obtained without excessively straining the mechanism but the regular means of indexing the work cannot be employed. A special face plate or dial can be used or another method is to have the number of teeth in the gear on the spindle some multiple of the number required to be indexed, swinging the gears out of mesh and advancing the gear on spindle the number of teeth required to index the work one division, at each indexing. Thus, if 9 divisions are required with a lead of .261", we select a lead from the table equal to about .261" \times 40 = 10.440", where the gear on worm (which will now be the gear on spindle) is some multiple of 9, as 72. The nearest lead is 10.467", which gives $\frac{10.467}{40} = .2617$ " lead, giving an error of .0007". To index the work, the gear on spindle is advanced $\frac{72}{9} = 8$ teeth at each indexing.

Table of Leads, .670" to 2.182".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW
.670	24	86	24	100	1.527	24	44	28	100	1.886	24	56	44	100
.781	24	86	28	100	1.550	24	72	40	86	1.905	24	56	32	72
.800	24	72	24	100	1.556	28	72	40	100	1.919	24	64	44	86
.893	24	86	32	100	1.563	24	86	56	100	1.920	24	40	32	100
.900	24	64	24	100	1.563	28	86	48	100	1.925	28	64	44	100
.930	24	72	24	86	1.595	24	56	32	86	1.944	24	48	28	72
-933	24	72	28	100	1,600	24	48	32 .	100	1.944	28	64	32	72
1.029	24	56	24	100	1.600	28	56	32	100	1.954	24	40	28	86
1.042	28	86	32	100	1.600	24	72	48	100	1.956	32	72	44	100
1.047	24	64	24	86	1.607	24	56	24	64	1.990	28	72	44	86
1.050	24	64	28	100	1.628	24	48	28	86	1.993	24	56	40	86
1.067	24	72	32	100	1.628	28	64	32	86	2.000	24	40	24	72
1.085	24	72	28	86	1.637	32	86	44	100	2.000	24	48	40	100
1.116	24	86	40	100	1.650	24	64	44	100	2.000	28	56	40	100
1.196	24	56	24	86	1.667	24	56	28	72	2.000	32	64	40	100
1.200	24	48	24	100	1.667	24	48	24	72	2.009	-24	86	72	100
1.200	. 24	56	28	100	1.667	24	64	32	72	2.030	24	44	32	86
1.200	24	64	32	100	1.674	24	40	24	86	2.035	28	64	40	86
1.221	24	64	28	86	1.680	24	40	28	100	2.036	28	44	32	100
1.228	24	86	44	100	1.706	24	72	44	86	2.045	24	44	24	64
1.240	24	72	32	86	1.711	28	72	44	100	2.047	40	86	44	100
1.244	28	72	32	100	1.714	24	56	40	100	2.057	24	28	24	100
1.250	24	64	24	72	1.744	24	64	40	86	2.057	24	56	48	100
1.302	28	86	40	100	1.745	24	44	32	100	2.067	32	72	40	86
1.309	24	44	24.	100	1.750	28	64	40	100	2.083	24	64	40	72
1.333	24	72	40	100	1.776	24	44	28	86	2.084	28	86	64	100
1.340	24	86	48	100	1.778	32	72	40	100	2.084	32	86	56	100
1.371	24	56	32	100	1.786	24	86	64	100	2.093	24	64	48	86
1.395	24	48	24	86	1.786	. 32	86	48	100	2.093	24	32	24	86
1.395	24	56	28	86	1.800	24	64	48	100	2.100	24	64	56	100
1.395	24	64	32	86	1.800	24	32	24	100	2.100	28	64	48	100
1.400	24	48	28	100	1.809	28	72	40	86	2.100	24	32	28	100
1.400	28	64	32	100	1.818	24	44	24	72	2.121	24	44	28	72
1.429	24	56	24	72	1.823	28	86	56	100	2.133	24	72	64	100
1.433	28	86	44	100	1.860	28	56	32	86	2.133	32	72	48	100
1.440	24	40	24	100	1.861	24	72	48	86	2.143	24	56	32	64
1.447	28	72	32	86	1.861	24	48	32	86	2.143	24	48	24	56
1.458	24	64	28	72	1.867	28	48	32	100	2.171	24	72	56	86
1.467	24	72	44	100	1.867	24	72	56	100	2.171	28	48	32	86
1.488	32	86	40	100	1.867	28	72	48	100	2.171	28	72	48	86
1.500	24	64	40	100	1.875	24	48	24	64	2.178	28	72	56	100
1.522	24	44	24	86	1.875	24	56	28	64 .	2.182	24	44	40	100

Table of Leads, 2.188" to 3.080".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2MDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
2.188	24	48	28	64	2.500	24	48	28	56	2.800	24	24	28	100
2.193	24	56	44	86	2.500	28	56	32	64	2.800	32	64	56	100
2.200	24	48	44	100	2.500	24	64	48	72	2.800	24	48	56	100
2.200	28	56	44	100	2.500	24	48	32	64	2.812	24	32	24	64
2.200	32	64	44	100	2.500	24	32	24	72	2.828	28	44	32	72
2.222	24	48	32	72	2.514	32	56	44	100	2.843	40	72	44	86
2.222	28	56	32	72	2.532	28	72	56	86	2.845	32	72	64	100
2.233	40	86	48	100	2.537	24	44	40	86	2.849	28	64	56	86
2.233	24	40	32	86	2.546	28	44	40	100	2.857	24	48	32	56
2.238	28	64	44	86	2.558	32	64	44	86	2.857	24	56	48	72
2.240	28	40	32	100	2.558	28	56	44	86	2.857	24	28	24	72
2.250	24	40	24	64	2.558	24 ·	48	44	86	2.865	44	86	56	100
2.274	32	72	44	86	2.567	28	48	44	100	2.867	86	72	24	100
2.286	32	56	40	100	2.571	24	40	24	56	2.880	24	40	48	100
2.292	24	64	44	72	2.593	28	48	32	72	2.894	28	72	64	86
2.326	32	64	40	86	2.605	28	40	32	86	2.894	32	72	56	86
2.326	24	48	40	86	2.605	40	86	56	100	2.909	32	44	40	100
2.3 26	28	5 6	40	86	2.618	24	44	48	100	2.917	24	64	56	72
2.3 33	28	48	40	100	2.619	24	56	44	72	2.917	28	64	48	72
2.3 33	24	40	28	72	2.625	24	40	28	64	2.917	28	48	32	64
2.338	24	44	24	56	2.640	24	40	44	100	2.917	24	32	28	72
2.344	28	86	72	100	2.658	32	56	40	86	2.924	32	56	44	86
2.368	28	44	32	86	2.667	40	72	48	100	2.933	44	72	48	100
2.381	32	86	64	100	2.667	32	48	40	100	2.934	32	48	44	100
2.381	24	56	40	72	2.667	24	40	32	72	2.946	24	56	44	64
2.386	24	44	28	64	2.674	28	64	44	72	2.950	28	44	40	86
2.392	24	56	48	86	2.678	24	56	40	64	2.977	40	86	64	100
2.392	24	28	24	86	2.679	32	86	72	100	2.984	28	48	44	86
2.400	28	56	48	100	2.700	24	64	72	100	3.000	24	40	28	56
2.400	32	64	48	100	2.713	28	48	40	86	3.000	24	40	32	64
2.424	24	44	32	72	2.727	24	44	32	64	3.000	24	32	40	100
2.431	28	64	40	72	2.727	24	44	28	56	3.000	40	64	48	100
2.442	24	32	28	86	2.727	24	44	24	48	3.000	24	40	24	48
2.442	28	64	48	86	2.743	24 ,	56	64	100	3.030	24	44	40	72
2.442	24	64	56	86	2.743	32	56	48	100	3.044	24	44	48	86
2.445	40	72	44	100	2.743	24	28	32	100	3.055	28	44	48	100
2.450	28	64	56	100	2.750	40	64	44	100	3.055	24	44	56	100
2.456	44	86	48	100	2.778	32	64	40	72	3.056	32	64	44	72
2.481	32	72	48	86	2.778	24	48	40	72	3.056	28	56	44	72
2.481	24	72	64	86	2.778	40	56	28	72	3.056	24	48	44	72
2.489	32	72	56	100	2.791	28	56	48	86	3.070	24	40	44	86
2.489	28	72	64	100	2.791	32	64	48	86	3.080	28	40	44	100

Table of Leads, 3.086" to 3.896".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	IST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW
3.086	24	56	72	100	3.349	48	40	24	86	3.637	48	44	24	72
3.101	40	72	48	86	3.360	56	40	24	100	3.646	40	48	28	64
3.101	32	48	40	86	3.360	48	40	28	100	3.655	40	56	44	86
3.111	28	40	32	72	3.383	32	44	40	86	3.657	64	56	32	100
3.111	40	72	56	100	3.403	28	64	56	72	3.663	72	64	28	86
3.117	24	44	32	56	3.409	24	44	40	64	3.667	40	48	44	100
3.125	28	56	40	64	3.411	32	48	44	86	3.667	44	40	24	72
3.125	24	48	40	64	3.411	44	72	48	86	3.673	24	28	24	56
3.126	48	86	56	100	3.422	44	72	56	100	3.684	44	86	72	100
3.140	24	86	72	64	3.428	24	40	32	56	3.686	86	56	24	100
3.143	40	56	44	100	3.429	40	28	24	100	3.704	32	48	40	72
3.150	2 8	100	72	64	3.429	40	56	48	100	3.721	24	24	32	86
3.175	32	56	40	72	3.438	24	48	44	64	3.721	64	48	24	86
3.182	28	44	32	64	3.438	28	56	44	64	3.721	64	56	28	86
3.182	24	44	28	48	3.488	40	64	48	86	3.733	48	72	56	100
3.189	32	56	48	86	3.488	40	32	24	86	3.733	56	48	32	100
3.189	24	28	32	86	3.491	64	44	24	100	3.733	64	48	28	100
3.190	24	86	64	56	3.491	48	44	32	100	3.733	28	24	32	100
3.198	40	64	44	86	3.492	32	56	44	72	3.750	24	32	24	48
3.200	28	100	64	56	3.500	40	64	56	100	3.750	24	32	28	56
3.200	24	100	64	48	3.500	28	32	40	100	3.750	28	56	48	64
3.200	24	24	32	100	3.500	28	40	32	64	3.763	86	64	28	100
3.214	24	56	48	64	3.500	24	40	28	48	3.771	44	56	48	100
3.214	24	32	24	56	3.520	32	40	44	100	3.772	24	28	44	100
3.214	24	28	24	64	3-535	28	44	40	72	3.799	56	48	28	86
3.225	24	100	86	64	3-552	56	44	24	86	3.809	24	28	32	72
3.241	28	48	40	72	3.552	48	44	28	86	3.810	64	56	24	72
3.256	24	24	28	86	3-556	40	72	64	100	3.810	32	56	48	72
3.256	24	86	56	48	3.564	56	44	28	100	3.818	24	40	28	44
3.256	32	64	56	86	3.565	28	48	44	72	3.819	40	64	44	72
3.267	28	48	56	100	3.571	24	48	40	56	3.822	86	72	32	100
3.273	24	40	24	44	3.571	32	56	40	64	3.837	24	32	44	86
3.275	44	86	64	100	3.572	48	86	64	100	3.837	44	64	48	86
3.281	24	32	28	64	3.582	44	40	28	86	3.840	64	40	24	100
3.300	44	64	48	100	3.588	72	56	24	86	3.840	32	40	48	100
3.300	44	32	24	100	3.600	72	48	24	100	3.850	44	64	56	100
3.308	32	72	64	86	3.600	72	64	32	100	3.850	28	32	44	100
3.333	32	64	48	72	3.600	72	56	28	100	3.876	24	72	100	86
3.333	28	56	48	72	3.600	48	32	24	100	3.889	32	64	56	72
3-333	28	48	32	56	3.618	56	72	40	86	3.889	56	48	24	72
3.345	28	100	86	72	3.636	24	44	32	48	3.889	24	24	28	72
3.349	40	86	72	100	3.636	28	44	32	56	3.896	24	44	40	56

Table of Leads, 3.907" to 4.778".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRLVEN	DRIVER	DRIVEN	DRIVER
LEAD IN		16T GEAR		GEAR	LEAD IN	GEAR		2NDGEAR	GEAR	LEAD IN	GEAR		2NDGEAR	GEAR
INCHES	WORM	ON STUD	ON	SCREW	INCHES	ON WORM	STUD	STUD	SCREW	INCHES	ON WORM	ON	ON STUD	SCREW
3.907	28	40	48	86	4.200	48	64	,56	100	4.480	56	40	82	100
3.907	56	40	24	86	4.200	56	32	24	100	4.480	64	.40	28	100
3.911	44	72	64	100	4.200	28	32	48	.100	4.500	72	64	40	100
3.920	28	40	56	100	4.200	72	48	28	100	4.500	48	40	24	64
3.927	72	44	24	100	4.242	28	44	32	48	4.500	24	32	24	40
3.929	32	56	44	64	4.242	28	44	48	72	4.522	100	72	28	86
3.929	24	48	44	56						4.537	56	48	28	72
3.977	28	44	40	64	4.242	24	44	56	72	4.545	24	44	40	48
3.979	44 '	72	56	86	4.253	64	56	32	86	4.546	28	44	40	56
3.987	24	28	40	86	4.264	40	48	44	86	4.546	32	44	40	64
3.987	40	56	48	86	4.267	64	48	32	100	4.548	44	72	64	86
4.000	24	40	32	48	4.267	48	72	64	.100	4.558	56	40	28	86
4.000	28	40	32	56	4.278	28	40	44	72	4.567	72	44	24	86
4.000	24	24	40	100	4.286	24	28	24	48	4.572	40	56	64	100
4.000	24	. 40	48	72	4.286	24	28	32	64	4.572	32	28	40	100
4.011	28	48	44.	64	4.286	32	56	48	64	4.582	72	44	28	100
4.019	72	86	48	100	4.300	86	56	28	100	4.583	44	64	48	72
4.040	32	44	40	72	4.300	86	64	32	- 100	4.583	44	32	24	72
4.059	32	44	48	86	4.300	86	48	24	100	4.584	32	48	44	64
4.060	64	44	24	86	4.320	72	40	24	100	4.584	28	48	44	56
4.070	28	32	40	86	4.341	48	72	56	86	4.651	40	24	24	86
4.070	40	64	56	86	4.341	56	48	32	86	4.655	64	44	32	.100
4.073	64	44	28	100	4.342	64	48	28	86	4.667	28	40	32	48
4.073	56	44	32	100	4.342	28	24	32	86	4.667	40	24	28	.100
4.074	32	48	44	72	4.361	100	64	24	86	4.667	5 6	40	24	72
4.091	24	44	48	64	4.363	24	40	32	-44	4.667	48	40	28	72
4.091	24	32	24	44	4.364	40	44	48	100	4.667	40.	48	56	100
4.093	32	40	44	86	4.365	40	56	44	72	4.675	24	28	24	44
4.114	48	28	24	.100	4.375	24	24	28	64	4.675	48	44	24	56
4.114	72	56	32	100	4-375	24	32	28	48	4.687	40	32	24	64
4.125	24	40	44	64	4-375	56	48	24	64	4.688	56	86	72	100
4.135	40	72	64	86	4.386	24	28	44	86	4.691	86	44	24	100
4.144	56	44	28	86	4.386	44	56	48	86	4.714	44	40	24	56
4.167	28	48	40	56	4.400	24	24	44	100	4.736	64	44	28	86
4.167	40	64	48	72	4.444	64	56	28	72	4.736	56	44	32	86
4.167	32	48	40	64	4.444	24	24	32	72	4.752	40	28	24	72
4.167	24	32	40	72	4.444	64	48	24	72	4.762	40	48	32	56
4.167	56	86	64	100	4.465	64	40	24	86	4.762	40	56	48	72
4.186	72	64	32	86	4.466	48	40	32	86	4.773	24	32	28	44
4.186	48	32	24	86	4.477	44	32	28	86	4.773	56	44	24	64
4.186	.72	48	24	86	4.477	56	64	44	86	4-773	48	44	28	64
4.186	72	56	28	86	4.479	86	64	24	72	4.778	86	72	40	100

Table of Leads, 4.784" to 5.733".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN INCHES	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1 ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1 ST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW
4.784	72	56	32	86	5.116	44	24	24	86	5-358	64	86	72	100
4.785	48	28	24	86	5.119	86	56	24	72	5-375	86	64	40	100
4.800	48	24	24	100	5.120	64	40	32	100	5.400	72	32	24	100
4.800	56	28	24	100	5.133	56	48	44	100	5.400	72	64	48	100
4.800	64	32	24	100	5.134	44	24	28	100	5.413	64	44	32	86
4.800	72	48	32	100	5.142	72	56	40	100	5.426	40	24	28	86
4.813	44	40	28	64	5.143	24	28	24	40	5.427	40	48	56	86
4.821	72	56	24	64	5.143	24	40	48	56	5.444	56	40	28	72
4.849	32	44	48	72	5.156	44	32	24	64	5.455	48	44	28	56
4.849	64	44	24	72	5.160	86	40	24	100	5.455	32	44	48	64
4.861	40	32	28	72	5.168	100	72	32	86	5.469	40	32	28	64
4.861	56	64	40	72	5.185	28	24	32	72	5.473	86	44	28	100
4.884	48	64	56	86	5.186	64	48	28	72	5.486	64	28	24	100
4.884	72	48	28	86	5.186	56	48	32	72	5.486	48	28	32	100
4.884	48	32	28	86	5.195	32	44	40	56	5.486	48	56	64	100
4.884	56	32	24	86	5.209	100	64	24	72	5.500	44	40	24	48
4.889	32	.40	44	72	5.210	64	40	28	86	5.500	44	40	32	64
4.898	24	28	32	56	5.210	56	40	32	86	5.500	40	32	44	100
4.900	56	32	28	100 .	5.226	86	64	28	72	5.500	44	40	28	56
4.911	40	56	44	64	5.233	72	64	40	86	5.556	40	24	24	72
4.914	86	56	32	100	5.236	72	44	32	.100	5.568	56	44	28	64
4.950	56	44	28	72	5.238	44	28	24	72	5.581	64	32	24	86
4.950	72	64	44	100	5.238	32	48	44	56	5.581	56	28	24	86
4.961	64	48	32	86	5.238	44	56	48	72	5.581	72	48	32	86
4.961	64	72	48	86	5.250	24	32	28	40	5.582	48	24	24	86
4.978	56	72	64	100	5.250	56	40	24	64	5.600	56	24	24	100
4.984	100	56	24	86	5.250	48	40	28	64	5.600	48	24	28	100
5.000	24	24	28	56	5.256	86	72	44	100	5.600	64	32	28	100
5.000	24	24	32 ,	64	5.280	48	40	44	100	5.625	48	32	24	64
5.000	48	32	24	72	5.303	28	44	40	° 48	5.625	72	48	24	64
5.017	86	48	28	100	5.316	40	2Ŝ	32	86	5.625	72	56	28	64
5.023	72	40	24	86	5.316	40	56	64	.86	5.657	56	44	32	72
5.029	44	28	32	100	5.328	72	44	28	86	5.657	72	56	44	100
5.029	64	56	44	100	5-333	40	24	32	100	5.657	64	44	28	72
5.040	72	40	28	100	5-333	64	40	24	72	5.698	56	32	28	86
5.074	40	44	48	86	5.333	32	40	48	72	5.714	48	28	24	72
5.080	64	56	32	72	5-333	40	48	64	100	5.714	24	28	32	48
5.088	100	64	28	86	5-347	44	64	56	72	5.714	24	24	32	5 6
5.091	56	44	40	100	5.348	44	32	28	72.	5.714	64	48	24	56
5.091	28	40	32	44	5-357	40	28	24	64	5.730	40	48	44	64
5.093	40	48	44	72	5.357	40	32	24	56	5.733	86	48	32	100
5.105	28	48	56	64	5-357	40	56	48	64	5.733	86	72	48	100

Table of Leads, 5.756 to 6.757".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
5.756	72	64	44	86	6.089	72	44	32	86	6.417	44	40	28	48
5.759	86	56	24	64	6.109	56	44	48	100	6.429	24	28	24	32
5.760	72	40	32	100	6.112	24	24	44	72	6.429	48	28	24	64
5.788	64	72	56	86	6,122	40	28	24	56	6.429	48	32	24	5 6
5.814	100	64	32	86	6.125	56	40	28	64	6.429	72	48	24	56
5.814	100	56	28	86	6.137	72	44	24	64	6.429	72	56	32	64
5.814	100	48	24	86	6.140	48	40	44	86	6.450	86	64	48	100
5.818	64	44	40	100	6.143	86	56	40	100	6.450	86	32	24	100
5.833	28	24	24	48	6,160	56	40	44	100	6.460	100	72	40	. 86
5:833	32	24	28	64			-			6.465	64	44	32	72
5.833	56	. 32	24	72	6.171	72	56	48	100	6.482	56	48	40	72
5.833	48	32	28	72	6.172	72	28	24	100	6.482	40	24	28	72
5.833	56	48	32	64	6.202	40	24	32	86	6.512	56	24	24	86
5.833	56	64	48	72	6,202	64	48	40	86	6.512	64	32	28	86
5.847	64	56	44	86	6.222	64	40	28	72	6.512	48	24	28	86
5.848	44 .	28	32	86	6,222	56	40	32	72	6.515	86	44	24	72
5.861	72	40	28	86	6.234	32	28	24	44	6.534	56	24	28	100
5.867	44	2.1	32	100	6.234	64	44	24	56	6.545	48	40	24	44
5.867	64	48	44	100	6.234	48	44	32	56	6.545	72	44	40	100
5.893	44	32	24	56	6.250	24	24	40	64	6.548	44	48	40	56
5.893	44	28	24	64	6.250	40	32	24	48	6.563	56	32	24	64
5.893	48	56	44	64	6.250	40	32	28	56	6.563	72	48	28	64
5.912	86	64	44	100	6.255	86	44	32	100	6.563	48	32	28	64
5.920	56	44	40	86	6.279	72	64	48	86	6.578	72	56	44	86
5.926	64	48	32	72	6.279	72	32	24	86	6.600	48	32	4-1	100
5.952	100	56	24	72	6.286	44	40	32	56	6.600	72	48	44	100
5.954	64	40	32	86	6.286	44	28	40	100	6.645	100	56	32	86
5.969	44	24	28	86	6.300	72	32	28	100	6.667	64	48	28	56
5.969	56	48	44	86	6.300	72	64	56	100	6.667	32	24	28	56
5.972	86	48	24	72	6.343	100	44	24	86	6,667	32	24	24	48
5.972	86	56	28 •	72	6.350	40	28	32	72	6.667	48	24	24	72
5.972	86	64	32	72	6.350	64	56	40	72	6.667	56	28	24	72
5.980	72	56	40	86	6.364	56	44	24	48	6.667	64	32	24	72
6.000	48	40	28	56	6.364	56	44	32	64	6.689	86	72	56	100
6.000	48	40	32	64	6.364	24	24	28	44	6.697	100	56	24	64
6.000	48	32	40	100	6.379	64	28	24	86	6.698	72	40	32	86
6.000	72	48	40	100	6.379	48	28	32	86	6.719	86	48	24	64
6.016	44	32	28	64	6.379	64	56	48	86	6.719	86	56	28	64
6.020	86	40	28	100	6.396	44	32	40	86	6.720	56	40	48	100
6.061	40	44	32	48	6.400	64	24	24	100	6.735	44	28	24	56
6.061	48	44	40	72	6.400	48	24	32	100	6.750	72	40	24	64
6.077	100	64	28	72	6.400	56	28	32	100	6.757	86	56	44	100

Table of Leads, 6.766" to 7.883".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	IST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW
6.766	64	44	40	86	7.159	72	44	28	64	7.525	86	32	28	100
6.784	100	48	28	86	7.163	56	40	44	86	7.525	86	64	56	100
6.806	56	32	28	72	7.167	86	40	24	72	7.543	48	28	44	100
6.818	40	32	24	44	7.167	86	48	40	100	7.576	100	44	24	72
6.818	48	44	40	64	7.176	72	28	24	86	7.597	56	24	28	86
6.822	44	24	32	86	7.176	72	56	48	86	7.601	86	44	28	72
6.822	64	48	44	86	7.200	72	24	24	100	7.611	72	44	40	86
6.825	86	56	32	72	7.268	100	64	40	86	7.619	64	48	32	56
6.857	32	28	24	40	7.272	64	44	28	56	7.619	64	56	48	72
6.857	64	40	24	56	7.273	32	24	24	44	7.620	64	28	24	72
6.857	48	40	32	56	7.273	64	44	24	48	7.620	48	28	32	72
6.857	48	28	40	100	7.292	56	48	40	64	7.636	56	40	24	44
6.875	44	24	24	64	7.292	40	32	28	48	7.636	48	40	28	44
6.875	44	32	24	48	7.292	40	24	28	64	7.639	44	32	40	72
6.875	44	32	28	56	7.310	44	28	40	86	7.644	86	72	64	100
6.880	86	40	32	100	7.314	64	28	32	100	7.657	56	32	28	64
6.944	100	48	24	72	7.325	72	32	28	86	7.674	72	48	44	86
6.944	100	64	32	72	7.326	72	64	56	86	7.675.	48	32	44	86
6.945	100	56	28	72	7.330	86	44	24	64	7.679	86	48	24	56
6.968	86	48	28	72	7.333	44	24	40	100	7.679	86	56	32	64
6.977	48	32	40	86	7.333	48	40	44	72	7.680	64	40	48	100
6.977	100	40	24	86	7-334	44	40	32	. 48	7.700	56	32	44	100
6.977	72	48	40	86	7.347	48	28	24	56	7.714	72	40	24	56
6.982	64	44	48	100	7.371	86	56	48	100	7.752	100	48	32	86
6.984	44	28	32	72	7.372	86	28	24	100	7.752	100	72	48	86
6.984	64	56	44	72	7.400	100	44	28	86	7.778	32	24	28	48
7.000	28	24	24	40	7.408	40	24	32	72	7.778	56	24	24	72
7.000	56	40	24	48	7.408	64	48	40	72	7.778	48	24	28	72
7.000	56	40	32	64	7.424	56	44	28	48	7.778	64	32	28	72
7.000	56	32	40	100	7.442	64	24	24	86	7-792	40	28	24	44
7.013	72	44	24	56	7.442	48	24	32	86	7.792	48	44	40	56
7.040	64	40	44	100	7.442	56	28	32	86	7.813	100	48	24	64
7.071	56	44	40	72	7.465	86	64	40	72	7.813	100	56	28	64
					7.467	64	24	28	100	7.815	56	40	48	86
7.104	56	44	48	86						7.818	86	44	40	100
7.106	100	72	44	86	7.467	56	24	32	100	7.838	86	48	28	64
7.111	64	40	32	72	7.467	64	48.	56	100	7.855	72	44	48	100
7.130	44	24	28	72	7.500	48	24	24	64	7.857	44	24	24	56
7.130	56	48	44	72	7.500	56	28	24	64	7.857	44	28	24	48
7.143	40	28	32	64	7.500	48	32	28	56	7.872	44	28	32	64
7.143	40	28	24	48	7.500	72	48	28	56.	7.875	72	40	28	64
7.143	40	24	24	56	7.500	72	48	32	64	7.883	86	48	44	100

Table of Leads, 7.920" to 9.302".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	STUD	2 ND GEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	ST GEAR	2 ND GEAR ON STUD	GEAR ON SCREW
7.920	72	40	44	100	8.333	48	32	40	72	8.772	48	28	44	86
7.936	100	56	32	72	8.333	100	40	24	72	8.800	48	24	44	100
7.954	40	32	28	44	8.334	40	24	28	56	8.800	64	32	44	100
7-955	56	44	40	64	8.361	86	40	28	72	8.800	56	28	44	100
7.963	86	48	32	72	8.372	72	24	24	86	8.838	100	44	28	72
7.974	48	28	40	86	8.377	86	44	24	56	8.839	72	56	44	64
7.994	100	64	44	86	8.400	72	24	28	100	8.889	64	24	24	72
8.000	64	32	40	100	8.400	56	32	48	100	8.889	56	28	32	72
8.000	32	24	24	40	8.400	72	48	56	100	8.889	48	24	32	72
8.000	64	40	24	48	8.437	72	32	24	64	8.909	56	40	28	44
8.000	64	40	28	56	8.457	100	44	32	86	8.929	100	48	24	56
8.000	56	28	40	100	8.484	32	24	28	44	8.929	100	56	32	64
8.000	48	24	40	100	8.485	64	44	28	48	8.930	64	40	48	86
8.021	44	32	28	48	8.485	56	44	32	48	8.953	56	32	44	86
8.021	44	24	28	64	8.485	56	44	48	72	8.959	86	48	28	56
8.021	56	48	44	64	8.506	64	28	32	86	8.959	86	32	24	72
8.035	72	56	40	64	8.523	100	44	24	64	8.959	86	64	48	72
8.063	86	40	24	64	8.527	44	24	40	86	8.959	86	48	28	56
8.081	64	44	40	72	8.532	\$6	56	40	72	8.960	64	40	56	100
8.102	100	48	28	72	8.534	64	24	32	100	8.980	44	28	32	56
8.119	64	44	48	86	8.552	86	44	28	64	9.000	48	32	24	40
8.140	56	32	40	86	8.556	56	40	44	72	9.000	72	40	24	48
8.140	100	40	28	86	8.572	64	32	24	56	9.000	72	40	28	56
8.145	64	44	56	100	8.572	48	28	32	64	9.000	72	40	32	64.
8.148	64	48	44	72	8.572	48	24	24	56	9.000	72	32	40	100
8.149	44	24	32	72	8.572	72	48	32	56	9.044	100	72	56	86
8.163	40	28	32	56	8.594	44	32	40	64	9.074	56	24	28	72
8.167	56	40	28	48	8,600	86	24	24	100	9.091	40	24	24	44
8.182	48	32	24	44	8.640	72	40	48	100	9.115	100	48	28	64
8.182	72	44	24	48	8.681	100	64	40	72	9.134	72	44	48	86
8.182	72	44	28	56	8.682	64	24	28	86	9.137	100	. 56	44	86
8.182	72	44	32	64	8.682	56	24	32	86	9.143	64	40	32	56
8.186	64	40	44	86	8.682	64	48	56	86	9.143	64	28	40	100
8.212	86	64	44	72	8.687	86	44	32	72	9.164	72	44	56	100
8.229	72	28	32	100	8.721	100	32	24	86	9.167	44	24	24	48
8.229	72	56	64	100	8.721	100	64	48	86	9.167	44	24	28	56
8.250	44	32	24	40	8.727	48	40	32	44	9.167	44	24	32	64
8.250	48	40	44	64	8.730	44	28	40	72	9.167	48	32	44	72
8.306	100	56	40	86	8.750	28	24	24	32	9.210	72	40	44	86
8.312	64	44	32	56	8.750	56	32	24	48	9.214	86	40	24.	56
8.333	40	24	24	48	8.750	56	24	24	64	9.260	100	48	32	72
8.333	40	24	32	64	8.750	48	24	28	64	9.302	48	24	40	86

Table of Leads, 9.303" to 10.477".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	1 ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
9.303	56	28	40	86	9.675	86	64	72	100	10.101	100	44	32	72
9.303	64	32	40	86	9.690	100	48	40	86	10.159	64	28	32	72
9.303	100	40	32	86	9.697	64	48	32	44	10.175	100	32	28	86
9-333	64	40	28	48	9.697	64	44	48	72	10.175	100	64	56	86
9-333	56	40	32	48	9.723	40	24	28	48	10.182	64	40	28	44
9-333	56	24	40	100	9.723	56	32	40	72	10.182	56	40	32	44
9-333	56	40	48	72	9.723	100	40	28	72	10.186	44	. 24	40	72
9-334	32	24	28	40	9.741	100	44	24	56	10.209	56	24	28	64
9.351	48	28	24	44	9.768	72	48	56	86	10.209	56	32	28	48
9.351	72	44	32	56	9.768	56	32	48	86	10.228	72	44	40	64
9-375	48	32	40	64	9.768	72	24	28	86	10.233	48	24	44	86
9.375	100	40	24	64	9.773	86	44	24	' 48	10.233	56	28	44	86
9.375	72	48	40	64	9.773	86	44	28	56	10.233	64	32	44	86
9.382	86	44	48	100	9.773	86	44	32	64	10.238	86	28	24	72
9.385	86	56	44	72	9.778	64	40	44	72	10.238	86	48	32	56
9.406	86	40	28	64	9.796	64	28	24	56	10.238	86	56	48	72
9.428	44	28	24	40	9.796	· 48	28	32	56	10.267	56	24	44	100
9.429	48	40	44	56	9.818	72	40	24	44	10.286	48	28	24	40
9.460	86	40	44	100	9.822	44	32	40	56	10.286	72	40	32	56
9.472	64	44	56	86	9.822	44	28	40	64	10.286	72	28	40	100
9.524	40	28	32	48	9.828	86	28	32	100	10.312	48	32	44	64
9.524	40	24	32	56	9.828	86	56	64	100	10.313	72	48	44	64
9.524	48	28	40	72	9.844	72	32	28	64	10.320	86	40	48	100
9.524	64	48	40	56	9.900	72	32	44	100	10.336	100	72	64	86
9-545	72	44	28	48	9.921	100	56	40	72	10.370	64	24	28	72
9.546	56	32	24	44	9.923	64	24	32	86	10.370	56	24	32	72
9.546	48	32	28	44	9.943	100	44	28	64	10.371	64	48	56	72
9.547	56	44	48	64	9.954	86	48	40	72	10.390	40	28	32	44
9.549	100	64	44	72	9.967	100	56	48	86	10.390	64	44	40	56
9.556	86	40	32	72	9.968	100	28	24	86	10.417	100	32	24	72
9.569	72	28	32	86	10.000	56	28	24	48	10.417	100	48	28	56
9.569	72	56	64	86	10.000	48	24	28	56	10.417	100	48	32	64
9.598	86	56	40	64	10.000	64	32	24	48	10.417	100	64	48	72
9.600	72	24	32	100	10.000	64	32	28	56	10.419	64	40	56	86
9.600	56	28	48	100	10.000	56	28	32	64	10.451	86	32	28	72
9.600	64	32	48	100	10.000	48	24	32	64	10.451	86	64	56	72
9.600	72	48	64	100	10.033	86	24	28	100	10.467	72	32	40	86
9.625	44	32	28	40	10.033	86	48	56	100	10.473	72	44	64	100
9.625	56	40	44	64	10.046	72	40	48	86	10.476	44	24	32	56
9.643	72	32	24	56	10.057	64	28	44	100	10.476	44	28	32	48
9.643	72	28	24	64	10.078	86	32	24	64	10.477	48	28	44	72
9.643	72	56	48	64	10.080	72	40	56	100	10.477	64	48	44	56

Table of Leads, 10.500" to 12.272".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NOGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN INCHES	GEAR ON WORM	18T GEAR ON STUD	2NOGEAR ON STUD	GEAR ON SCREW
10.500	56	32	24	40	11.111	48	24	40	72	11.667	64	32	28	48
10.500	48	32	28	40	11.111	56	28	40	72	11.667	56	32	48	72
10.500	72	40	28	48	11.111	64	32	40	72	11.667	56	24	32	64
10.500	56	40	48	64	11.111	100	40	32	72	11.688	72	44	40	56
10.558	86	56	44	64	11.137	56	32	28	44	11.695	64	28	44	86
10.571	100	44	40	86	11.160	100	56	40	64	11.719	100	32	24	64
10.606	56	44	40	48	11.163	72	24	32	86	11.721	72	40	56	86
10.606	40	24	28	44	11.163	56	28	48	86	11.728	86	40	24	44
10.631	64	28	40	86	11.163	72	48	64	86	11.733	64	24	44	100
10.655	72	44	56	86	11.163	64	32	48	86	11.757	86	32	28	64
10.659	100	48	44	86	11.169	86	44	32	56	11.785	72	48	44	56
10.667	64	40	48	72	11.198	86	48	40	64	11.786	44	28	24	32
10.667	64	24	40	100	11.200	56	24	48	100	11.786	48	32	44	56
10.667	64	40	32	48	11,200	64	32	56	100	11.786	48	28	44	64
10.694	44	24	·28	48	11.225	44	28	40	56	11.825	86	32	44	100
10.694	56	32	44	72	11.250	72	24	24	64	11.852	64	24	32	72
10.713	40	28	24	32	11.250	72	32	24	48	11.905	100	28	24	72
10.714	48	32	40	56	11.250	72	32	28	56	11.905	100	48	32	56
10.714	48	28	40	64	11.313	64	44	56	72	11.905	100	56	48	72
10.714	100	40	24	56	11.314	72	28	44	100	11.938	56	24	44	86
10.714	72	48	40	56	11.363	100	44	24	48	11.944	86	24	24	72
10.750	86	40	24	48	11.363	100	44	28	56	11.960	72	28	40	86
10.750	86	40	28	56	11.363	100	44	32	64	12.000	48	24	24	40
10.750	86	40	32	64	11.401	86	44	28	48	12.000	56	28	24	40
10.750	86	32	40	100	11.429	32	24	24	28	12,000	64	32	24	40
10.800	72	32	48	100	11.429	64	28	24	48	12.000	72	40	32	48
10.853	56	24	40	86	11.429	64	24	24	56	12.000	72	24	40	100
10.859	86	44	40	72	11.429	48	24	32	56	12.031	56	32	44	64
10.909	72	44	32	48	11.454	72	40	28	44	12.040	86	40	56	100
10.909	56	28	24	44	11.459	44	24	40	64	12.121	40	24	32	44
10.909	48	24	24	44	11.459	44	32	40	48	12,121	64	44	40	48
10.909	64	32	24	44	11.467	86	24	32	100	12.153	100	32	28	72
10.913	100	56	44	72	11.467	86	48	64	100	12.153	100	64	56	72
10.937	56	32	40	64	11.512	72	32	44	86	12.178	72	44	64	86
10.937	100	40	28	64	11.518	86	28	24	64	12.216	86	44	40	64
10.945	86	44	56	100	11.518	86	32	24	56	12.222	44	24.	32	48
10.949	86	48	44	72	11.518	86	56	48	64	12.222	48	24	44	72
10.972	64	28	48	100	11.520	72	40	64	100	12.222	56	28	44	72
000.11	44	24	24	40	11.574	100	48	40	72	12.222	64	32	44	72
11.021	72	28	24	56	11.629	100	24	24	86	12.245	48	28	40	56
11.057	86	56	72	100	11.638	64	40	32	44	12.250	56	32	28	40
11.111	40	24	32	48	11.667	56	24	24	48	12.272	72	32	24	44

Table of Leads, 12.272" to 14.322".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	ST GEAR ON STUD	2 ND GEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAO IN INCHES	GEAR ON WORM	IST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
12.272	72	44	48	64	12.900	86	32	48	100	13.566	100	48	56	86
12.277	100	56	44	64	12.900	86	48	72	100	13.611	56	24	28	48
12.286	86	28	40	100	12.963	56	24	40	72	13.636	48	32	40	44
12.286	86	40	32	56	12.987	100	44	32	56	13.636	100	40	24	44
12.318	86 .	48	44	64	13.020	100	48	40	64	13.636	72	44.	40	48
12.343	72	28	48	100	13.024	56	24	48	86	13.643	64	24	44	86
12.375	72	40	44	64	13.024	64	32	56	86	13.650	86	28	32	72
12.403	64	24	40	86	13.030	86	44	32	48	13.650	86	56	64	72
12.444	64	40	56	72	13.030	86	44	48	72	13.672	100	32	28	64
12.468	64	28	24	44	13.062	64	28	32	56	13.682	86	40	28	44
12.468	48	28	32	44	13.082	100	64	72	86	13.713	64	40	48	56
12.468	64	44	48	56	13.090	72	40	32	44	13.715	64	28	24	40
12.500	40	24	24	32	13.096	44	28	40	48	13.715	48	28	32	40
12.500	48	24	40	64	13.096	44	24	40	56	13.750	44	24	24	32
12.500	56	28	40	64	13.125	72	32	28	48	13.750	48	24	44	64
12.500	100	40	24	48	13.125	72	24	28	64	13.750	56	28	44	64
12.500	100	40	28	56	13.125	56	32	48	64	13.760	86	40	64	100
12.500	100	40	32	64	13.125	72	48	56	64	13.889	100	24	24	72
12.542	86	40	28	48	13.139	86	40	44	72	13.933	86	48	56	72
12.508	86	44	64	100	13.157	72	28	44	86	13.935	86	24	28	72
12.558	72	32	48	86	13.163	86	28	24	56	13.953	72	24	40	86
12.571	64	40	44	56	13.200	72	24	44	100	13.953	100	40	48	86
12.572	44	28	32	40	13.258	100	44	28	48	13.960	86	44	40	56
12.600	72	32	56	100	13.289	100	28	32	86	13.968	64	28	44	72
12.627	100	44	40	72	13.289	100	56	64	86	14.000	56	24	24	40
12.686	100	44	48	86	13.333	64	24	24	48.	14.000	48	24	28	40
12.698	64	28	40	72	13.333	64	24	28	56	14,000	64	32	28	40
12.727	64	32	28	44	13.333	56	28	32	48	14.025	72	44	48	56
12.728	56	24	24	44	13.333	56	28	48	72	14.026	72	28	24	44
12.728	48	24	2 8	44	13.333	64	32	48	72	14.063	72	32	40	64
12.732	100	48	44	72	13.393	100	56	48	64	14.071	86	44	72	100
12.758	64	28	48	86	13.393	100	28	24	64	14.078	86	48	44	56
12.791	100	40	44	86	13.393	100	32	24	56	14.142	72	40	44	56
12.798	86	48	40	56	13.396	72	40	64	86	14 204	100	44	40	64
12.800	64	28	56	100	13.437	86	32	28	56	14.260	56	24	44	72
12.800	64	24	48	100	13.438	86	24	24	64	14.286	40	24	24	28
12.834	56	40	44	48	13.438	86	32	24	48	14.286	48	24	. 40	56
12.834	44	24	28	40	13.469	48	28	44	56	14.286	64	32	40	56
12.857	72	28	32	64	13.500	72	32	24	40	14.286	100	40	32	56
12.857	72	24	24	56	13.500	72	40	48	64	14.318	72	32	28	44
12.857	72	28	.24	48	13.514	86	28	44	100	14.319	72	44	56	64
12.858	48	28	24	32	13.566	100	24	28	86	14.322	100	48	44	64

Table of Leads, 14.333" to 16.914".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN INCHES	GEAR ON WORM	187 GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	181 GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
14.333	86	40	32	48	15.238	64	28	48	72	15.989	100	32	44	86
14.333	86	24	40	100	15.239	64	28	32	48	16,000	64	24	24	40
14.333	86	40	48	72	15.239	64	24	32	56	16.000	48	24	32	40
14.352	72	28	48	86	15.272	56	40	48	44	16.000	5 6	28	32	40
14.400	72	24	48	100	15.278	44	24	40	48	16.042	56	24	44	64
14.400	72	28	56	100	15.279	100	40	44	72	16.042	56	32	44	48
14.400	72	32	64	100	15.306	100	28	24	56	16.043	44	24	28	32
14.536	100	32	40	86	15.349	72	24	44	86	16.071	72	32	40	56
14.545	64	24	24	44	15.357	86	28	24	48	16.071	72	28	40	64
14.545	48	24	32	44	15.357	86	24	24	56	16.125	86	32	24	40
14.545	56	28	32	44	15.357	86	28	32	64	16.125	86	40	48	64
14.583	56	32	40	48	15.429	72	40	48	56	16.204	100	24.	28	72
14.583	5 6	24	40	64	15.429	72	28	24	40	16.204	100	48	56	72
14.583	100	40	28	48	15.469	72	32	44	64	16.233	100	44	40	56
14.584	40	24	28	32	15.480	86	40	72	100	16.280	100	40	56	86
14.651	72	32	56	86	15.504	100	48	64	86	16.288	86	44	40	48
14.659	86	44	48	64	15.504	100	24	32	86	16.296	64	24	44	72
14.659	86	32	24	44	15.556	64	32	56	72	16.327	64	28	40	56
14.667	64	40	44	48	15.556	64	24	28	48	16.333	56	24	28	40
14.668	44	24	32	40	15.556	56	24	32	48	16.364	72	24	24	44
14.694	72	28	32	56	15.556	32	24	28	24	16.370	100	48	44	56
14.743	86	28	48	100	15.556	56	24	48	72	16.423	86	32	44	72
14.780	86	40	44 -	64	15.584	48	28	40	44	16.456	72	28	64	100
14.800	100	44	56	86	15.625	100	24	24	64	16.500	72	40	44	48
14.815	64	24	40	72	15.625	100	32	24	48	16.500	48	32	44	40
14.849	56	24	28	44	15.625	100	32	28	56	16.612	100	28	40.	86
14.8So	100	48	40	56	15.636	86	40	-32	44	16.623	64	28	32	44
14.884	64	28	56	. 86	15.677	86	32	28	48	16.667	56	28	40	48
14.884	64	24	48	86	15.677	86	24	28	64	16.667	64	32	40	48
14.931	86	32	40	72	15.677	86	48	56	64	16.667	100	40	32	48
14.933	64	24	56	100	15.714	44	24	24	28	16.667	100	40	48	72
14.950	100	56	72	86	15.714	48	24	44	56	16.722	86	40	56	72
15.000	48	24	24	32	15.714	64	32	44	56	16.744	72	24	48	86
15.000	56	28	24	32	15.750	72	32	28	40	16.744	72	28	56	86
15.000	72	24	24	48	15.750	72	40	56	64	16.744	72	32	64	86
15.000	72	24	28	56	15.767	86	24	44	100	16.752	86	44	48	56
15.000	72	24	32	64	15.873	100	56	64	72	16.753	86	-28	24	44
15.000	5 6	28	48	64	15.874	100	28	32	72	16.797	86	32	40	64
15.050	86	32	56	100	15.909	100	40	28	44	16.800	72	24	56	100
15.150	100	44	32	48	15.909	56	32	40	44	16.875	72	32	48	64
15.151	100	44	48	72	15.925	86	48	64	72	16.892	86	40	44	56
15.202	86	44	56	72	15.926	86	24	32	72	16.914	100	44	64	86

Table of Leads, 16.969" to 20.20".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	1 ST GEAR ON STUD	2NOGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1 ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	187 GEAR ON STUD	2NOGEAR ON STUD	GEAR ON SCREW
16.969	64	44	56	48	17.918	86	32	48	72	19.091	72	24	28	44
16.970	64	24	28	44	17.959	64	28	44	56	19.096	100	32	44	72
16.970	56	24	32	44	18.000	72	24	24	40	19.111	86	40	64	72
17.045	100	32	24	44	18.181	56	28	40	44	19.136	72	28	64	86
17.046	100	44	48	64	18.181	64	32	40	44	19.197	86	32	40	56
17.062	86	28	40	72	18.181	100	40	32	44	19.197	86	28	40	64
17.101	86	44	56	64	18.182	48	24	40	44	19.200	72	24	64	100
17.102	86	32	28	44	18.229	100	32	28	48	19.250	56	32	44	40
17.141	64	32	48	56	18.229	100	24	28	64	19.285	72	32	48	56
17.143	64	28	24	32	18.229	100	48	56	64	19.285	72	28	48	64
17.144	48	24	24	28	18,273	100	28	44	86	19.286	72	28	24	32
17.144	72	28	32	48	18.285	64	28	32	40	19.350	86	32	72	100
17.144	72	24	32	56	18.333	56	28	44	48	19.380	100	24	40	86
17.144	72	48	64	56	18.333	64	32	44	48	19.394	64	24	32	44
17.188	100	40	44	64	18.367	72	28	40	56	19.444	40	24	28	24
17.200	86	32	64	100	18.428	86	28	24	40	19.444	56	24	40	48
17.200	86	28	56	100	18.428	86	40	48	56	19.444	100	40	56	72
17.200	86	24	48	100	18.476	86	32	44	64	19 480	100	28	24	44
17.275	86	56	72	64	18.519	100	24	32	72	19.480	100	44	48	56
17.361	100	32	40	72	18.519	100	48	64	72	19.531	100	32	40	64
17.364	64	24	56	86	18.605	100	40	64	86	19.535	72	24	56	86
17.373	86	44	64	72	18.663	100	64	86	72	19.545	86	24	24	44
17.442	100	32	48	86	18.667	64	24	28	40	19.590	64	28	48	56
17.442	100	4 8	72	86	18.667	56	24	32	40	19.635	72	40	48	44
17.454	64	40	48	44	18.667	64	40	56	48	19.642	100	40	44	56
17.500	56	24	24	32	18.700	72	44	64	56	19.643	44	28	40	32
17.500	48	24	28	32	18.700	72	28	32	44	19,656	86	28	64	100
17.500	72	24	28	48	18.750	100	32	24	40	19.687	72	32	56	64
17.500	56	24	48	64	18.750	72	24	40	64	19.710	86	40	44	48
17.550	86	28	32	56	18.750	72	32	40	48	19.840	100	28	40	72
17.677	100	44	56	72	18.750	100	40	48	64	19.886	100	44	56	64
17.679	72	32	44	55	18.770	86	28	44	72	19.887	100	32	28	44
17.679	72	28	44	64	18.812	86	32	28	40	19.908	86	24	40	72
17.778	64	24	32	48	18.812	86	40	56	64	19.934	100	28	48	86
17.778	64	24	48	72	18.858	48	28	44	40	20.00	72	24	32	48
17.778	64	28	56	72	18.939	100	44	40	48	20.00	64	24	24	32
17.858	100	24	24	56	19.029	100	44	72	86	20.00	56	24	24	28
17.858	100	28	32	64	19.048	40	24	32	28	20.07	86	24	56	100
17.858	100	28	24	48	19.048	64	24	40	56	20.09	100	56	72	64
17.917	86	24	32	64	19.048	64	28	40	48	20.16	86	48	72	64
17.917	86	24	28	56	19.090	56	32	48	44	20.16	86	\$2	48	64
17.918	86	24	24	48	19.090	72	44	56	48	`20,20	100	44	64	72

Table of Leads, 20.20" to 24.55".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	181 GEAR ON STUD	2MPGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	181 GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN INCHES	GEAR ON WORM	18TGEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
					21.43	100	28	24	40	23.04	86	32	48	56
20.20	72	28	44	56	21.48	100	32	44	64	23.04	86	28	48	64
20.35	100	32	56	86	21.50	86	24	24	40	23.04	86	28	24	32
20.36	64	40	56	44	21.82	72	44	64	48	23.14	100	24	40	72
20.41	100	28	32	56	21.82	100	28	44	72	23.26	100	32	64	86
20.42	56	24	28 -	32	21.82	64	32	48	44	23.26	100	28	56	86
20.45	72	32	40	44	21.82	56	28	48	44	23.26	100	24	48	86
20.48	86	48	64	56	21.82	72	24	32	44	23.33	64	32	56	48
20.48	86	28	48	72	21.88	100	40	56	64	23.33	48	24	2 8	-24
20.48	86	28	32	48	21.88	100	32	28	40	23.33	64	24	28	32
20.48	86	24	32	56	21.90	86	24	44	72	23.38	72	28	40	44
20.57	72	40	64	56	21.94	86	28	40	56	23.44	100	48	72	64
20.57	72	28	32	40	21.99	86	44	72	64	23.44	100	32	48	64
20.63	72	32	44	48	22.00	64	32	44	40	23.45	86	40	48	44
20.63	72	24	44	64	22.00	48	24	44	40	23.52	86	32	56	64
20.74	64	24	56	72	22.00	56	28	44	40	23.57	72	28	44	48
20.78	64	28	40	44	22.04	72	28	48	56	23.57	72	24	44	56
20.83	100	32	48	72	22.11	86	28	72	100	23.57	48	28	44	32
20.83	100	24	32	64	22.22	100	40	64	72					
20.83	100	24	28	56	22.22	40	24	32	24	23.81	100	48	64	56
20.83	100	24	24	48	22.22	64	24	40	48	23.81	100	28	48	72
20,90	86	32	56	72	22.32	72	24	64	86	23.81	100	28	32	48
20.90	86	24	28	48	22.32	100	32	40	56	23.81	100	24	32	56
20.93	100	40	72	86	22.32	100	28	40	64	23.89	86	32	64	72
20.95	64	28	44	48	22.34	86	44	64	56	23.89	86	28	56	72
20.95	64	24	44	56	22.34	86	28	32	44	23.89	86	24	48	72
20.95	44	24	32	28	22.40	86	32	40	48	23.89	86	24	32	48
21.00	56	32	48	40	22.40	86	24	40	64	24.00	64	40	72	48
21.00	72	40	56	48	22.50	72	24	48	64	24.00	72	24	32	40
21.00	72	24	28	40	22.50	72	24	24	32	24.00	56	28	48	40
21.12	86	32	44	56	22.50	72	28	56	64	24.00	64	32	48	40
21.12	86	28	44	64	22.73	100	24	24	44	24.00	100	56	86	64
21.21	56	24	40	44	22.80	86	48 .	56	44	24.13	86	28	44	56
21.32	100	24	44	86	22.80	86	24	28	44	24.19	86	40	72	64
21.33	100	56	86	72	22.86	64	24	24	28	24.24	64	24	40	44
21.33	64	24	32	40	22.86	48	24	32	28	24.31	100	32	56	72
21.39	44	24	28	24	22.86	64	24	48	56	24.31	100	24	28	48
21.39	56	24	44	48	22.91	72	44	56	40	24.43	86	32	40	44
21.43	100	40	48	56	22.92	100	40	44	48	24.44	44	24	32	24
21.43	72	28	40	48	22.92	44	24	40	32	24.44	64	24	44	48
21.43	72	24	40	56	22.93	86	2 4	64	100	24.54	72	32	48	44
21.43	48	28	40	32	23.04	86	56	72	48	24.55	100	32	44	56

Table of Leads, 24.55" to 31.11".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN INCHES	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
24.55	100	28	. 44	64	26,52	100	24	28	44	28.57	100	56	64	40
24.57	86	40	64	56	26.58	100	28	64	86	28.57	48	28	40	24
24.57	86	28	32	40	26.67	64	28	56	48	28.57	64 .	32	40	28
24.64	86	24	44	64	26.67	56	24	32	28	28.57	100	28	32	40
24.64	86	32	44	48	26.67	48	24	32	24	28.64	72	44	56	32
24.75	72	32	44	40	26.79	100	48	72	56	28.65	100	32	44	48
24.88	100	72	86	48	26.79	100	32	48	56	28.65	100	24	44	64
24.93	64	28	48	44	26.79	100	28	48	64	28 67	86	40	64	48
25.00	72	24	40	48	26.79	100	28	24	32	28 67	86	24	32	40
25.00	48	24	40	32	26.88	86	28	56	64	29.09	64	24	48	44
25.00	56	28	. 40	32	26.88	86	24	48	64	29.09	64	28	56	44
25.00	100	24	24	40	26.88	86	24	24	32	29.17	100	40	56	48
25.08	86	24	28	40	27.00	72	32	48	40	29.17	56	24	40	32
25.09	86	40	56	48	27.13	100	24	56	86	29.17	100	24	28	40
25.13	86	44	72	56	27.15	100	44	86	72	29.22	100	56	72	44
25.14	64	28	44	40	27.22	56	24	28	24	29.32	86	48	72	44
25.45	64	44	56	32	27.27	100	40	48	44	29.32	86	32	48	44
25.45	56	24	48	44	27.27	72	24	40	44	29.34	64	24	44	40
2 5.46	100	24	44	72	27.30	86	28	64	72	29.39	72	28	64	56
25.51	100	28	40	56	27.34	100	32	56	64	29.56	86	32	44	40
25.57	100	64	72	44	27.36	86	40	56	44	29.76	100	28	40	48
25.60	86	28	40	48	27.43	64	28	48	40	29.76	100	24	40	56
25.60	86	24	40	56	27.50	56	32	44	28	29.86	100	40	86	72
25.67	56	24	44	40	27.50	48	24	44	32	29.86	86	24	40	48
25.71	72	24	48	56	27.50	72	24	44	48	29.90	100	28	72	86
25.71	72	56	64	32	27.64	86	40	72	56	30.00	56	28	48	32
25.72	72	24	24	28	27.78	100	32	64	72	30.00	72	32	64	48
25.80	86	24	72	100	27.78	100	28	.56	72	30.00	72	28	56	48
25.97	100	44	64	56	27.78	100	24	48	72	30.23	86	32	72	64
25.97	100	28	32	44	27.78	100	24	32	48	30.30	100	48	64	44_
26.04	100	32	40	48	27.87	86	24	56	72	30.30	100	24	32	44
26.04	100	24	40	64	27.92	86	28	40	44	30.48	64	24	32	28
26.66	86	44	64	48	28.00	100	64	86	48	30.54	100	· 44	86	64
26.06	86	24	32	44	28.00	64	32	56	40	30.56	44	. 24	40	24
26.16	100	32	72	86	28.00	56	24	48	40	30.61	100	2 8	48	56
26.18	72	40	64	44	28.05	72	28	48	44	30.71	86	24	48	56
26.19	44	24	40	28	28.06	100	28	44	56	30.71	86	32	64	56
26.25	72	32	56	48	28.13	100	40	72	64	30.72	86	24	24	28
26.25	72	24	56	64	28.15	86	28	44	48	30.86	72	28	48	40
26.25	72	24	28	32	28.15	86	24	44	56	31.01	100	24	64	86
26.33	86	28	48	56	28.29	72	28	44	40	31.11	64	24	56	48
2 6.52	100	44	56	48	28.41	100	32	40	44	'31.11	56	24	32	24

Table of Leads, 31.11" to 41.99".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRÍVER		DRIVEN	DRIVER	DRIVEN	DRIVER
	GEAR		2NDGEAR	GEAR		GEAR	187 GEAR	2NDGEAR	GEAR				2NEGEAR	GEAR
INCHES	WORM	ON	ON STUD	ON SCREW	LEAD IN INCHES	ON	ON	STUD	ON	INCHES	GEAR ON WORM	ON	ON	ON SCREW
31.11	64	24	28	24	34.09	100	44	48	32	37-50	72	24	40	32
31.25	100	28	56	64	34.20	86	44	56	32	37.63	86	32	56	40
31.25	100	24	48	64	34.29	72	48	64	28	37.88	100	24	40	44
31.25	100	24	24	32	34.29	72	24	64.	56	38.10	64	24	40	28
31.27	86	40	64	44	34.29	64	`32	48	28	38.18	72	24	56	44
31.35	86	32	56	48	34.29	72	24	32	28	38.20	100	24	44	48
31.35	86	24	56	64	34.38	100	32	44	40	3 8.39	100	40	86	56
31.36	86	24	28	32	34.55	86	32	72	56	38.39	86	28	40	32
31.43	64	28	44	32	34-55	86	28	72	64	38.57	72	28	48	32
31.43	48	24	44	28	34.72	100	24	40	48	38.89	56	24	40	24
31.50	72	32	56	40	34.88	100	24	72	86	38.96	100	28	48	44
31.75	100	72	64	28	34.90	100	56	86	44	39.09	86	32	64	44
31.82	100	44	56	40	35.00	72	24	56	48	39.09	86	28	56	44
31.85	86	24	64	72 .	35.00	56	24	48	32	39.09	86	24	48	44
31.99	100	56	86	48	35.00	72	24	28	24	39.29	100	28	44	40
32.00	64	28	56	40	35.10	86	28	64	56	39.42	86	24	44	40
32.00	64	24	48	40	35.16	100	32	72	64					
32.09	56	24	44	32	35.18	86	44	72	40	39-49	86	28	72	56
32.14	100	56	72	40	35.36	72	32	44	28	39-77	100	32	56	44
32.14	72	28	40	32	35.56	* 64	24	32	24	40.00	72	24	64	48
32.25	86	48	72	40	35.71	100	32	64	56	40.00	64	28	56	32
32.25	86	40	48	32	35.71	100	24	48	56	40.00	64	24	48	32
32.41	100	24	56	72	35.72	100	24	24	28	40.00	56	24	48	28
32.47	100	28	40	44	35.83	86	32	64	48	40.00	72	24	32	24
32.58	86	24	40	44	35.83	86 ·	28	56	48	40.18	100	32	72	56
32.73	72	32	64	44	36.00	72	32	64	40	40.18	100	28	72	64
32.73	72	28	56	44	36.00	72	28	56	40	40.31	86	32	72	48
32.73	72	24	48	44	36.00	72	24	48	40	40.31	86	24	72	64
32.74	100	28	44	48	36.36	100	44	64	40	40.72	100	44	86	48
32.74	100	24	44	56	36.46	100	48	56	32	40.82	100	28	64	56
32.85	86	24	44	48	36.46	100	24	56	64	40.91	100	40	72	44
33.00	72	24	44	40	36.46	100	24	28	32	40.95	86	28	64	48
33-33	100	24	32	40	36.67	48	24	44	24	40.95	86	24	64	56
33-33	100	48	64	40	36.67	64	24	44	32	40.96	86	24	32	28
33-33	64	24	40	32	36.67	56	24	44	28	41.14	72	28	64	40
33.33	56	24	40 .	28	36.86	86	28	48	40	41.25	72	24	44	32
33-33	48	24	40	24	37.04	100	24	64	72	41.67	100	32	64	48
33.51	86	28	48	44	37-33	100	32	86	72	41.67	100	28	56	48
33.59	100	64	86	40	37-33	64	24	56	40	41.81	86	24	56	48
33.79	86	28	44	40	37.40	72	28	64	44	41.81	86	24	28	24
33-94	64	24	56	44	37.50	100	48	72	40	41.91	64	24	44	28
34.09	100	48	72	44	37-50	100	32	48	40	41.99	100	32	86	64

Table of Leads. 42.00" to 74.65".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	1ST GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW
42.00	72	24	56	40	48.00	72	24	64	40	56.31	86	24	44	28
					48.38	86	32	72	40	57.14	100	28	64	40
42.23	86	28	44	32	48.61	ICO	24	56	48	57.30	100	24	44	32
42.66	100	28	86	72	48.61	100	24	28	24	57.33	.86	24	64	40
42.78	56	24	44	24	48.86	100	40	86	44	58.33	100	24	56	40
42.86	100	28	48	40	48.89	64 .	24	44	24	58.44	100	28	72	44
42.86	72	-24	40	28	49.11	100	28	44	32	58.64	86	24	72	44
43.00	86	32	64	40	49.14	86	28	64	40	59.53	100	24	40	28
43.00	86	28	56	40	49.27	86	24	44	32	59.72	86	24	40	24
43.00	86	24	48	40	49.77	100	24	86	72	60.00	72	24	64	32
43.64	72	24	64	44	50.00	100	28	56	40	60.00	72	24	56	28
43.75	100	32	56	40	50.00	100	24	48	40	60.00	72	24	48	24
43.98	86	32	72	44	50.00	72	24	40	24	60,61	100	24	64	44
44.44	64	24	40	24	50.00	100	32	64	40	61.08	100	32	86	44
44.64	100	28	40	32	50.17	86	24	56 .	40	61.43	86	28	64	32
44.68	86	28	64	44	50.26	86	28	72	44	61.43	86	24	48	28
44.79	100	40	86	48	51.14	100	32	72	44	62.22	64	.24	56	24
44.79	86	24	40	32	51.19	86	24	40	28	62.50	100	24	72	48
45.00	72	28	56	32	51.43	72	28	64	32	62.50	100	28	56	32
45.00	72	24	48	32	51.43	72	24	48	28	62.50	100	24	48	32
45-45	100	32	64	44	51.95	100	28	64	44	62.71	86	24	56	32
45.45	100	24	48	44	52.08	100	24	40	32	63.99	100	28	86	48
45.46	100	28	56	44	52.12	86	24	64	44	63.99	100	24	86	56
45.61	86	24	56	44	52.50	72	24	56	32	64.29	100	28	72	40
45.72	64	24	48	28	53.03	100	24	56	44	64.50	86	24	72	40
45.84	100	24	44	40	53-33	64	24	56	28	65.48	100	24	44	28
45.92	100	28	72	56	53-33	64	24	48	24	65.70	86	24	44	24
46.07	86	28	72	48	53-57	100	28	72	48	66.67	100	24	64	40
46.07	86	24	72	56	53.57	100	24	72	56	67.19	100	32	86	40
46.07	86	28	48	32	53.57	86	24	72	48	68.18	100	24	72	44
46.67	64	24	56	32	53.57	100	28	48	32	68.57	72	24	64	28
46.67	56	24	48	24						69.11	86	28	72	32
46.88	100	32	72	48	53-75	86	24	48	32	69.44	100	24	40	24
46.88	100	24	72	64	53.75	86	28	56	32	69.80	100	28	86	44
47.15	72	24	44	28	54.85	100	28	86	56	70.00	72	24	56	24
47.62	100	28	64	48	55.00	72	24	44	24	71.43	100	28	64	32
47.62	100	24	64	56	55.28	86	28	72	40	71.43	100	24	48	28
47.62	100	24	32	28	55.56	100	24	32	24	71.67	86	24	64	32
47.78	86	24	64	48	55.56	100	24	64	48	71.67	86	24	56	28
47.78	86	24	32	24	55.99	100	24	86	64	71.67	86	24	48	.24
47.99	100	32	86	56	55.99	100	32	86	48	72.92	100	24	56	32
47.99	100	28	86	64	56.25	100	32	72	40	74.65	100	24	86	48

Table of Leads, 75.00" to 149.31".

	DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER		DRIVEN	DRIVER	DRIVEN	DRIVER
LEAD IN	GEAR ON WORM	18T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	16T GEAR ON STUD	2NDGEAR ON STUD	GEAR ON SCREW	LEAD IN	GEAR ON WORM	IST GEAR ON STUD	2ªºGEAR ON STUD	GEAR ON SCREW
75.00	100	24	72	40										
76.39	100	24	44	24										
76.79	100	28	86	40										
80.00	72	24	64	24									70	
80.36	100	28	72	32										
80.63	86	24	72	32										
81.44	100	24	86	44										
81.90	86	24	64	28										
83-33	100	24	64	32										
83.33	100	24	56	28										
83.33	100	24	48	24										
83.61	86	24	56	24							3-25			
89.59	100	24	86	40										
92.14	86	24	72	28										
93.75	100	24	72	32										
95-24	100	24	64	28										
95.56	86	24	64	24										
95.98	100	28	86	32										
97.22	100	24	56	24 .										
107.14	100	24	72	28										
107.50	86	24	72	24										
111.11	100	24	64	24										
111.98	100	24	86	32										
125.00	100	24	72	24										
127.98	100	24	86	28										
149.31	100	24	86	24										
														1



Index Table.

The following table contains all the data necessary to index for any number of divisions from 2 to 399 when using the spiral head of a Universal Milling Machine made by Brown & Sharpe Mfg. Co., equipped for differential indexing.

Example: Required to index for 107 divisions.

Referring to table, 107 divisions calls for index plate with a 20 hole circle, 8 holes to be taken at each indexing. Gears must be used as follows: gear on worm 40 teeth, 1st gear on stud 56 teeth, 2d gear on stud 32 teeth and gear on spindle 64 teeth. To turn the index plate in the right direction, one idler is required. The sectors are to be set to the 78 graduation as called for and will then be correct for indexing 8 holes in a 20 hole circle.

3 6/18


65

25 20

1 12 118

18

INDEX TABLE 2 to 50



THROUGH

1 1 3

39 | 39

INDEX TABLE 51 to 92.

S		SNS	NO	Σ	No.I	HOLE	ZΨ	IDLI	ERS	S S		SNS X	N O	Σ	No.I I	10LE	zω	IDL	ERs
NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRÁDUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. I HOLE	No. 2 HOLE	NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. 1 HOLE	No. 2 HOLE
51	17	14 17	33*	24			48	24	44	69	20	12 20	118	40			56	24	44
52	39	30 39	152		-					70	49	28 49	112						
F 2	49	<u>35</u> 49	140	56	40	24	72			1	2 I	12	113						
53	21	15 21	142	56	40	24	72			71	27	15 27	110	72			40	24	
54	27	20 27	147							/ .	18	10	109	72			40	24	
55	33	24 33	144							72	27	15 27	110						
-6	49	35 49	140	1						12	18	18	109						
56	2 I	15 21	142							73	49	28 49	I I 2	28			48	24	44
57	49	35 49	140	5 6			40	24	44	1,3	21	12	113	28			48	24	44
37	21	15 21	142	56			40	24	44	74	37	20 37	107						
58	29	20 29	136							75	15	8 15	105						
	39	<u>26</u> 39	132	48			32	44		76	19	10	103						
59	33	22 33	132	48			32	44		77	20	10	98	32			48	44	
*	18	12 18	133	48			32	44		78	39	20 39	101						
	39	<u>26</u> 39	132							79	20	10 20	98	48			24	44	
60	33	22 33	132							80	20	10 20	98						
	18	12 18	132							81	20	10 20	98	48			24	24	44
	39	26 39	132	48			32	24	44	82	41	20 41	96						
16	33	22 33	132	48			32	24	44	83	26	10 20	98	32			48	24	44
	18	12 18	132	48			32	24	44	84	21	10 21	94						
62	31	20 31	127							85	17	8 17	92						
	39	26 39	132	24			48	24	44	86	43	20 43	91				9		
63	33	22 33	132	24			48	24	44	87	15	7 15	92	40			24	24	44
	18	12 18	132	24			48	24	44	88	33	1 <u>5</u> 33	89						
64	16	10 16	123							80	27	12 27	88	72			32	44	
65	39	24 39	121							89	18	<u>8</u> 18	87	72			32	44	
66	33	20 33	120							6-	27	12 27	88						
6.	49	28 49	112	28			48	44		90	18	8 18	87						
67	21	12 21	113	28			48	44		91	39	18 39	91	24			48	24	44
68	17	10 17	116							92	23	10 23	86		,				

INDEX TABLE 93 to 125.

n S		SNS	NO	Σ	No.1 I	HOLE	ZЩ	IDL	ERS	OF 1S	103	RNS	NO	M.	No.I I	HOLE	ZW	IDL	ERS
NUMBER OF DIVISIONS	INDEX	NO. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. I HOLE	No. 2 HOLE	NUMBER OF DIVISIONS	INDEX	NO OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. 1 HOLE	No. 2 HOLE
93	27	12 27	88	24			32	24	44		3 9	13 39	65	24			48	44	
	18	<u>8</u> 18	87	24			32	24	44	114	33	33	65	24			48	44	
94	47	20 47	83								18	<u>6</u> 18	65	24			48	44	
95	19	8 19	82							115	23	8 23	68						
-6	49	21 49	83	28			32	24	44	116	29	10 29	68						
96	21	9 21	85	28			32	24	44		39	13 39	65	24			24	56	
97	20	8 20	78	40			48	44		117	33	11 33	65	24			24	56	
98	49	20 49	79								18	<u>6</u> 18	65	24			24	56	
99	20	8 20	78	56	28	40	32				39	13	65	48			32	44	
100	20	8 20	78							118	33	11 33	65	48			32	44	
101	20	8 20	78	72	24	40	48		24		18	6 18	65	48			32	44	
102	20	8 20	78	40			32	24	44		39	13 39	65	72			24	44	
103	20	8 20	78	40			48	24	44	119	33	<u>II</u>	65	72			24	44	
104	39	15 39	75								18	<u>6</u> 18	65	72		w	24	44	
105	21	<u>8</u> 21	75								39	1 <u>3</u>	65						
106	43	<u>16</u> 43	73	86	24	24	48			120	33	<u>11</u> 33	65						
107	20	8 20	78	40	56	32	64		24		18	<u>6</u> 18	65						
108	27	10 27	73								39	<u>13</u>	65	72			24	24	44
109	16	<u>6</u> 16	73	32			28	24	44	121	33	33	65	72			24	24	44
110	33	12 33	71								18	6 18	65	72			24	24	44
	39	13 39	65	24			72	32			39	13 39	65	48			32	24	44
111	33	11 33	65	24			72	32		122	33	33	65	48			32	24	44
	18	<u>6</u> 18	65	24			72	32			18	6 18	65	48			32	24	44
	39	13 39	65	24			64	44			39	13 39	65	24			24	24	44
112	33	11 33	65	24			64	44		123	33	33	65	24			24	24	44
	18	6 18	65	24			64	44			18	<u>6</u> 18	65	24			24	24	44
	39	13 39	65	24			56	44		124	31	10 31	63						-1
113	33	33	65	24			56	44			39	13 39	65	24			40	24	44
	18	<u>6</u> 18	65	24			56	44		125	33	33	65	24			40	24	44
											18	6 18	65	24			40	24	44

INDEX TABLE 126 to 168.

		(A)			No.1	HOLE		IDI	ERS			S			No.I I	401.5		101	ERS
NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. I HOLE	No. 2 HOLE	NUMBER CF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. I HOLE	NO. 2 HOLE
	3 9	13 39	65	24			48	24	44	143	49	14 49	55	28			24	24	44
126	33	33	65	24			48	24	44	-43	21	6 21	56	28			24	24	44
	18	6 18	65	24			48	24	44	144	18	<u>5</u> 18	54						
	39	13 39	65	24			56	24	44	145	29	8 29	54						
127	33	11 33	65	24			56	24	44	146	49	14 49	55	28			48	24	44
	ıS	6 18	65	24			56	24	44		21	6 21	56	28			48	24	44
128	16	<u>5</u> 16	61							147	49	14 49	55	24			48	24	44
	39	13 39	65	24			72	24	44	-47	21	6 21	56	24			48	24	44
129	33	33	65	24			72	24	44	148	37	10 37	53						
	18	6 18	65	24			72	24	44	149	49	14 49	55	28			72	24	44
130	39	12 39	60							149	21	6 21	56	28			72	24	44
131	20	6 20	58	40			28	44		1 50	15	4 15	52						
132	33	10 33	59							151	20	5 20	48	32			72	44	
122	49	14 49	55	24			48	44		1 52	19	5	51						
133	21	<u>6</u> 21	56	24			48	44		I 53	20	5 20	48	32			56	44	
121	49	<u>14</u> 49	55	28			48	44		1 54	20	5 20	48	32			48	44	
134	21	6 21	56	28			48	44		1 55	31	8 31	50						
135	27	8 27	58							1 56	39	10 39	50						
136	17	<u>5</u> 17	57							1 57	20	5 20	48	32		_	24	56	
	49	14 49	55	28			24	56		1 58	20	5 20	48	48			24	44	
137	21	6 2 I	56	28			24	56		159	20	5 20	48	64	32	56	28		
0	49	1 <u>4</u> 49	55	56			32	44		160	20	5 20	48						
138	21	<u>6</u> 2I	56	56			32	44		161	20	5 20	48	64	32	56	28		24
120	49	14 49	55	56	32	48	24			162	20	5 20	48	48			24	24	44
139	21	6 21	56	56	32	48	24			163	20	5 20	48	32			24	24	44
140	49	14 49	55							164	41	10 41	47						
140	21	6 21	56							165	33	8 33	47						
141	18	<u>5</u> 18	54	48			40	44		166	20	5 20	48	32			48	24	44
142	49	14 49	55	56			32	24	44	167	20	5 20	48	32			56	24	44
142	21	6 21	56	56			32	24	44	168	21	5 21	47						
-			-	-								_							

INDEX TABLE 169 to 214.

P S		SNEX	NOI	Σ	No.1 I	HOLE	Z W.	IDL	ERS	S S	tol	RNS	NOI	Σ	No.I	HOLE	2 11	IDL	ERS
NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	NO. 1 HOLE	NO. 2 HOLE	NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. 1 HOLE	No. 2 HOLE
169	20	<u>5</u> 20	48	32			72	24	44	187	27	<u>6</u> 27	43	72	48	24	56		24
17.0	17	4 17	45							10,	18	4 18	43	72	48	24	56		24
171	21	5 21	47	56			40	24	44	188	47	10 47	40						
172	43	10 43	44							189	27	6 27	43	32			64	24	44
173	27	6 27	43	72	56	32	64			109	18	<u>4</u> 18	43	32			64	24	44
13	18	4 18	43	72	56	32	64			190	19	4 19	40						
174	27	6 27	43	24			32	56		191	20	4 20	38	40			72	24	
	18	4 18	43	24			32	56		192	20	4 20	38	40			64	44	
175	27	6/27	43	72	40	32	64			193	20	4 20	38	40			56	44	
	18	4 18	43	72	40	32	64			194	20	4 20	3 8	40			48	44	
176	27	6 27	43	72	24	24	64			195	39	8 39	39						
1,70	18	4 18	43	72	24	24	64			196	49	10 49	38						
177	27	6 27	43	72			48	24		197	20 .	4 20	38	40			24	56	
	18	4 18	43	72.			48	24		198	20	4 20	38	56	28	40	32		
178	27	6 27	43	72			32	44		199	20	4 20	38	100	40	64	32		
170	18	4 18	43	72			32	44		200	20	4 20	38						
179	27	6 27	43	72	24	48	32			201	20	4/20	38	72	24	40	24		24
179	18	4 18	43	72	24	48	32			202	20	4 20	38	72	24	40	48		24
180	27	6 27	43							203	20	4 20	38	40			24	24	44
100	18	418	43							204	20	4 20	38	40			32	24	44
70-	27	6 27	43	72	24	48	32		24	205	41	8 41	37						
181	18	4 18	43	72	24	48	32		24	206	20	4 20	38	40			48	24	44
	27	<u>6</u> 27	43	72			32	24	44	207	20	4 20	38	40			56	24	44
182	18	4 18	43	72			32	24	44	208	20	4 20	38	40			64	24	44
	27	<u>6</u> .	43	48			32	24	44	209	20	4 20	38	40			72	24	44
183	18	4 18	43	48			32	24	44	210	21	4 2I	37						
184	23	5 23	42							211	16	3 16	36	64			28	44	
185	37	8 37	42							212	43	8 43	35	86	24	24	48		
	27	6/27	43	48			64	24	44	213	27	5 27	36	72			40	44	
186	18	4 i8	43	48			64	24	44	214	20	4 20	38	40	56	32	64		24

INDEX TABLE 215 to 270.

F o	lu.	SNS ×	NO	Σ	No.1 I	HOLE	zω	IDL	ERS	P S	111	S X	NO	٤	NO.1	HOLE	ZΨ	IOL	ERS
NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. 1 HOLE	No. 2 HOLE	NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. I	No. 2 HOLE
215	43	<u>8</u> 43	35							245	49	<u>8</u> 49	30						
216	27	<u>5</u> 27	3 6							246	18	3 18	32	24			24	24	44
217	21	4 21	37	48			64	24	44	247	18	<u>3</u> 18	32	48			56	24	44
218	16	<u>3</u> 16	3 6	64			56	24	44	248	31	<u>5</u> 31	31						
219	21	4 2Î	37	28			48	24	44	249	18	3 18	32	32			48	24	44
220	33	<u>6</u> 33	35							250	18	<u>3</u> 18	32	24			40	24	44
221	17	3 17	3 3	24			24	56		251	18	3 18	32	48	44	3 2	64		24
222	18	3 18	32	24			72	44		252	18	3 18	32	24			48	24	44
223	43	<u>8</u> 43	35	86	48	24	64		24	² 53	33	<u>5</u> 33	29	24			40	56	
224	18	3 18	32	24			64	44		254	18	3 18	32	24			56	24	44
225	27	<u>5</u> 27	3 6	24			40	24	44	255	18	3 18	32	48	40	24	72		24
226	18	3 18	32	24			56	44		256	18	3 18	32	24			64	24	44
227	49	<u>8</u> 49	30	56	64	28	72			257	49	<u>8</u> 49	30	56	48	28	64		24
228	18	3 18	32	24			48	44		258	43	7/43	31	32			64	24	44
229	18	<u>3</u> 18	32	24			44	48		259	49	<u>7</u> 49	26	24			72	44	
230	23	4 23	34							239	21	3 21	28	24			72	44	
231	18	<u>3</u> 18	32	32			48	44		260	3 9	<u>6</u> 39	29						
232	29	<u>5</u> 29	33							261	29	4 29	26	48	64	24	72		
233	18	3 18	32	48			56	44		262	20	3 20	28	40			28	44	
234	18.	3 18	32	24			24	56		263	49	<u>8</u> 49	30	56	64	28	72		24
235	47	<u>8</u> 47	32							264	33	<u>5</u> 33	29						
236	814	3 18	32	48			32	44		-6-	49	7 49	26	56	40	24	72		
237	18	3 18	32	48			24	44		265	21	3 21	28	56	40	24	72		
238	18	3 18	32	72			24	44		-66	49	<u>7</u> 49	26	32			64	44	
239	18	3 18	32	72	24	64	32			266	21	3 21	28	32			64	44	
240	18	<u>3</u> 18	32							267	27	4/27	28	72			32	44	
241	18	<u>3</u> 18	32	72	24	64	32		24	-	49	7 49	26	28			48	44	
242	18	3 18	32	72			24	24	44	268	21	3 21	28	28			48	44	
243	18	3 18	32	64			32	24	44	269	20	3 20	28	64	32	40	28		24
244	18	3 18	32	48			32	24	44	270	27	4/27	28						

INDEX TABLE 271 to 310

L		۳ / ۱ / ۲ / ۲ / ۲ / ۲ / ۲ / ۲ / ۲ / ۲ / ۲ /	NC		No.1 1	HOLE		IDL	ERS	OF IS		S X	NO	5	No.I	HOLE		JDL	ERS
NUMBER OF DIVISIONS	INDEX	NoOF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. F	No. 2 HOLE	NUMBER OF DIVISIONS	INDEX	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. I ,	No 2 HOLE
271	49	7 4 9	26	56	24	24	72			287	49	7 49	26	24			24	24	44
	21	3 21	28	56	24	24	72			207	21	3 21	28	24			24	24	44
272	49	<u>7</u> 49	26	56			64	24		288	49	<u>7</u> 49	26	28			32	24	44
	21	3 21	28	56			64	24		200	21	3 21	28	28			32	24	44
273	49	<u>7</u> 49	26	24			24	56		289	49	7 49	26	56	24	24	72		24
13	21	3 21 +	28	24			24	56		209	21	3 21	28	56	24	24	72		24
274	49	7 49	26	56			48	44		290	29	4 29	26						
	21	3 21	28	56			48	44		291	15	2 15	25	40			48	44	
275	49	7 49	26	56			40	44		292	49	7 4 9	26	28			48	24	44
	21	3 21	28	56			40	44			21	3 21	28	28			48	24	44
276	49	7 49	26	56			32	44		293	15	$\frac{2}{15}$	25	48	32	40	56		
	21	3 21	28	56			32	44		294	49	<u>7</u> 49	26	24			48	24	44
277	49	7 49	26	56			24	44			21	3 21	28	24			48	24	44
	21	3 21	28	56			24	44		295	15	2 15	25	48			32	44	
278	49	7/49	26	56	32	48	24			296	37	<u>5</u> 37	26						
	21.	3 21	28	56	32	48	24			297	33	<u>4</u> 33	23	28	48	24	56		
279	27	4 27	28	24			32	24	44	298	49	7 49	26	28			72	24	44
280	49	<u>7</u> 49	26								21	3 21	28	28			72	24	44
	21	3 2I	28							299	23	3 23	25	24			24	56	
281	49	7 49	26	72	24	56	24		24	300	15	2 15	25						
	21	3. 2I	28	72	24	56	24		24	301	43	<u>6</u> 43	26	24			48	24	44
282	43	<u>6</u> 43	26	86	24	24	56			302	16	16	24	32			72	24	
283	49	7 49	26	56			24	24	44	303	15	2 15	25	72	24	40	48		24
_	21	3 21	28	56			24	24	44	304	16	<u>2</u> 16	24	24			48	44	
284	49	7 49	26	56			32	24	44	305	15	2 15	25	48			32	24	44
<u> </u>	21	3 2I	28	56			32	24	44	306	15	2 15	25	40			32	24	44
285	49	7 49	26	56	_		40	24	44	307	15	2 15	25	72	48	40	56		24
_	21	3 21	28	56			40	24	44	308	16	16 2	24	32			48	44	
286	49	7 49	26	56			48	24	44	309	15	2 15	25	40	-		48	24	44
	21	3 21	28	56			48	24	44	310	31	4 31	2.4	<u></u>					

INDEX TABLE 311 to 355

ш		SNS	z	·	No.I I	HOLE		IDL	ERS	ц.		SZ V	Z	_	No.I I	HOLE	-	IDL	ERS
NUMBER OF DIVISIONS	INDEX	NO. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	NO. I	No 2 HOLE	NUMBER OF DIVISIONS	CIRCLE	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	NO. I HOLE	No. 2 HOLE
311	16	<u>2</u> 16	24	64	24	24	72			339	27	3 27	21	24			56	44	
312	39	<u>5</u> 39	24							339	18	2 18	21	24			56	44	
313	16	<u>2</u> 16	24	32			28	56		340	17	2 17	22						
314	16	<u>2</u> 16	24	32			24	56		341	43	<u>5</u> 43	21	86	24	32	40		
315	16	2 16	24	64			40	24		342	27	3 27	21	32			64	44	
316	16	2 16	24	·64			32	44		342	18	<u>2</u> 18	21	32			64	44	
317	16	<u>2</u> 16	24	64			24	44		343	15	2 15	25	40	64	24	86		24
318	16	<u>2</u> 16	24	5 6	28	48	24			344	43	<u>5</u> 43	21						
319	2 9	4 29	26	48	64	24	72		24	345	27	3 27	2 I	24			40	56	
320	16	<u>2</u> 16	24							373	18	2 18	21	24			40	56	
321	16	2 16	24	72	24	64	24		24	346	27	3 27	21	72	56	32	64		
322	23	3 23	25	32			64	24	44	340	18	2 18	21	72	56	32	64		
323	16	2 16	24	64			24	24	44	347	43	<u>5</u> 43	21	86	24	32	40		24
324	16	<u>2</u> 16	24	64			32.	24	44	248	27	$\frac{3}{27}$	21	24			32	56	
325	16	2 16	24	64			40	24	44	348	18	<u>2</u> 18	21	24			32	56	
326	16	2 16	24	32			24	24	44	3 49	27	3 27	21	72	44	24	48		
327	16	2 16	24	32			28	24	44	ال	18	2 18	2 I	72	44	24	48		
328	41	5 41	23							350	27	3 27	2 I	72	40	32	64		
329	16	<u>2</u> 16	24	64	24	24	72		24	55	18	<u>2</u> 18	21	72	40	32	64		
330	33	4 33	23							351	27	3 27	21	24			24	56	
331	16	2 16	24	64	44	24	48		24	33*	18	<u>2</u> 18	21	24			24	56	
332	16	2 16	24	32			48	24	44	352	27	3 27	21	72	24	24	64		
333	27	3 27	21	24			72	44		332	18	2 18	2 I	72	24	24	64		
333	18	2 18	21	24			72	44		353	27	3 27	21	72	24	24	56		
334	16	2 16	24	32			56	24	44	333	18	2 18	21	72	24	24	56		
335	33	4 33	23	72	48	44	40		24	354	27	3 27	21	72			48	24	
336	16	<u>2</u> 16	24	32			64	24	44	334	18	<u>2</u> 18	21.	72			48	24	
337	43	<u>5</u> 43	21	86	40	32	56			355	27	3 27	23	72			40	24	
338	16	<u>2</u> 16	24	32			72	24	44	333	18	<u>2</u> 18	21	72			40	24	

INDEX TABLE 356 to 399.

	_					11/1	DEX	17	BL	E.3	56	to 3	99	_				_	_
P St		SN X	NO	Σ	No.I I		Zω	IDL	ERS	P S	11	RNS	NOI	Σ	No.I I	HOLE	Z III	IDL	ERS
NUMBER OF DIVISIONS	CIRCLE	No. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. I HOLE	No. 2 HOLE	NUMBER OF DIVISIONS	INDEX	NO. OF TURNS OF INDEX	GRADUATION	GEAR ON WORM	IST GEAR ON STUD	2ND GEAR ON STUD	GEAR ON SPINDLE	No. 1 HOLE	NO2 HOLE
	27	3 27	21	72			32	24		25.4	27	3 27	21	72	56	32	64		24
356	18	<u>2</u> 18	21	72			32	24		374	18	<u>2</u> 18	21	72	56	32	64		24
2 57	27	3 27	21	72			24	44		275	27	$\frac{3}{27}$	21	24			40	24	44
357	18	2 18	21	72			24	44		375	18	2 18	21	24			40	24	44
250	27	3 27	21	72	32	48	24			376	47	5 47	19						
358	18	2 18	21	72	32	48	24			377	29	3 29	19	24		-	24	56	
35 9	43	<u>5</u> 43	21	86	48	32	100	•	24	378	27	3/27	21	32			64	24	44
360	27	<u>3</u> 27	21							370	18	<u>2</u> 18	21	32			64	24	44
300	18	18	21							379	20	2 20	18	48	56	40	72		
361	19	2 19	19	32			64	44		380	19	<u>2</u> 19	19						
362	27	3 27	21	72	28	56	32		24	381	27	3 27	21	24			56	24	44
3	81	<u>2</u> 18	21	72	28	56	32		24	301	18	2 18	21	24			56	24	44
363	27	3 27	21	72			24	24	44	382	20	2/20	18	40			72	24	
3°3	18	<u>2</u> 18	21	72			24	24	44	383	20	2 20	18	40			68*		
364	27	<u>3</u> 27	21	72			32	24	44	384	20	2 20	18	40			64	44	
	18	2 18	21	72			32	24	44	385	20	20	18	32			48	44	
365	20	20	18	32	48	24	56			386	20	2 20	18	40			56	44	
366	27	3 27	21	48			32	24	44	387	43	4/43	15	32	56	28	64	_	
300	18	<u>2</u> 18	21	48			32	24	44	388	20	<u>2</u> 20	18	40			48	44	
367	27	$\frac{3}{27}$	21	72	24	24	56		24	389	20	20	18	40			44	56	
J ,	18	18	21	72	24	24	56		24	390	39	<u>4</u> 39	17			_		_	
368	27	3 27	21	72	24	24	64		24	391	20	2/20	18	48	24	40	72	_	
	18	2 18	21	72	24	24	64		24	392	49	<u>5</u> 49	16						
369	41	41	18	32	56	28	64			393	20	2 20	18	40			28	44	
370	37	4 37	20							394	20	2 20	18	40			24	56	
37 I	21	21	18	32	56	24	64			395	20	2 20	18	64			32	44	
372	27	3 27	2 I	48			64	24	44	396	20	20	18	56	28	40	32		
3,	18	2 18	21	48			64	24	44	397	20	20	18	64	24	40	32		
373	20	20	18	40	48	32	72			398	20	2 20	18	100	40	64	32		
										399	2 I	2 21	18	32		<u> </u>	64	44	

* SPECIAL GEAR.

DECIMAL EQUIVALENTS OF PARTS OF AN INCH.

$ \begin{array}{r} 21/_{64} \cdot .32813 \\ 11/_{32} \cdot .34375 \\ 23/_{64} \cdot .35938 \end{array} $	$ \begin{array}{r} 45/64 \cdot .70313 \\ 23/32 \cdot .71875 \\ 47/64 \cdot .73438 \end{array} $
3=8 375	3=4 · · · · · · 75
•	
25%439063	$4\%4 \cdot .76563$
$13/_{32}$ 40625	$25/32 \dots 78125$
$27/_{64}$ 42188	⁵¹ / ₆₄ 79688
7-16 4375	13-16 8125
²⁹ / ₆₄ · · ·45313	53/6482813
$15/32 \dots 46875$	27/3284375
31/64 48438	55/6485938
1-2 5	7=8
33/6451563	57/6489063
$17/_{32} \dots .53125$	$\frac{29}{32}$ 90625
³⁵ / ₆₄ 54688	5% ₄ 92188
9=16 5625	15=16
	61/64 · .95313
$1\frac{9}{32} \cdot \cdot \cdot 59375$	$31/_{32} \dots 96875$
³⁹ ⁄ ₆₄ 60938	63/64
5-8 625	. I 1.00000
17/	
11-166875	
	$11/_{32} \cdot \cdot \cdot 34375$ $23/_{64} \cdot \cdot 35938$ $3-8 \cdot \cdot \cdot \cdot 375$ $25/_{64} \cdot \cdot 39063$ $13/_{32} \cdot \cdot \cdot 40625$ $27/_{64} \cdot \cdot \cdot 42188$ $7-16 \cdot \cdot \cdot \cdot 4375$ $29/_{64} \cdot \cdot \cdot 45313$ $15/_{32} \cdot \cdot \cdot \cdot 46875$ $31/_{64} \cdot \cdot \cdot \cdot 48438$ $1-2 \cdot \cdot \cdot \cdot 5$ $33/_{64} \cdot \cdot \cdot 51563$ $17/_{32} \cdot \cdot \cdot \cdot 53125$ $35/_{64} \cdot \cdot \cdot 54688$ $9-16 \cdot \cdot \cdot \cdot \cdot 5625$ $37/_{64} \cdot \cdot \cdot 57813$ $19/_{32} \cdot \cdot \cdot \cdot 59375$ $39/_{64} \cdot \cdot \cdot \cdot 60938$







